WEEKLY RETURN

OF

BIRTHS, DEATHS, AND MARRIAGES

IN EIGHT PRINCIPAL TOWNS OF

SCOTLAND.

By Authority of the Registrar-General.

No. 1. WEEK ENDING SATURDAY, JANUARY 5, 1889.

The Death-rate in Eight Principal Towns during the week ending with Saturday, the 5th January 1889, was 23·6 per thousand of estimated population. This rate is 3·5 below that for the corresponding week of last year, but 3·3 above that for the previous week.

The lowest mortality was recorded in Edinburgh, viz., 16·8 per thousand; and the highest in Paisley, viz., 35·7 per thousand.

The mortality from the seven most familiar Zymotic Diseases was at the rate of 2·0 per thousand, being 0·4 below that for the previous week.

The Deaths from Bronchitis, Pneumonia, and Pleurisy amounted to 134, or 46 more than for last week.

The Mean Temperature was 36°·1, being 2°·2 below that for the week immediately preceding, and 3°·2 below that for the corresponding week of 1888.

TABLE I.—BIRTHS, DEATHS, AND MARRIAGES Registered, and METEOROLOGY, during the Week ending Saturday, January 5, 1889, in Eight Principal Towns of Scotland.

TOWNS.	Registration Area in Acres.	Population estimated to middle of Year 1889.	Persons to an Acre. 1889.	Proximity in Yards.	Registered during the Week ending Jan. 5, 1889.			Temperature.			Rainfall in Inches.
					Births	Deaths	Marriages	Highest	Lowest	Mean	
Eight Principal Towns in Scotland.	31,919	1,329,884	41·664	11·58	780	604	1076	47·2	19·5	36·1	0·11
GLASGOW, . . .	6,111	528,144	86·425	8·04	334	288	503	44·9	19·8	36·6	0·14
EDINBURGH, . .	5,907	266,900	45·184	11·12	141	86	124	45·5	22·0	36·9	0·01
DUNDEE, . .	3,408	163,300	47·917	10·80	77	64	171	42·9	22·0	34·8	0·04
ABERDEEN, . .	5,811	121,448	20·900	16·35	79	41	77	47·2	25·4	35·1	0·05
GREENOCK, . .	1,509	78,248	51·854	10·38	48	35	54	45·0	25·2	37·0	0·44
LEITH, ...	1,344	76,400	56·845	9·92	37	31	63	45·1	24·0	38·1	0·01
PAISLEY, . . .	3,493	62,571	17·913	17·66	45	43	61	44·6	22·9	36·5	0·16
PERTH, ...	4,336	32,873	7·581	27·15	19	16	23	44·0	19·5	34·0	0·00
Corresponding Week of 1888.—Eight Towns.	31,919	1,314,274	41·175	11·65	804	685	890	55·6	21·0	39·3	1·10

[TURN OVER.

Week ending Saturday, January 5, 1889.

TABLE II.—DEATHS and RATE OF MORTALITY in Eight Principal Towns during the Week ending Saturday, January 5, 1889.

TOWNS.	Annual Rate of Mortality per 1000 living.		Deaths from All Causes.	The Deaths Registered in the Week include														
				Deaths of		Deaths from										Deaths in Public Institutions.	Deaths from Uncertified Causes.	Deaths from Unspecified Causes.
	From all Causes.	From Seven Zymotic Diseases.		Infants under One Year of Age.	Persons aged 60 Years & upwards.	Small-pox.	Measles.	Scarlet Fever.	Diphtheria.	Hooping-cough.	Fever.	Diarrhœa.	Croup and Laryngitis.	Bronchitis, Pneumonia & Pleurisy.	Violence.			
In Eight Towns,	23·6	2·0	604	137	143	1	13	2	6	16	5	7	6	134	22	88	77	4
GLASGOW, .	28·4	3·2	288	72	61	0	7	1	4	15	3	3	4	75	9	39	32	3
EDINBURGH,	16·8	0·3	86	18	27	0	0	1	0	0	1	0	1	16	6	20	22	0
DUNDEE, . .	20·4	1·3	64	18	12	1	1	0	0	1	0	1	1	6	1	7	11	0
ABERDEEN, .	17·6	0·9	41	8	19	0	0	0	0	0	0	2	0	5	0	5	0	1
GREENOCK, .	23·3	3·3	35	6	6	0	2	0	1	0	1	1	0	12	2	3	8	0
LEITH, . . .	21·1	0·0	31	6	5	0	0	0	0	0	0	0	0	9	2	6	2	0
PAISLEY, . .	35·7	3·3	43	7	6	0	3	0	1	0	0	0	0	6	1	5	2	0
PERTH, . . .	25·3	0·0	16	2	7	0	0	0	0	0	0	0	0	5	1	3	0	0

TABLE III.—DEATHS and RATE OF MORTALITY in Eight Principal Towns during the Week ending Saturday, January 7, 1888.

TOWNS.	Annual Rate of Mortality per 1000 living.		Deaths from All Causes.	The Deaths Registered in the Week include														
				Deaths of		Deaths from										Deaths in Public Institutions.	Deaths from Uncertified Causes.	Deaths from Unspecified Causes.
	From All Causes.	From Seven Zymotic Diseases.		Infants under One Year of Age.	Persons aged 60 Years & upwards.	Small-pox.	Measles.	Scarlet Fever.	Diphtheria.	Hooping-cough.	Fever.	Diarrhœa.	Croup and Laryngitis.	Bronchitis, Pneumonia & Pleurisy.	Violence.			
In Eight Towns,	27·1	3·6	685	151	157	2	23	7	4	30	7	18	6	163	23	80	87	4
GLASGOW, .	27·0	3·0	273	56	60	*1	1	2	1	15	2	8	3	63	11	27	35	2
EDINBURGH,	30·3	4·2	153	35	39	0	13	1	2	1	1	3	1	27	6	27	30	0
DUNDEE, . .	29·1	5·2	90	25	16	*1	5	2	1	3	2	2	1	31	3	8	4	1
ABERDEEN, .	23·1	2·2	53	11	14	0	0	0	0	3	0	2	0	16	2	11	3	0
GREENOCK, .	24·3	2·7	36	8	6	0	0	0	0	3	0	1	1	9	0	1	8	0
LEITH, . . .	20·3	6·3	29	8	6	0	4	0	0	3	0	2	0	2	1	0	1	1
PAISLEY, . .	29·5	3·4	35	6	10	0	0	0	0	2	2	0	0	12	0	4	6	0
PERTH, . . .	25·6	3·2	16	2	6	0	0	2	0	0	0	0	0	3	0	2	0	0

* Chickenpox.

WEEKLY RETURN

OF

BIRTHS, DEATHS, AND MARRIAGES

IN EIGHT PRINCIPAL TOWNS OF

SCOTLAND.

By Authority of the Registrar-General.

No. 2. WEEK ENDING SATURDAY, JANUARY 12, 1889.

The Death-rate in Eight Principal Towns during the week ending with Saturday, the 12th January 1889, was 24·1 per thousand of estimated population. This rate is 0·1 above that for the corresponding week of last year, and 0·5 above that for the previous week of the present year.

The lowest mortality was recorded in Leith, viz., 12·9 per thousand; and the highest in Glasgow, viz., 28·9 per thousand.

The mortality from the seven most familiar Zymotic Diseases was at the rate of 2·5 per thousand, being 0·5 above that for last week.

The Deaths from Bronchitis, Pneumonia, and Pleurisy amounted to 146, being an increase of 12 on the number for the previous week.

The Mean Temperature was 37°·8, being 1°·7 above that for the week immediately preceding, but 4°·2 below that for the corresponding week of 1888.

TABLE I.—BIRTHS, DEATHS, AND MARRIAGES Registered, and METEOROLOGY, during the Week ending Saturday, January 12, 1889, in Eight Principal Towns of Scotland.

TOWNS.	Registration Area in Acres.	Population estimated to middle of Year 1889.	Persons to an Acre. 1889.	Proximity in Yards.	Registered during the Week ending Jan. 12, 1889.			Temperature.			Rainfall in Inches.
					Births	Deaths	Marriages	Highest	Lowest	Mean	
Eight Principal Towns in Scotland.	31,919	1,329,884	41·664	11·58	886	617	219	46·8	23·0	37·8	0·63
GLASGOW, . . .	6,111	528,144	86·425	8·04	433	294	82	45·7	26·8	37·8	0·60
EDINBURGH, . .	5,907	266,900	45·184	11·12	135	110	41	46·8	27·0	38·1	0·07
DUNDEE, . .	3,408	163,300	47·917	10·80	97	65	44	43·8	26·4	36·7	0·75
ABERDEEN, . .	5,811	121,448	20·900	16·35	67	47	13	43·6	27·7	36·6	0·53
GREENOCK, . .	1,509	78,248	51·854	10·38	40	39	9	45·7	29·5	38·2	1·86
LEITH, ...	1,344	76,400	56·845	9·92	51	19	9	46·3	28·9	38·8	0·14
PAISLEY, . . .	3,493	62,571	17·913	17·66	44	31	18	44·9	30·0	38·2	0·64
PERTH, ...	4,336	32,873	7·581	27·15	19	12	3	46·0	23·0	38·0	0·42
Corresponding Week of 1888.—Eight Towns.	31,919	1,314,274	41·175	11·65	845	607	183	57·0	17·0	42·0	0·05

[TURN OVER.

Week ending Saturday, January 12, 1889.

TABLE II.—DEATHS and RATE OF MORTALITY in Eight Principal Towns during the Week ending Saturday, January 12, 1889.

TOWNS.	Annual Rate of Mortality per 1000 living.		Deaths from All Causes.	The Deaths Registered in the Week include														
				Deaths of		Deaths from												
	From all Causes.	From Seven Zymotic Diseases.		Infants under One Year of Age.	Persons aged 60 Years & upwards.	Small-pox.	Measles.	Scarlet Fever.	Diphtheria.	Hooping-cough.	Fever.	Diarrhœa.	Croup and Laryngitis.	Bronchitis, Pneumonia & Pleurisy.	Violence.	Deaths in Public Institutions.	Deaths from Uncertified Causes.	Deaths from Unspecified Causes.
In Eight Towns,	24·1	2·5	617	106	155	1	17	6	11	15	5	10	7	146	22	102	87	4
GLASGOW, .	28·9	3·8	294	53	59	0	12	6	3	12	2	4	3	70	8	51	39	3
EDINBURGH,	21·4	1·8	110	22	30	0	0	0	6	2	0	1	3	24	2	19	33	0
DUNDEE, . .	20·7	1·0	65	11	22	1	0	0	0	0	1	1	0	19	4	13	4	0
ABERDEEN, .	20·1	0·9	47	3	17	0	0	0	0	1	0	1	1	8	3	3	2	0
GREENOCK, .	25·9	5·3	39	9	9	0	5	0	1	0	0	2	0	11	1	5	4	0
LEITH, . . .	12·9	1·4	19	3	7	0	0	0	1	0	1	0	0	6	1	2	1	0
PAISLEY, . .	25·8	1·7	31	5	9	0	0	0	0	0	1	1	0	7	1	3	3	0
PERTH, . . .	19·0	0·0	12	0	2	0	0	0	0	0	0	0	0	1	2	6	1	1

TABLE III.—DEATHS and RATE OF MORTALITY in Eight Principal Towns during the Week ending Saturday, January 14, 1888.

TOWNS.	Annual Rate of Mortality per 1000 living.		Deaths from All Causes.	The Deaths Registered in the Week include														
				Deaths of		Deaths from												
	From All Causes.	From Seven Zymotic Diseases.		Infants under One Year of Age.	Persons aged 60 Years & upwards.	Small-pox.	Measles.	Scarlet Fever.	Diphtheria.	Hooping-cough.	Fever.	Diarrhœa.	Croup and Laryngitis.	Bronchitis, Pneumonia & Pleurisy.	Violence.	Deaths in Public Institutions.	Deaths from Uncertified Causes.	Deaths from Unspecified Causes.
In Eight Towns,	24·0	3·1	607	130	145	0	26	0	8	26	8	10	9	159	18	77	95	4
GLASGOW, .	25·0	2·7	253	57	50	0	3	0	6	11	3	4	3	75	9	32	32	3
EDINBURGH,	25·7	4·2	130	24	31	0	13	0	1	5	1	1	1	24	3	18	39	0
DUNDEE, . .	27·2	2·9	84	25	19	0	4	0	1	2	0	2	2	28	3	9	7	0
ABERDEEN, .	18·7	2·6	43	6	15	0	0	0	0	4	0	2	1	11	0	4	1	0
GREENOCK, .	10·8	0·7	16	3	6	0	0	0	0	1	0	0	0	5	1	0	3	1
LEITH, . . .	23·8	4·2	34	7	10	0	6	0	0	0	0	0	2	5	1	5	2	0
PAISLEY, . .	31·2	6·7	37	7	9	0	0	0	0	3	4	1	0	7	1	9	10	0
PERTH, . . .	16·0	0·0	10	1	5	0	0	0	0	0	0	0	0	4	0	0	1	0

WEEKLY RETURN

OF

BIRTHS, DEATHS, AND MARRIAGES

IN EIGHT PRINCIPAL TOWNS OF

SCOTLAND.

By Authority of the Registrar-General.

No. 3. WEEK ENDING SATURDAY, JANUARY 19, 1889.

The Death-rate in Eight Principal Towns during the week ending with Saturday, the 19th January 1889, was 22·0 per thousand of estimated population. This rate is 1·3 below that for the corresponding week of last year, and 2·1 below that for the previous week of the present year.

The lowest mortality was recorded in Leith, viz., 13·6 per thousand; and the highest in Paisley, viz., 30·8 per thousand.

The mortality from the seven most familiar Zymotic Diseases was at the rate of 2·5 per thousand, the same as for the preceding week.

The Deaths from Bronchitis, Pneumonia, and Pleurisy amounted to 156, being 10 above the number for last week.

The Mean Temperature was 40°·1, being 2°·3 above that for the week immediately preceding, and 4°·4 above that for the corresponding week of 1888.

TABLE I.—BIRTHS, DEATHS, AND MARRIAGES Registered, and METEOROLOGY, during the Week ending Saturday, January 19, 1889, in Eight Principal Towns of Scotland.

TOWNS.	Registration Area in Acres.	Population estimated to middle of Year 1889.	Persons to an Acre. 1889.	Proximity in Yards.	Registered during the Week ending Jan. 19, 1889.			Temperature.			Rainfall in Inches.
					Births	Deaths	Marriages	Highest	Lowest	Mean	
								°	°	°	
Eight Principal Towns in Scotland.	31,919	1,329,884	41·664	11·58	864	563	101	57·6	31·0	40·1	0·42
GLASGOW, . . .	6,111	528,144	86·425	8·04	385	271	43	54·2	34·1	41·9	0·47
EDINBURGH, . .	5,907	266,900	45·184	11·12	141	92	29	54·7	33·5	39·6	0·27
DUNDEE, . .	3,408	163,300	47·917	10·80	105	56	6	54·3	32·0	38·7	0·15
ABERDEEN, . .	5,811	121,448	20·900	16·35	63	45	7	57·6	32·2	39·2	0·33
GREENOCK, . .	1,509	78,248	51·854	10·38	43	27	5	55·0	32·2	40·3	1·18
LEITH, ...	1,344	76,400	56·845	9·92	57	20	6	55·3	35·5	41·1	0·32
PAISLEY, . . .	3,493	62,571	17·913	17·66	60	37	3	52·7	33·9	40·4	0·45
PERTH, ...	4,336	32,873	7·581	27·15	10	15	2	54·9	31·0	39·4	0·23
Corresponding Week of 1888.—Eight Towns.	31,919	1,314,274	41·175	11·65	821	588	114	50·0	22·1	35·7	0·28

[TURN OVER.

Week ending Saturday, January 19, 1889.

TABLE II.—DEATHS and RATE OF MORTALITY in Eight Principal Towns during the Week ending Saturday, January 19, 1889.

TOWNS.	Annual Rate of Mortality per 1000 living.		Deaths from All Causes.	The Deaths Registered in the Week include													
				Deaths of		Deaths from											
	From all Causes.	From Seven Zymotic Diseases.		Infants under One Year of Age.	Persons aged 60 Years & upwards.	Small-pox.	Measles.	Scarlet Fever.	Diphtheria.	Hooping-cough.	Fever.	Diarrhœa.	Croup and Laryngitis.	Bronchitis, Pneumonia & Pleurisy.	Violence.	Deaths in Public Institutions.	Deaths from Uncertified Causes.	Deaths from Unspecified Causes.
In Eight Towns,	22·0	2·5	563	108	146	1	14	4	10	16	7	12	4	156	19	90	63	1
GLASGOW, .	26·7	3·6	271	52	55	0	10	4	6	12	2	3	1	82	9	41	30	1
EDINBURGH,	17·9	1·0	92	15	30	0	1	0	0	0	2	2	0	27	4	16	18	0
DUNDEE, . .	17·8	1·0	56	12	12	0	0	0	1	1	0	1	0	18	2	5	2	0
ABERDEEN, .	19·3	2·6	45	10	16	0	0	0	0	2	0	4	1	9	2	5	2	0
GREENOCK, .	17·9	4·7	27	4	7	1	1	0	3	0	2	0	0	3	1	4	5	0
LEITH, . . .	13·6	1·4	20	3	6	0	0	0	0	1	0	1	0	5	1	5	1	0
PAISLEY, . .	30·8	3·3	37	9	12	0	2	0	0	0	1	1	1	8	0	9	5	0
PERTH, . . .	23·7	0·0	15	3	8	0	0	0	0	0	0	0	1	4	0	5	0	0

TABLE III.—DEATHS and RATE OF MORTALITY in Eight Principal Towns during the Week ending Saturday, January 21, 1888.

TOWNS.	Annual Rate of Mortality per 1000 living.		Deaths from All Causes.	The Deaths Registered in the Week include													
				Deaths of		Deaths from											
	From All Causes.	From Seven Zymotic Diseases.		Infants under One Year of Age.	Persons aged 60 Years & upwards.	Small-pox.	Measles.	Scarlet Fever.	Diphtheria.	Hooping-cough.	Fever.	Diarrhœa.	Croup and Laryngitis.	Bronchitis, Pneumonia & Pleurisy.	Violence.	Deaths in Public Institutions.	Deaths from Uncertified Causes.	Deaths from Unspecified Causes.
In Eight Towns,	23·3	2·6	588	127	139	0	15	3	5	24	6	13	10	155	9	90	77	2
GLASGOW, .	23·2	2·2	235	48	49	0	2	1	3	12	2	2	6	49	4	45	35	1
EDINBURGH,	23·7	3·8	120	22	25	0	6	1	1	3	3	5	3	26	3	20	25	1
DUNDEE, . .	26·5	1·3	82	26	20	0	1	1	0	1	0	1	0	40	0	14	3	0
ABERDEEN, .	25·7	3·5	59	13	18	0	0	0	0	5	0	3	0	11	2	7	4	0
GREENOCK, .	18·2	0·0	27	1	12	0	0	0	0	0	0	0	0	11	0	1	5	0
LEITH, . . .	17·5	5·6	25	5	4	0	6	0	1	1	0	0	0	4	0	0	2	0
PAISLEY, . .	21·1	2·5	25	8	7	0	0	0	0	1	0	2	1	6	0	1	2	0
PERTH, . . .	24·0	3·2	15	4	4	0	0	0	0	1	1	0	0	8	0	2	1	0

WEEKLY RETURN

OF

BIRTHS, DEATHS, AND MARRIAGES

IN EIGHT PRINCIPAL TOWNS OF

SCOTLAND.

By Authority of the Registrar-General.

No. 4. WEEK ENDING SATURDAY, JANUARY 26, 1889.

The Death-rate in Eight Principal Towns during the week ending with Saturday, the 26th January 1889, was 21·0 per thousand of estimated population. This rate is 1·4 below that for the corresponding week of last year, and 1·0 below that for the previous week of the present year.

The lowest mortality was recorded in Perth, viz., 9·5 per thousand; and the highest in Paisley, viz., 27·4 per thousand.

The mortality from the seven most familiar Zymotic Diseases was at the rate of 2·5 per thousand, the same as for the last two weeks.

The Deaths from Bronchitis, Pneumonia, and Pleurisy amounted to 129, or 27 below the number for the preceding week.

The Mean Temperature was 41°·4, being 1°·3 above that for the week immediately preceding, but 0°·5 below that for the corresponding week of 1888.

TABLE I.—BIRTHS, DEATHS, AND MARRIAGES Registered, and METEOROLOGY, during the Week ending Saturday, January 26, 1889, in Eight Principal Towns of Scotland.

TOWNS.	Registration Area in Acres.	Population estimated to middle of Year 1889.	Persons to an Acre. 1889.	Proximity in Yards.	Registered during the Week ending Jan. 26, 1889.			Temperature.			Rainfall in Inches.
					Births	Deaths	Marriages	Highest	Lowest	Mean	
								°	°	°	
Eight Principal Towns in Scotland.	31,919	1,329,884	41·664	11·58	839	537	124	53·2	27·9	41·4	0·14
GLASGOW, . . .	6,111	528,144	86·425	8·04	383	255	41	50·7	27·9	41·9	0·06
EDINBURGH, . .	5,907	266,900	45·184	11·12	151	94	42	49·5	28·7	41·3	0·02
DUNDEE, . .	3,408	163,300	47·917	10·80	81	49	8	49·8	29·9	40·1	0·02
ABERDEEN, . .	5,811	121,448	20·900	16·35	82	42	12	53·2	29·7	40·0	0·11
GREENOCK, . .	1,509	78,248	51·854	10·38	32	30	6	49·5	32·0	42·0	0·17
LEITH, ...	1,344	76,400	56·845	9·92	38	28	6	49·8	31·6	42·3	0·10
PAISLEY, . . .	3,493	62,571	17·913	17·66	52	33	4	50·4	30·0	42·5	0·07
PERTH, ...	4,336	32,873	7·581	27·15	20	6	5	51·5	27·9	40·9	0·60
Corresponding Week of 1888.—Eight Towns.	31,919	1,314,274	41·175	11·65	830	567	121	52·0	25·5	41·9	0·79

[TURN OVER.

Week ending Saturday, January 26, 1889.

TABLE II.—DEATHS and RATE OF MORTALITY in Eight Principal Towns during the Week ending Saturday, January 26, 1889.

TOWNS.	Annual Rate of Mortality per 1000 living.		Deaths from All Causes.	The Deaths Registered in the Week include														
				Deaths of		Deaths from												
	From all Causes.	From Seven Zymotic Diseases.		Infants under One Year of Age.	Persons aged 60 Years & upwards.	Small-pox.	Measles.	Scarlet Fever.	Diphtheria.	Hooping-cough.	Fever.	Diarrhœa.	Croup and Laryngitis.	Bronchitis, Pneumonia & Pleurisy.	Violence.	Deaths in Public Institutions.	Deaths from Uncertified Causes.	Deaths from Unspecified Causes.
In Eight Towns,	21·0	2·5	537	108	116	2	19	4	7	19	8	6	11	129	17	82	66	1
GLASGOW, .	25·1	4·0	255	47	43	0	14	4	1	17	4	1	5	65	7	40	24	0
EDINBURGH,	18·3	1·4	94	16	24	0	0	0	4	1	2	0	2	17	4	15	21	0
DUNDEE, . .	15·6	1·9	49	11	10	1	2	0	0	1	0	2	1	16	2	8	4	0
ABERDEEN, .	18·0	1·3	42	9	11	1	0	0	0	0	0	2	0	6	1	7	3	0
GREENOCK, .	19·9	4·0	30	9	5	0	2	0	2	0	1	1	0	9	1	3	6	0
LEITH, . . .	19·1	0·0	28	7	8	0	0	0	0	0	0	0	2	7	2	2	2	0
PAISLEY, . .	27·4	1·7	33	9	14	0	1	0	0	0	1	0	1	8	0	5	5	0
PERTH, . . .	9·5	0·0	6	0	1	0	0	0	0	0	0	0	0	1	0	2	1	1

TABLE III.—DEATHS and RATE OF MORTALITY in Eight Principal Towns during the Week ending Saturday, January 28, 1888.

TOWNS.	Annual Rate of Mortality per 1000 living.		Deaths from All Causes.	The Deaths Registered in the Week include														
				Deaths of		Deaths from												
	From All Causes.	From Seven Zymotic Diseases.		Infants under One Year of Age.	Persons aged 60 Years & upwards.	Small-pox.	Measles.	Scarlet Fever.	Diphtheria.	Hooping-cough.	Fever.	Diarrhœa.	Croup and Laryngitis.	Bronchitis, Pneumonia & Pleurisy.	Violence.	Deaths in Public Institutions.	Deaths from Uncertified Causes.	Deaths from Unspecified Causes.
In Eight Towns,	22·4	2·6	567	122	137	0	10	7	9	22	8	9	13	138	11	77	73	1
GLASGOW, .	23·1	2·5	234	55	31	0	0	1	4	12	5	3	7	57	8	30	33	1
EDINBURGH,	22·4	3·0	113	20	35	0	8	0	3	1	1	2	2	17	2	18	31	0
DUNDEE, . .	23·6	2·9	73	17	21	0	0	4	0	2	1	2	2	29	0	9	3	0
ABERDEEN, .	25·4	2·6	56	10	23	0	0	1	0	3	0	2	1	10	0	8	1	0
GREENOCK, .	12·8	2·0	19	3	5	0	0	0	1	2	0	0	0	9	0	0	2	0
LEITH, . . .	18·9	2·1	27	9	5	0	2	0	0	1	0	0	1	7	0	4	0	0
PAISLEY, . .	24·5	2·5	29	7	8	0	0	0	1	1	1	0	0	6	1	6	3	0
PERTH, . . .	25·6	1·6	16	1	9	0	0	1	0	0	0	0	0	3	0	2	0	0

WEEKLY RETURN

OF

BIRTHS, DEATHS, AND MARRIAGES

IN EIGHT PRINCIPAL TOWNS OF

SCOTLAND.

By Authority of the Registrar-General.

No. 5. WEEK ENDING SATURDAY, FEBRUARY 2, 1889.

The Death-rate in Eight Principal Towns during the week ending with Saturday, the 2nd February 1889, was 21·4 per thousand of estimated population. This rate is 1·0 below that for the corresponding week of last year, but 0·4 above that for the previous week of the present year.

The lowest mortality was recorded in Leith, viz., 13·6 per thousand; and the highest in Glasgow, viz., 25·1 per thousand.

The mortality from the seven most familiar Zymotic Diseases was at the rate of 2·5 per thousand, the same as for the last three weeks.

The Deaths from Bronchitis, Pneumonia, and Pleurisy amounted to 128, being one below the number for last week.

The Mean Temperature was 42°·0, being 0°·6 above that for the week immediately preceding, and 5°·1 above that for the corresponding week of 1888.

TABLE I.—BIRTHS, DEATHS, AND MARRIAGES Registered, and METEOROLOGY, during the Week ending Saturday, February 2, 1889, in Eight Principal Towns of Scotland.

TOWNS.	Registration Area in Acres.	Population estimated to middle of Year 1889.	Persons to an Acre. 1889.	Proximity in Yards.	Registered during the Week ending Feb. 2, 1889.			Temperature.			Rainfall in Inches.
					Births	Deaths	Marriages	Highest	Lowest	Mean	
								°	°	°	
Eight Principal Towns in Scotland.	31,919	1,329,884	41·664	11·58	722	547	129	58·2	24·0	42·0	0·90
GLASGOW, . . .	6,111	528,144	86·425	8·04	328	255	45	54·1	24·0	42·4	0·92
EDINBURGH, . .	5,907	266,900	45·184	11·12	131	98	25	54·5	25·0	42·2	0·33
DUNDEE, . .	3,408	163,300	47·917	10·80	74	71	9	56·4	28·3	40·8	0·43
ABERDEEN, . .	5,811	121,448	20·900	16·35	64	39	19	58·2	29·2	40·8	0·16
GREENOCK, . .	1,509	78,248	51·854	10·38	38	29	9	53·0	28·2	41·9	2·99
LEITH, ...	1,344	76,400	56·845	9·92	39	20	12	54·8	28·0	42·2	0·38
PAISLEY, . . .	3,493	62,571	17·913	17·66	31	25	5	52·4	27·3	42·8	1·38
PERTH, ...	4,336	32,873	7·581	27·15	17	10	5	56·2	25·0	42·6	0·58
Corresponding Week of 1888.—Eight Towns.	31,919	1,314,274	41·175	11·65	798	566	132	50·0	20·9	36·9	0·48

[TURN OVER.

Week ending Saturday, February 2, 1889.

TABLE II.—DEATHS and RATE OF MORTALITY in Eight Principal Towns during the Week ending Saturday, February 2, 1889.

TOWNS.	Annual Rate of Mortality per 1000 living.		Deaths from All Causes.	The Deaths Registered in the Week include														
				Deaths of		Deaths from												
	From all Causes.	From Seven Zymotic Diseases.		Infants under One Year of Age.	Persons aged 60 Years & upwards.	Small-pox.	Measles.	Scarlet Fever.	Diphtheria.	Hooping-cough.	Fever.	Diarrhœa.	Croup and Laryngitis.	Bronchitis, Pneumonia & Pleurisy.	Violence.	Deaths in Public Institutions.	Deaths from Uncertified Causes.	Deaths from Unspecified Causes.
In Eight Towns,	21·4	2·5	547	96	132	1	18	4	5	20	9	8	6	128	16	106	78	5
GLASGOW, .	25·1	3·7	255	49	50	0	13	3	0	14	5	3	4	62	7	47	35	5
EDINBURGH,	19·1	1·2	98	15	33	0	0	1	2	1	1	1	1	18	3	27	32	0
DUNDEE, . .	22·6	2·9	71	10	17	1	1	0	1	3	0	3	0	16	2	7	5	0
ABERDEEN, .	16·7	0·4	39	7	12	0	0	0	0	1	0	0	0	8	0	7	1	0
GREENOCK, .	19·3	4·0	29	4	4	0	3	0	0	0	3	0	0	13	0	6	2	0
LEITH, . . .	13·6	1·4	20	3	6	0	0	0	1	1	0	0	0	4	0	1	1	0
PAISLEY, . .	20·8	2·5	25	5	8	0	1	0	1	0	0	1	1	4	2	9	2	0
PERTH, . . .	15·8	0·0	10	3	2	0	0	0	0	0	0	0	0	3	2	2	0	0

TABLE III.—DEATHS and RATE OF MORTALITY in Eight Principal Towns during the Week ending Saturday, February 4, 1888.

TOWNS.	Annual Rate of Mortality per 1000 living.		Deaths from All Causes.	The Deaths Registered in the Week include														
				Deaths of		Deaths from												
	From All Causes.	From Seven Zymotic Diseases.		Infants under One Year of Age.	Persons aged 60 Years & upwards.	Small-pox.	Measles.	Scarlet Fever.	Diphtheria.	Hooping-cough.	Fever.	Diarrhœa.	Croup and Laryngitis.	Bronchitis, Pneumonia & Pleurisy.	Violence.	Deaths in Public Institutions.	Deaths from Uncertified Causes.	Deaths from Unspecified Causes.
In Eight Towns,	22·4	2·7	566	113	121	0	9	12	12	25	2	9	7	142	18	81	74	3
GLASGOW, .	26·1	3·1	264	46	53	0	0	6	6	17	1	1	3	66	9	44	28	2
EDINBURGH,	19·4	2·4	98	22	21	0	6	1	0	1	0	4	3	23	2	7	31	0
DUNDEE, . .	22·0	1·9	68	24	11	0	1	2	1	1	0	1	0	29	3	9	3	0
ABERDEEN, .	21·8	1·7	50	7	20	0	0	0	0	2	1	1	0	6	3	10	6	0
GREENOCK, .	16·2	3·4	24	3	0	0	0	1	3	1	0	0	0	3	1	1	1	0
LEITH, . . .	16·1	4·2	23	4	5	0	2	0	0	2	0	2	0	5	0	2	1	1
PAISLEY, . .	21·1	0·8	25	5	6	0	0	0	0	1	0	0	0	9	0	5	4	0
PERTH, . . .	22·4	6·4	14	2	5	0	0	2	2	0	0	0	1	1	0	3	0	0

WEEKLY RETURN

OF

BIRTHS, DEATHS, AND MARRIAGES

IN EIGHT PRINCIPAL TOWNS OF

SCOTLAND.

By Authority of the Registrar-General.

No. 6. WEEK ENDING SATURDAY, FEBRUARY 9, 1889.

The Death-rate in Eight Principal Towns during the week ending with Saturday, the 9th February 1889, was 22·3 per thousand of estimated population. This rate is 0·2 below that for the corresponding week of last year, but 0·9 above that for the previous week of the present year.

The lowest mortality was recorded in Leith, viz., 10·9 per thousand; and the highest in Glasgow, viz., 26·9 per thousand.

The mortality from the seven most familiar Zymotic Diseases was at the rate of 2·4 per thousand, or 0·1 below the last four weeks.

The Deaths from Bronchitis, Pneumonia, and Pleurisy amounted to 123, being five below the number for last week.

The Mean Temperature was 36°·2, being 5°·8 below that for the week immediately preceding, and 6°·2 below that for the corresponding week of 1888.

TABLE I.—BIRTHS, DEATHS, AND MARRIAGES Registered, and METEOROLOGY, during the Week ending Saturday, February 9, 1889, in Eight Principal Towns of Scotland.

TOWNS.	Registration Area in Acres.	Population estimated to middle of Year 1889.	Persons to an Acre. 1889.	Proximity in Yards.	Registered during the Week ending Feb. 9, 1889.			Temperature.			Rainfall in Inches.
					Births	Deaths	Marriages	Highest	Lowest	Mean	
								°	°	°	
Eight Principal Towns in Scotland.	31,919	1,329,884	41·664	11·58	776	571	135	48·5	22·3	36·2	0·30
GLASGOW,	6,111	528,144	86·425	8·04	351	273	67	47·6	27·3	38·0	0·35
EDINBURGH,	5,907	266,900	45·184	11·12	117	99	27	47·4	26·0	36·0	0·18
DUNDEE,	3,408	163,300	47·917	10·80	85	80	17	45·3	23·3	34·5	0·26
ABERDEEN,	5,811	121,448	20·900	16·35	70	42	11	42·2	22·3	33·8	0·70
GREENOCK,	1,509	78,248	51·854	10·38	48	31	4	46·0	26·2	36·8	0·45
LEITH,	1,344	76,400	56·845	9·92	43	16	4	47·0	28·1	36·6	0·21
PAISLEY,	3,493	62,571	17·913	17·66	46	21	4	48·2	26·1	37·6	0·15
PERTH,	4,336	32,873	7·581	27·15	16	9	1	48·5	25·0	36·2	0·10
Corresponding Week of 1888.—Eight Towns.	31,919	1,314,274	41·175	11·65	822	568	121	53·2	23·0	42·4	0·12

[TURN OVER.

Week ending Saturday, February 9, 1889.

TABLE II.—DEATHS and RATE OF MORTALITY in Eight Principal Towns during the Week ending Saturday, February 9, 1889.

TOWNS.	Annual Rate of Mortality per 1000 living.		Deaths from All Causes.	The Deaths Registered in the Week include														
				Deaths of		Deaths from												
	From all Causes.	From Seven Zymotic Diseases.		Infants under One Year of Age.	Persons aged 60 Years & upwards.	Small-pox.	Measles.	Scarlet Fever.	Diphtheria.	Hooping-cough.	Fever.	Diarrhœa.	Croup and Laryngitis.	Bronchitis, Pneumonia & Pleurisy.	Violence.	Deaths in Public Institutions.	Deaths from Uncertified Causes.	Deaths from Unspecified Causes.
In Eight Towns,	22·3	2·4	571	123	127	0	7	2	11	22	5	14	7	123	18	75	68	3
GLASGOW, .	26·9	3·4	273	70	49	0	2	2	7	12	3	9	4	65	5	34	36	2
EDINBURGH,	19·3	1·2	99	15	30	0	1	0	2	2	0	1	2	21	7	18	19	0
DUNDEE, . .	25·5	2·9	80	17	16	0	2	0	1	3	0	3	1	14	3	8	4	0
ABERDEEN, .	18·0	1·7	42	6	15	0	0	0	0	4	0	0	0	8	0	7	2	0
GREENOCK, .	20·6	2·0	31	2	6	0	2	0	0	0	1	0	0	4	3	3	5	0
LEITH, . . .	10·9	0·7	16	6	5	0	0	0	1	0	0	0	0	2	0	1	1	0
PAISLEY, . .	17·5	2·5	21	6	5	0	0	0	0	1	1	1	0	7	0	2	1	0
PERTH, . . .	14·2	0·0	9	1	1	0	0	0	0	0	0	0	0	2	0	2	0	1

TABLE III.—DEATHS and RATE OF MORTALITY in Eight Principal Towns during the Week ending Saturday, February 11, 1888.

TOWNS.	Annual Rate of Mortality per 1000 living.		Deaths from All Causes.	The Deaths Registered in the Week include														
				Deaths of		Deaths from												
	From All Causes.	From Seven Zymotic Diseases.		Infants under One Year of Age.	Persons aged 60 Years & upwards.	Small-pox.	Measles.	Scarlet Fever.	Diphtheria.	Hooping-cough.	Fever.	Diarrhœa.	Croup and Laryngitis.	Bronchitis, Pneumonia & Pleurisy.	Violence.	Deaths in Public Institutions.	Deaths from Uncertified Causes.	Deaths from Unspecified Causes.
In Eight Towns,	22·5	2·5	568	120	129	0	13	8	8	24	2	7	9	128	18	84	64	3
GLASGOW, .	24·0	2·5	243	43	52	0	3	6	3	12	0	1	3	57	6	37	28	2
EDINBURGH,	22·2	3·6	112	26	24	0	8	1	4	2	1	2	1	18	2	25	22	0
DUNDEE, . .	22·7	2·3	70	22	15	0	0	1	0	2	1	3	0	26	2	6	2	0
ABERDEEN, .	27·5	1·7	63	11	25	0	0	0	0	4	0	0	1	13	3	6	2	0
GREENOCK, .	16·2	1·4	24	6	2	0	0	0	1	0	0	1	2	5	2	3	3	0
LEITH, . . .	15·4	2·8	22	7	5	0	2	0	0	2	0	0	0	1	1	1	2	1
PAISLEY, . .	21·1	1·7	25	4	2	0	0	0	0	2	0	0	2	5	1	4	3	0
PERTH, . . .	14·4	0·0	9	1	4	0	0	0	0	0	0	0	0	3	1	2	2	0

WEEKLY RETURN

OF

BIRTHS, DEATHS, AND MARRIAGES

IN EIGHT PRINCIPAL TOWNS OF

SCOTLAND.

By Authority of the Registrar-General.

No. 7. WEEK ENDING SATURDAY, FEBRUARY 16, 1889.

The Death-rate in Eight Principal Towns during the week ending with Saturday, the 16th February 1889, was 21·6 per thousand of estimated population. This rate is 0·9 below that for the corresponding week of last year, and 0·7 below that for the previous week of the present year.

The lowest mortality was recorded in Perth, viz., 15·8 per thousand; and the highest in Glasgow, viz., 25·3 per thousand.

The mortality from the seven most familiar Zymotic Diseases was at the rate of 2·4 per thousand, the same as for last week.

The Deaths from Bronchitis, Pneumonia, and Pleurisy amounted to 105, or 18 below the number for last week.

The Mean Temperature was 34°·5, being 1°·7 below that for the week immediately preceding, but 3°·1 above that for the corresponding week of 1888.

TABLE I.—BIRTHS, DEATHS, AND MARRIAGES Registered, and METEOROLOGY, during the Week ending Saturday, February 16, 1889, in Eight Principal Towns of Scotland.

TOWNS.	Registration Area in Acres.	Population estimated to middle of Year 1889.	Persons to an Acre. 1889.	Proximity in Yards.	Registered during the Week ending Feb. 16, 1889.			Temperature.			Rainfall in Inches.
					Births	Deaths	Marriages	Highest	Lowest	Mean	
								°	°	°	
Eight Principal Towns in Scotland.	31,919	1,329,884	41·664	11·58	825	553	142	50·2	20·0	34·5	0·81
GLASGOW, . . .	6,111	528,144	86·425	8·04	359	257	76	50·2	22·9	35·6	0·72
EDINBURGH, . .	5,907	266,900	45·184	11·12	151	98	22	48·9	21·0	35·3	0·14
DUNDEE, . .	3,408	163,300	47·917	10·80	96	53	10	46·8	20·1	33·2	0·34
ABERDEEN, . .	5,811	121,448	20·900	16·35	70	45	12	47·2	21·3	33·8	1·03
GREENOCK, . .	1,509	78,248	51·854	10·38	41	35	10	49·0	23·2	33·6	2·63
LEITH, ...	1,344	76,400	56·845	9·92	39	29	7	49·7	23·9	35·8	0·18
PAISLEY, . . .	3,493	62,571	17·913	17·66	51	26	2	49·6	24·3	36·2	1·05
PERTH, ...	4,336	32,873	7·581	27·15	18	10	3	47·0	20·0	32·8	0·43
Corresponding Week of 1888.—Eight Towns.	31,919	1,314,274	41·175	11·65	781	568	143	46·9	10·0	31·4	0·42

[TURN OVER.

Week ending Saturday, February 16, 1889.

TABLE II.—DEATHS and RATE OF MORTALITY in Eight Principal Towns during the Week ending Saturday, February 16, 1889.

TOWNS.	Annual Rate of Mortality per 1000 living.		Deaths from All Causes.	The Deaths Registered in the Week include														
				Deaths of		Deaths from												
	From all Causes.	From Seven Zymotic Diseases.		Infants under One Year of Age.	Persons aged 60 Years & upwards.	Small-pox.	Measles.	Scarlet Fever.	Diphtheria.	Hooping-cough.	Fever.	Diarrhœa.	Croup and Laryngitis.	Bronchitis, Pneumonia & Pleurisy.	Violence.	Deaths in Public Institutions.	Deaths from Uncertified Causes.	Deaths from Unspecified Causes.
In Eight Towns,	21·6	2·4	553	102	115	0	23	3	8	18	2	7	13	105	16	97	68	1
GLASGOW, .	25·3	4·4	257	56	33	0	21	0	4	16	1	3	6	55	7	38	35	1
EDINBURGH,	19·1	1·2	98	17	28	0	0	0	3	0	1	2	2	12	1	17	25	0
DUNDEE, . .	16·9	0·0	53	11	9	0	0	0	0	0	0	0	0	13	3	6	4	0
ABERDEEN, .	19·3	0·4	45	9	16	0	0	0	1	0	0	0	2	8	1	11	0	0
GREENOCK, .	23·3	2·7	35	2	10	0	2	1	0	0	0	1	1	9	1	4	1	0
LEITH, . . .	19·7	1·4	29	2	7	0	0	1	0	1	0	0	2	6	0	6	0	0
PAISLEY, . .	21·6	1·7	26	5	10	0	0	1	0	1	0	0	0	2	2	11	3	0
PERTH, . . .	15·8	1·6	10	0	2	0	0	0	0	0	0	1	0	0	1	4	0	0

TABLE III.—DEATHS and RATE OF MORTALITY in Eight Principal Towns during the Week ending Saturday, February 18, 1888.

TOWNS.	Annual Rate of Mortality per 1000 living.		Deaths from All Causes.	The Deaths Registered in the Week include														
				Deaths of		Deaths from												
	From All Causes.	From Seven Zymotic Diseases.		Infants under One Year of Age.	Persons aged 60 Years & upwards.	Small-pox.	Measles.	Scarlet Fever.	Diphtheria.	Hooping-cough.	Fever.	Diarrhœa.	Croup and Laryngitis.	Bronchitis, Pneumonia & Pleurisy.	Violence.	Deaths in Public Institutions.	Deaths from Uncertified Causes.	Deaths from Unspecified Causes.
In Eight Towns,	22·5	2·5	568	112	110	0	8	5	13	21	4	11	15	148	15	90	81	1
GLASGOW, .	25·9	3·2	262	61	46	0	2	4	6	16	1	3	6	69	5	33	35	1
EDINBURGH,	21·0	2·4	106	16	23	0	2	1	5	2	0	2	3	26	3	20	31	0
DUNDEE, . .	23·3	2·3	72	13	11	0	3	0	0	1	1	2	2	25	4	12	5	0
ABERDEEN, .	16·1	0·9	37	8	7	0	0	0	0	0	1	1	2	7	1	5	2	0
GREENOCK, .	13·5	1·4	20	4	2	0	0	0	1	1	0	0	0	2	1	4	3	0
LEITH, . . .	14·7	0·7	21	1	8	0	0	0	0	1	0	0	0	4	1	3	1	0
PAISLEY, . .	30·4	3·4	36	5	9	0	0	0	0	0	1	3	1	12	0	10	4	0
PERTH, . . .	22·4	3·2	14	4	4	0	1	0	1	0	0	0	1	3	0	3	0	0

WEEKLY RETURN

OF

BIRTHS, DEATHS, AND MARRIAGES

IN EIGHT PRINCIPAL TOWNS OF

SCOTLAND.

By Authority of the Registrar-General.

No. 8. WEEK ENDING SATURDAY, FEBRUARY 23, 1889.

The Death-rate in Eight Principal Towns during the week ending with Saturday, the 23rd February 1889, was 21·2 per thousand of estimated population. This rate is 1·4 below that for the corresponding week of last year, and 0·4 below that for the previous week of the present year.

The lowest mortality was recorded in Perth, viz., 9·5 per thousand; and the highest in Glasgow, viz., 26·2 per thousand.

The mortality from the seven most familiar Zymotic Diseases was at the rate of 3·1 per thousand, being an increase of 0·7 on that for last week.

The Deaths from Bronchitis, Pneumonia, and Pleurisy amounted to 112, or 7 above the number for last week.

The Mean Temperature was 42°·5, being 8°·0 above that for the week immediately preceding, and 8°·2 above that for the corresponding week of 1888.

TABLE I.—BIRTHS, DEATHS, AND MARRIAGES Registered, and METEOROLOGY, during the Week ending Saturday, February 23, 1889, in Eight Principal Towns of Scotland.

TOWNS.	Registration Area in Acres.	Population estimated to middle of Year 1889.	Persons to an Acre. 1889.	Proximity in Yards.	Registered during the Week ending Feb. 23, 1889.			Temperature.			Rainfall in Inches.
					Births	Deaths	Marriages	Highest	Lowest	Mean	
Eight Principal Towns in Scotland.	31,919	1,329,884	41·664	11·58	824	542	176	56·2	28·4	42·5	0·37
GLASGOW, . . .	6,111	528,144	86·425	8·04	385	266	75	52·8	33·3	43·0	0·42
EDINBURGH, . .	5,907	266,900	45·184	11·12	146	105	38	53·2	33·5	42·7	0·32
DUNDEE, . .	3,408	163,300	47·917	10·80	96	50	16	52·7	31·4	41·5	0·10
ABERDEEN, . .	5,811	121,448	20·900	16·35	70	49	17	56·2	28·4	40·4	0·40
GREENOCK, . .	1,509	78,248	51·854	10·38	40	20	8	52·0	34·7	42·6	0·98
LEITH, ...	1,344	76,400	56·845	9·92	36	26	8	53·2	33·4	43·2	0·17
PAISLEY, . . .	3,493	62,571	17·913	17·66	39	20	14	53·0	34·5	43·5	0·44
PERTH, ...	4,336	32,873	7·581	27·15	12	6	0	56·0	32·0	43·2	0·16
Corresponding Week of 1888.—Eight Towns.	31,919	1,314,274	41·175	11·65	835	571	134	43·0	23·5	34·3	0·24

[TURN OVER.

Week ending Saturday, February 23, 1889.

TABLE II.—DEATHS and RATE OF MORTALITY in Eight Principal Towns during the Week ending Saturday, February 23, 1889.

TOWNS.	Annual Rate of Mortality per 1000 living.		Deaths from All Causes.	The Deaths Registered in the Week include														
				Deaths of		Deaths from										Deaths in Public Institutions.	Deaths from Uncertified Causes.	Deaths from Unspecified Causes.
	From all Causes.	From Seven Zymotic Diseases.		Infants under One Year of Age.	Persons aged 60 Years & upwards.	Small-pox.	Measles.	Scarlet Fever.	Diphtheria.	Hooping-cough.	Fever.	Diarrhœa.	Croup and Laryngitis.	Bronchitis, Pneumonia & Pleurisy.	Violence.			
In Eight Towns,	21·2	3·1	542	109	106	0	22	2	14	31	4	7	10	112	17	71	54	4
GLASGOW, .	26·2	5·6	266	55	39	0	20	0	6	26	2	3	4	59	6	34	28	3
EDINBURGH,	20·4	1·2	105	14	32	0	0	1	3	1	1	0	1	21	4	15	19	0
DUNDEE, . .	15·9	2·2	50	12	10	0	1	0	2	2	0	2	1	8	3	10	2	0
ABERDEEN, .	21·0	0·9	49	7	16	0	1	0	0	0	1	0	3	8	1	3	2	1
GREENOCK, .	13·3	0·7	20	6	1	0	0	0	0	0	0	1	0	5	0	2	2	0
LEITH, . . .	17·7	2·0	26	8	6	0	0	0	2	0	0	1	0	10	2	5	1	0
PAISLEY, . .	16·6	3·3	20	5	1	0	0	1	1	2	0	0	1	1	1	2	0	0
PERTH, . . .	9·5	0·0	6	2	1	0	0	0	0	0	0	0	0	0	0	0	0	0

TABLE III.—DEATHS and RATE OF MORTALITY in Eight Principal Towns during the Week ending Saturday, February 25, 1888.

TOWNS.	Annual Rate of Mortality per 1000 living.		Deaths from All Causes.	The Deaths Registered in the Week include														
				Deaths of		Deaths from										Deaths in Public Institutions.	Deaths from Uncertified Causes.	Deaths from Unspecified Causes.
	From All Causes.	From Seven Zymotic Diseases.		Infants under One Year of Age.	Persons aged 60 Years & upwards.	Small-pox.	Measles.	Scarlet Fever.	Diphtheria.	Hooping-cough.	Fever.	Diarrhœa.	Croup and Laryngitis.	Bronchitis, Pneumonia & Pleurisy.	Violence.			
In Eight Towns,	22·6	2·4	571	115	123	0	9	3	7	32	1	9	6	135	16	77	80	1
GLASGOW, .	26·9	2·9	272	59	52	0	0	2	3	20	0	4	3	69	10	32	41	1
EDINBURGH,	21·0	2·4	106	23	23	0	6	0	2	4	0	0	1	22	3	16	31	0
DUNDEE, . .	21·7	0·3	67	15	17	0	0	0	1	0	0	0	1	20	2	6	4	0
ABERDEEN, .	16·1	0·9	37	4	10	0	0	0	0	2	0	0	0	11	1	9	0	0
GREENOCK, .	10·1	0·7	15	5	0	0	0	0	0	0	0	1	1	4	0	1	2	0
LEITH, . . .	19·6	2·8	28	2	9	0	3	0	0	1	0	0	0	4	0	7	0	0
PAISLEY, . .	27·8	7·6	33	5	7	0	0	0	0	5	1	3	0	3	0	4	1	0
PERTH, . . .	20·8	4·8	13	2	5	0	0	1	1	0	0	1	0	2	0	2	1	0

WEEKLY RETURN

OF

BIRTHS, DEATHS, AND MARRIAGES

IN EIGHT PRINCIPAL TOWNS OF

SCOTLAND.

By Authority of the Registrar-General.

No. 9. WEEK ENDING SATURDAY, MARCH 2, 1889.

The Death-rate in Eight Principal Towns during the week ending with Saturday, the 2nd March 1889, was 22·3 per thousand of estimated population. This rate is 1·1 below that for the corresponding week of last year, but 1·1 above that for the previous week of the present year.

The lowest mortality was recorded in Leith, viz., 15·0 per thousand; and the highest in Glasgow, viz., 27·8 per thousand.

The mortality from the seven most familiar Zymotic Diseases was at the rate of 3·4 per thousand, or an increase of 0·3 on that for the previous week.

The Deaths from Bronchitis, Pneumonia, and Pleurisy amounted to 128, or 16 above last week.

The Mean Temperature was 34°·0, being 8°·5 below that for the week immediately preceding and 1°·8 below that for the corresponding week of 1888.

TABLE I.—BIRTHS, DEATHS, AND MARRIAGES Registered, and METEOROLOGY, during the Week ending Saturday, March 2, 1889, in Eight Principal Towns of Scotland.

TOWNS.	Registration Area in Acres.	Population estimated to middle of Year 1889.	Persons to an Acre. 1889.	Proximity in Yards.	Registered during the Week ending Mar. 2, 1889.			Temperature.			Rainfall in Inches.
					Births	Deaths	Marriages	Highest	Lowest	Mean	
								°	°	°	
Eight Principal Towns in Scotland.	31,919	1,329,884	41·664	11·58	793	571	212	46·9	21·2	34·0	0·51
GLASGOW, . . .	6,111	528,144	86·425	8·04	371	282	96	43·3	25·1	34·5	0·23
EDINBURGH, . .	5,907	266,900	45·184	11·12	142	101	37	38·4	25·2	32·9	0·23
DUNDEE, . .	3,408	163,300	47·917	10·80	80	56	16	39·4	26·1	33·4	1·32
ABERDEEN, . .	5,811	121,448	20·900	16·35	62	43	22	41·2	21·2	33·8	0·89
GREENOCK, . .	1,509	78,248	51·854	10·38	49	32	9	41·5	27·0	34·4	0·26
LEITH, ...	1,344	76,400	56·845	9·92	38	22	13	39·8	28·3	34·4	0·27
PAISLEY, . . .	3,493	62,571	17·913	17·66	38	23	16	46·9	27·2	35·8	0·26
PERTH, ...	4,336	32,873	7·581	27·15	13	12	3	42·0	22·0	33·1	0·66
Corresponding Week of 1888.—Eight Towns.	31,919	1,314,274	41·175	11·65	825	592	182	49·0	27·0	35·8	0·11

[TURN OVER.

Week ending Saturday, March 2, 1889.

TABLE II.—DEATHS and RATE OF MORTALITY in Eight Principal Towns during the Week ending Saturday, March 2, 1889.

TOWNS.	Annual Rate of Mortality per 1000 living.		Deaths from All Causes.	The Deaths Registered in the Week include														
				Deaths of		Deaths from												
	From all Causes.	From Seven Zymotic Diseases.		Infants under One Year of Age.	Persons aged 60 Years & upwards.	Small-pox.	Measles.	Scarlet Fever.	Diphtheria.	Hooping-cough.	Fever.	Diarrhœa.	Croup and Laryngitis.	Bronchitis, Pneumonia & Pleurisy.	Violence.	Deaths in Public Institutions.	Deaths from Uncertified Causes.	Deaths from Unspecified Causes.
In Eight Towns,	22·3	3·4	571	108	116	0	41	4	10	24	2	5	11	128	16	80	59	3
GLASGOW, .	27·8	6·6	282	53	35	0	37	4	5	19	2	0	4	65	12	39	31	2
EDINBURGH,	18·7	0·8	101	18	24	0	0	0	2	0	0	2	4	19	3	20	18	0
DUNDEE, . .	17·8	1·9	56	10	13	0	3	0	0	2	0	1	0	14	0	6	4	0
ABERDEEN, .	18·4	1·3	43	7	12	0	1	0	1	0	0	1	1	7	0	6	1	0
GREENOCK, .	21·3	2·0	32	8	10	0	0	0	1	2	0	0	1	8	0	1	3	0
LEITH, . . .	15·0	1·4	22	6	5	0	0	0	1	1	0	0	0	5	1	1	0	0
PAISLEY, . .	19·1	0·0	23	4	10	0	0	0	0	0	0	0	1	6	0	4	2	0
PERTH, . . .	19·0	0·0	12	2	7	0	0	0	0	0	0	1	0	4	0	3	0	1

TABLE III.—DEATHS and RATE OF MORTALITY in Eight Principal Towns during the Week ending Saturday, March 3, 1888.

TOWNS.	Annual Rate of Mortality per 1000 living.		Deaths from All Causes.	The Deaths Registered in the Week include														
				Deaths of		Deaths from												
	From All Causes.	From Seven Zymotic Diseases.		Infants under One Year of Age.	Persons aged 60 Years & upwards.	Small-pox.	Measles.	Scarlet Fever.	Diphtheria.	Hooping-cough.	Fever.	Diarrhœa.	Croup and Laryngitis.	Bronchitis, Pneumonia & Pleurisy.	Violence.	Deaths in Public Institutions.	Deaths from Uncertified Causes.	Deaths from Unspecified Causes.
In Eight Towns,	23·4	2·6	592	106	128	0	14	6	9	28	2	7	7	153	9	90	73	3
GLASGOW, .	27·5	3·1	278	50	44	0	3	4	4	17	0	3	6	76	5	40	32	1
EDINBURGH,	21·0	3·0	106	13	28	0	5	1	1	6	1	1	1	22	3	25	29	1
DUNDEE, . .	24·6	1·6	76	13	14	0	0	0	1	1	1	2	0	23	1	4	2	0
ABERDEEN, .	17·9	0·4	41	8	17	0	0	0	1	0	0	0	0	14	0	7	1	0
GREENOCK, .	12·2	1·4	18	3	4	0	0	1	0	0	0	1	0	0	0	1	4	0
LEITH, . . .	23·1	7·0	33	13	5	0	6	0	0	4	0	0	0	6	0	5	2	1
PAISLEY, . .	25·3	1·7	30	4	12	0	0	0	2	0	0	0	0	7	0	5	2	0
PERTH, . . .	16·0	0·0	10	2	4	0	0	0	0	0	0	0	0	0	0	3	1	0

WEEKLY RETURN

OF

BIRTHS, DEATHS, AND MARRIAGES

IN EIGHT PRINCIPAL TOWNS OF

SCOTLAND.

By Authority of the Registrar-General.

No. 10. WEEK ENDING SATURDAY, MARCH 9, 1889.

The Death-rate in Eight Principal Towns during the week ending with Saturday, the 9th March 1889, was 23·5 per thousand of estimated population. This rate is 0·7 below that for the corresponding week of last year, but 1·2 above that for the previous week of the present year.

The lowest mortality was recorded in Aberdeen, viz., 16·7 per thousand; and the highest in Perth, viz., 28·5 per thousand.

The mortality from the seven most familiar Zymotic Diseases was at the rate of 3·0 per thousand, being 0·4 below that for last week.

The Deaths from Bronchitis, Pneumonia, and Pleurisy amounted to 128, the same as for the previous week.

The Mean Temperature was 33°·9, being 0°·1 below that for the week immediately preceding, and 8°·2 below that for the corresponding week of 1888.

TABLE I.—BIRTHS, DEATHS, AND MARRIAGES Registered, and METEOROLOGY, during the Week ending Saturday, March 9, 1889, in Eight Principal Towns of Scotland.

TOWNS.	Registration Area in Acres.	Population estimated to middle of Year 1889.	Persons to an Acre. 1889.	Proximity in Yards.	Registered during the Week ending Mar. 9, 1889.			Temperature.			Rainfall in Inches.
					Births	Deaths	Marriages	Highest	Lowest	Mean	
								°	°	°	
Eight Principal Towns in Scotland.	31,919	1,329,884	41·664	11·58	843	600	199	47·2	10·2	33·9	0·39
GLASGOW, . . .	6,111	528,144	86·425	8·04	375	284	105	45·7	21·0	35·0	0·36
EDINBURGH, . .	5,907	266,900	45·184	11·12	151	119	32	45·5	19·8	34·7	0·02
DUNDEE, . .	3,408	163,300	47·917	10·80	99	61	19	43·8	19·6	33·1	0·27
ABERDEEN, . .	5,811	121,448	20·900	16·35	61	39	6	44·2	10·2	31·4	0·83
GREENOCK, . .	1,509	78,248	51·854	10·38	48	30	15	44·2	24·0	33·7	0·60
LEITH, ...	1,344	76,400	56·845	9·92	54	27	10	46·0	21·0	35·7	0·08
PAISLEY, ...	3,493	62,571	17·913	17·66	43	22	9	47·2	24·1	36·0	0·45
PERTH, ...	4,336	32,873	7·581	27·15	12	18	3	44·5	11·0	31·8	0·51
Corresponding Week of 1888.—Eight Towns.	31,919	1,314,274	41·175	11·65	836	611	135	56·5	26·0	42·1	1·24

[TURN OVER.

Week ending Saturday, March 9, 1889.

TABLE II.—DEATHS and RATE OF MORTALITY in Eight Principal Towns during the Week ending Saturday, March 9, 1889.

TOWNS.	Annual Rate of Mortality per 1000 living.		Deaths from All Causes.	The Deaths Registered in the Week include														
				Deaths of		Deaths from												
	From all Causes.	From Seven Zymotic Diseases.		Infants under One Year of Age.	Persons aged 60 Years & upwards.	Small-pox.	Measles.	Scarlet Fever.	Diphtheria.	Hooping-cough.	Fever.	Diarrhœa.	Croup and Laryngitis.	Bronchitis, Pneumonia & Pleurisy.	Violence.	Deaths in Public Institutions.	Deaths from Uncertified Causes.	Deaths from Unspecified Causes.
In Eight Towns,	23·5	3·0	600	116	119	0	26	1	11	27	2	9	14	128	20	84	72	3
GLASGOW, .	28·0	5·5	284	49	46	0	25	1	6	20	1	3	8	59	12	46	24	1
EDINBURGH,	23·2	1·4	119	21	35	0	0	0	3	3	0	1	4	28	4	13	29	0
DUNDEE, . .	19·4	0·6	61	17	9	0	0	0	0	2	0	0	0	13	2	6	5	0
ABERDEEN, .	16·7	1·7	39	6	16	0	0	0	0	0	0	4	1	6	0	6	1	0
GREENOCK, .	19·9	2·7	30	7	3	0	1	0	1	1	1	0	0	9	0	3	8	1
LEITH, . . .	18·4	0·7	27	8	2	0	0	0	1	0	0	0	1	4	1	5	1	0
PAISLEY, . .	18·3	0·8	22	3	5	0	0	0	0	1	0	0	0	6	1	4	3	0
PERTH, . . .	28·5	1·6	18	5	3	0	0	0	0	0	0	1	0	3	0	1	1	1

TABLE III.—DEATHS and RATE OF MORTALITY in Eight Principal Towns during the Week ending Saturday, March 10, 1888.

TOWNS.	Annual Rate of Mortality per 1000 living.		Deaths from All Causes.	The Deaths Registered in the Week include														
				Deaths of		Deaths from												
	From All Causes.	From Seven Zymotic Diseases.		Infants under One Year of Age.	Persons aged 60 Years & upwards.	Small-pox.	Measles.	Scarlet Fever.	Diphtheria.	Hooping-cough.	Fever.	Diarrhœa.	Croup and Laryngitis.	Bronchitis, Pneumonia & Pleurisy.	Violence.	Deaths in Public Institutions.	Deaths from Uncertified Causes.	Deaths from Unspecified Causes.
In Eight Towns,	24·2	3·0	611	130	123	0	14	5	11	29	10	7	11	159	16	85	71	0
GLASGOW, .	29·4	3·7	297	64	42	0	5	3	5	14	7	3	6	94	6	30	35	0
EDINBURGH,	18·8	2·5	95	20	28	0	6	0	1	5	1	0	2	19	4	19	22	0
DUNDEE, . .	21·0	1·0	65	7	17	0	1	0	1	0	1	0	1	19	2	12	1	0
ABERDEEN, .	20·0	2·6	46	14	13	0	0	0	0	5	0	1	0	8	1	3	2	0
GREENOCK, .	12·2	0·7	18	4	2	0	0	0	0	1	0	0	1	2	1	3	3	0
LEITH, . . .	18·2	5·6	26	10	5	0	2	1	2	1	0	2	0	4	1	5	2	0
PAISLEY, . .	40·5	6·7	48	9	11	0	0	1	2	3	1	1	1	10	1	8	6	0
PERTH, . . .	25·6	0·0	16	2	5	0	0	0	0	0	0	0	0	3	0	5	0	0

WEEKLY RETURN

OF

BIRTHS, DEATHS, AND MARRIAGES

IN EIGHT PRINCIPAL TOWNS OF

SCOTLAND.

By Authority of the Registrar-General.

No. 11. WEEK ENDING SATURDAY, MARCH 16, 1889.

The Death-rate in Eight Principal Towns during the week ending with Saturday, the 16th March 1889, was 25·4 per thousand of estimated population. This rate is 4·4 above that for the corresponding week of last year, and 1·9 above that for the previous week of the present year.

The lowest mortality was recorded in Leith, viz., 11·6 per thousand; and the highest in Glasgow, viz., 32·4 per thousand.

The mortality from the seven most familiar Zymotic Diseases was at the rate of 4·1 per thousand, being an increase of 1·1 on that for last week.

The Deaths from Bronchitis, Pneumonia, and Pleurisy amounted to 162, or 34 above the number for the previous week.

The Mean Temperature was 42°·7, being 8°·8 above that for the week immediately preceding, and 10°·8 above that for the corresponding week of 1888.

TABLE I.—BIRTHS, DEATHS, AND MARRIAGES Registered, and METEOROLOGY, during the Week ending Saturday, March 16, 1889, in Eight Principal Towns of Scotland.

TOWNS.	Registration Area in Acres.	Population estimated to middle of Year 1889.	Persons to an Acre. 1889.	Proximity in Yards.	Registered during the Week ending Mar. 16, 1889.			Temperature.			Rainfall in Inches.
					Births	Deaths	Marriages	Highest	Lowest	Mean	
								°	°	°	
Eight Principal Towns in Scotland.	31,919	1,329,884	41·664	11·58	846	650	153	58·2	26·9	42·7	0·12
GLASGOW, . . .	6,111	528,144	86·425	8·04	381	329	65	53·5	26·9	43·2	0·11
EDINBURGH, . .	5,907	266,900	45·184	11·12	142	101	38	56·2	29·5	42·4	0·14
DUNDEE, . .	3,408	163,300	47·917	10·80	97	68	13	55·2	31·9	41·5	0·03
ABERDEEN, . .	5,811	121,448	20·900	16·35	74	57	12	58·2	33·5	42·0	0·15
GREENOCK, . .	1,509	78,248	51·854	10·38	41	36	11	51·0	30·0	42·1	0·27
LEITH, ...	1,344	76,400	56·845	9·92	43	17	6	55·1	31·9	43·6	0·09
PAISLEY, . . .	3,493	62,571	17·913	17·66	51	34	7	55·3	30·5	44·4	0·09
PERTH, ...	4,336	32,873	7·581	27·15	17	8	1	54·5	28·3	42·1	0·08
Corresponding Week of 1888.—Eight Towns.	31,919	1,314,274	41·175	11·65	760	531	136	52·0	9·5	31·9	0·50

[TURN OVER.

Week ending Saturday, March 16, 1889.

TABLE II.—DEATHS and RATE OF MORTALITY in Eight Principal Towns during the Week ending Saturday, March 16, 1889.

TOWNS.	Annual Rate of Mortality per 1000 living.		Deaths from All Causes.	The Deaths Registered in the Week include														
				Deaths of		Deaths from												
	From all Causes.	From Seven Zymotic Diseases.		Infants under One Year of Age.	Persons aged 60 Years & upwards.	Small-pox.	Measles.	Scarlet Fever.	Diphtheria.	Hooping-cough.	Fever.	Diarrhœa.	Croup and Laryngitis.	Bronchitis, Pneumonia & Pleurisy.	Violence.	Deaths in Public Institutions.	Deaths from Uncertified Causes.	Deaths from Unspecified Causes.
In Eight Towns,	25·4	4·1	650	137	138	0	45	5	7	37	2	10	11	162	19	75	66	3
GLASGOW, .	32·4	7·0	329	72	56	0	37	3	1	25	1	4	5	82	14	38	35	2
EDINBURGH,	19·7	1·9	101	18	25	0	1	1	3	4	0	1	1	24	1	23	18	0
DUNDEE, . .	21·7	3·5	68	18	16	0	2	0	1	4	0	4	3	15	2	3	3	0
ABERDEEN, .	24·4	2·6	57	9	20	0	2	0	1	1	1	1	1	14	1	3	1	0
GREENOCK, .	23·9	2·7	36	10	6	0	1	0	0	3	0	0	0	9	1	3	4	0
LEITH, . . .	11·6	0·0	17	1	5	0	0	0	0	0	0	0	1	4	0	1	0	0
PAISLEY, . .	28·3	2·5	34	8	8	0	2	0	1	0	0	0	0	10	0	2	4	0
PERTH, . . .	12·7	1·6	8	1	2	0	0	1	0	0	0	0	0	4	0	2	1	1

TABLE III.—DEATHS and RATE OF MORTALITY in Eight Principal Towns during the Week ending Saturday, March 17, 1888.

TOWNS.	Annual Rate of Mortality per 1000 living.		Deaths from All Causes.	The Deaths Registered in the Week include														
				Deaths of		Deaths from												
	From All Causes.	From Seven Zymotic Diseases.		Infants under One Year of Age.	Persons aged 60 Years & upwards.	Small-pox.	Measles.	Scarlet Fever.	Diphtheria.	Hooping-cough.	Fever.	Diarrhœa.	Croup and Laryngitis.	Bronchitis, Pneumonia & Pleurisy.	Violence.	Deaths in Public Institutions.	Deaths from Uncertified Causes.	Deaths from Unspecified Causes.
In Eight Towns,	21·0	1·9	531	115	114	0	9	3	5	16	5	9	5	137	17	77	78	2
GLASGOW, .	26·9	3·3	272	56	48	0	4	1	5	15	2	6	3	72	8	26	45	1
EDINBURGH,	17·2	1·6	87	18	19	0	4	1	0	0	0	3	1	17	2	23	18	0
DUNDEE, . .	21·7	0·3	67	16	21	0	0	0	0	0	1	0	1	17	3	9	6	1
ABERDEEN, .	12·9	0·0	30	6	8	0	0	0	0	0	0	0	0	5	2	9	2	0
GREENOCK, .	10·1	0·0	15	2	3	0	0	0	0	0	0	0	0	7	1	2	2	0
LEITH, . . .	15·4	2·1	22	8	4	0	1	0	0	1	1	0	0	5	0	2	0	0
PAISLEY, . .	23·6	0·8	28	7	9	0	0	0	0	0	1	0	0	9	1	4	5	0
PERTH, . . .	16·0	1·6	10	2	2	0	0	1	0	0	0	0	0	5	0	2	0	0

WEEKLY RETURN

OF

BIRTHS, DEATHS, AND MARRIAGES

IN EIGHT PRINCIPAL TOWNS OF

SCOTLAND.

By Authority of the Registrar-General.

No. 12. WEEK ENDING SATURDAY, MARCH 23, 1889.

The Death-rate in Eight Principal Towns during the week ending with Saturday, the 23rd March 1889, was 23·4 per thousand of estimated population. This rate is 1·2 above that for the corresponding week of last year, but 2·0 below that for the previous week of the present year.

The lowest mortality was recorded in Greenock, viz., 16·6 per thousand; and the highest in Glasgow, viz., 30·0 per thousand.

The mortality from the seven most familiar Zymotic Diseases was at the rate of 3·3 per thousand, being 0·8 below that for last week.

The Deaths from Bronchitis, Pneumonia, and Pleurisy amounted to 123, or 39 less than for the previous week.

The Mean Temperature was 40°·8, being 1°·9 below that for the week immediately preceding, but 4°·7 above that for the corresponding week of 1888.

TABLE I.—BIRTHS, DEATHS, AND MARRIAGES Registered, and METEOROLOGY, during the Week ending Saturday, March 23, 1889, in Eight Principal Towns of Scotland.

TOWNS.	Registration Area in Acres.	Population estimated to middle of Year 1889.	Persons to an Acre. 1889.	Proximity in Yards.	Registered during the Week ending Mar. 23, 1889.			Temperature.			Rainfall in Inches.
					Births	Deaths	Marriages	Highest	Lowest	Mean	
								°	°	°	
Eight Principal Towns in Scotland.	31,919	1,329,884	41·664	11·58	852	599	115	57·0	30·2	40·8	0·69
GLASGOW, . . .	6,111	528,144	86·425	8·04	396	305	48	54·2	31·3	42·3	0·38
EDINBURGH, . .	5,907	266,900	45·184	11·12	141	89	22	53·6	30·2	40·6	0·72
DUNDEE, . .	3,408	163,300	47·917	10·80	90	73	12	51·4	30·5	39·2	0·54
ABERDEEN, . .	5,811	121,448	20·900	16·35	72	40	15	52·2	31·3	39·3	1·12
GREENOCK, . .	1,509	78,248	51·854	10·38	51	25	3	52·0	32·0	41·2	1·44
LEITH, ...	1,344	76,400	56·845	9·92	40	27	6	51·8	32·5	41·0	0·55
PAISLEY, . . .	3,493	62,571	17·913	17·66	46	28	7	51·5	30·8	41·9	0·38
PERTH, ...	4,336	32,873	7·581	27·15	16	12	2	57·0	30·2	40·6	0·37
Corresponding Week of 1888.—Eight Towns.	31,919	1,314,274	41·175	11·65	870	562	101	52·7	11·5	36·1	0·62

[TURN OVER.

Week ending Saturday, March 23, 1889.

TABLE II.—DEATHS and RATE OF MORTALITY in Eight Principal Towns during the Week ending Saturday, March 23, 1889.

TOWNS.	Annual Rate of Mortality per 1000 living.		Deaths from All Causes.	The Deaths Registered in the Week include														
				Deaths of		Deaths from												
	From all Causes.	From Seven Zymotic Diseases.		Infants under One Year of Age.	Persons aged 60 Years & upwards.	Small-pox.	Measles.	Scarlet Fever.	Diphtheria.	Hooping-cough.	Fever.	Diarrhœa.	Croup and Laryngitis.	Bronchitis, Pneumonia & Pleurisy.	Violence.	Deaths in Public Institutions.	Deaths from Uncertified Causes.	Deaths from Unspecified Causes.
In Eight Towns,	23·4	3·3	599	123	124	0	33	2	10	31	5	4	9	123	23	78	66	3
GLASGOW, .	30·0	6·4	305	57	48	0	30	1	7	24	2	1	2	65	12	32	44	2
EDINBURGH,	17·3	1·4	89	22	27	0	0	1	1	3	0	2	3	17	3	17	11	0
DUNDEE, . .	23·2	3·2	73	17	17	0	3	0	1	4	2	0	1	16	2	11	3	1
ABERDEEN, .	17·1	0·4	40	9	10	0	0	0	0	0	0	1	2	7	1	3	1	0
GREENOCK, .	16·6	0·0	25	4	5	0	0	0	0	0	0	0	0	9	1	1	4	0
LEITH, . . .	18·4	0·0	27	7	7	0	0	0	0	0	0	0	0	2	2	4	0	0
PAISLEY, . .	23·3	1·7	28	7	6	0	0	0	1	0	1	0	0	5	2	5	3	0
PERTH, . . .	19·0	0·0	12	0	4	0	0	0	0	0	0	0	1	2	0	5	0	0

TABLE III.—DEATHS and RATE OF MORTALITY in Eight Principal Towns during the Week ending Saturday, March 24, 1888.

TOWNS.	Annual Rate of Mortality per 1000 living.		Deaths from All Causes.	The Deaths Registered in the Week include														
				Deaths of		Deaths from												
	From All Causes.	From Seven Zymotic Diseases.		Infants under One Year of Age.	Persons aged 60 Years & upwards.	Small-pox.	Measles.	Scarlet Fever.	Diphtheria.	Hooping-cough.	Fever.	Diarrhœa.	Croup and Laryngitis.	Bronchitis, Pneumonia & Pleurisy.	Violence.	Deaths in Public Institutions.	Deaths from Uncertified Causes.	Deaths from Unspecified Causes.
In Eight Towns,	22·2	2·2	562	110	124	0	9	9	6	21	5	6	5	137	18	84	81	5
GLASGOW, .	27·2	2·9	275	63	39	0	6	6	1	14	2	0	2	71	12	36	37	3
EDINBURGH,	20·4	2·2	103	17	28	0	2	1	1	5	1	1	1	20	4	14	27	0
DUNDEE, . .	19·1	1·6	59	10	16	0	0	0	2	1	0	2	0	20	1	8	7	0
ABERDEEN, .	17·0	1·7	39	10	13	0	0	0	0	1	1	2	1	6	0	7	4	0
GREENOCK, .	18·2	1·4	27	4	6	0	0	1	1	0	0	0	0	8	1	4	3	0
LEITH, . . .	15·4	2·1	22	4	5	0	1	1	1	0	0	0	1	4	0	4	0	0
PAISLEY, . .	23·6	1·7	28	1	10	0	0	0	0	0	1	1	0	7	0	10	1	0
PERTH, . . .	14·4	0·0	9	1	7	0	0	0	0	0	0	0	0	1	0	1	2	2

WEEKLY RETURN

OF

BIRTHS, DEATHS, AND MARRIAGES

IN EIGHT PRINCIPAL TOWNS OF

SCOTLAND.

By Authority of the Registrar-General.

No. 43. WEEK ENDING SATURDAY, OCTOBER 26, 1889.

The Death-rate in Eight Principal Towns during the week ending with Saturday, October 26, 1889, was 19·3 per thousand of estimated population. This rate is 0·5 below that for the corresponding week of last year, and 1·2 below that for the previous week of the present year.

The lowest mortality was recorded in Paisley, viz., 14·1 per thousand; and the highest in Glasgow, viz., 23·2 per thousand.

The mortality from the seven most familiar Zymotic Diseases was at the rate of 2·2 per thousand, being 0·2 below that for the previous week.

The Deaths from Bronchitis, Pneumonia, and Pleurisy amounted to 111, or 1 more than for last week.

The Mean Temperature was 46°·0, being 0°·7 below that for the week immediately preceding, and 5°·9 below that for the corresponding week of 1888.

TABLE I.—BIRTHS, DEATHS, AND MARRIAGES Registered, and METEOROLOGY, during the Week ending Saturday, October 26, 1889, in Eight Principal Towns of Scotland.

TOWNS.	Registration Area in Acres.	Population estimated to middle of Year 1889.	Persons to an Acre. 1889.	Proximity in Yards.	Registered during the Week ending Oct. 26, 1889.			Temperature.			Rainfall in Inches.
					Births	Deaths	Marriages	Highest	Lowest	Mean	
								°	°	°	
Eight Principal Towns in Scotland.	31,919	1,329,884	41·664	11·58	855	494	155	57·0	31·5	46·0	0·64
GLASGOW, . . .	6,111	528,144	86·425	8·04	369	236	73	54·0	33·7	45·9	0·35
EDINBURGH, . .	5,907	266,900	45·184	11·12	146	79	35	51·5	35·0	45·3	1·39
DUNDEE, . .	3,408	163,300	47·917	10·80	114	52	11	52·5	37·1	45·0	0·62
ABERDEEN, . .	5,811	121,448	20·900	16·35	67	40	15	54·2	36·8	46·5	0·39
GREENOCK, . .	1,509	78,248	51·854	10·38	42	24	7	55·0	35·0	46·9	0·14
LEITH, ...	1,344	76,400	56·845	9·92	52	32	5	52·6	38·2	46·1	1·28
PAISLEY, . . .	3,493	62,571	17·913	17·66	48	17	6	53·7	34·0	46·4	0·19
PERTH, ...	4,336	32,873	7·581	27·15	17	14	3	57·0	31·5	46·2	0·76
Corresponding Week of 1888.—Eight Towns.	31,919	1,314,274	41·175	11·65	875	500	163	64·1	38·0	51·9	0·67

[TURN OVER.

Week ending Saturday, October 26, 1889.

TABLE II.—DEATHS and RATE OF MORTALITY in Eight Principal Towns during the Week ending Saturday, October 26, 1889.

TOWNS.	Annual Rate of Mortality per 1000 living.		Deaths from All Causes.	The Deaths Registered in the Week include														
				Deaths of		Deaths from												
	From all Causes.	From Seven Zymotic Diseases.		Infants under One Year of Age.	Persons aged 60 Years & upwards.	Small-pox.	Measles.	Scarlet Fever.	Diphtheria.	Hooping-cough.	Fever.	Diarrhœa.	Croup and Laryngitis.	Bronchitis, Pneumonia & Pleurisy.	Violence.	Deaths in Public Institutions.	Deaths from Uncertified Causes.	Deaths from Unspecified Causes.
In Eight Towns,	19·3	2·2	494	123	95	0	9	6	13	10	6	12	11	111	18	62	67	1
GLASGOW, .	23·2	2·2	236	67	35	0	1	2	6	4	4	5	6	74	9	29	32	1
EDINBURGH,	15·4	2·3	79	13	18	0	2	1	3	5	0	1	0	13	4	19	23	0
DUNDEE, . .	16·6	1·3	52	13	11	0	0	0	1	0	0	3	0	6	0	5	5	0
ABERDEEN, .	17·1	2·1	40	9	14	0	3	0	0	0	2	0	2	5	1	3	0	0
GREENOCK, .	15·9	1·3	24	5	4	0	0	0	0	0	0	2	0	3	3	0	5	0
LEITH, . . .	21·8	5·4	32	12	3	0	3	1	2	1	0	1	3	6	0	1	1	0
PAISLEY, . .	14·1	1·7	17	3	4	0	0	1	1	0	0	0	0	2	0	0	1	0
PERTH, . . .	22·2	1·6	14	1	6	0	0	1	0	0	0	0	0	2	1	5	0	0

TABLE III.—DEATHS and RATE OF MORTALITY in Eight Principal Towns during the Week ending Saturday, October 27, 1888.

TOWNS.	Annual Rate of Mortality per 1000 living.		Deaths from All Causes.	The Deaths Registered in the Week include														
				Deaths of		Deaths from												
	From All Causes.	From Seven Zymotic Diseases.		Infants under One Year of Age.	Persons aged 60 Years & upwards.	Small-pox.	Measles.	Scarlet Fever.	Diphtheria.	Hooping-cough.	Fever.	Diarrhœa.	Croup and Laryngitis.	Bronchitis, Pneumonia & Pleurisy.	Violence.	Deaths in Public Institutions.	Deaths from Uncertified Causes.	Deaths from Unspecified Causes.
In Eight Towns,	19·8	2·7	500	131	91	0	26	7	9	9	3	15	7	114	13	63	46	1
GLASGOW, .	20·9	2·6	211	59	28	0	0	4	5	6	2	9	4	49	6	27	20	1
EDINBURGH,	16·0	0·4	81	17	24	0	0	0	2	0	0	0	0	20	1	12	16	0
DUNDEE, . .	18·1	1·9	56	13	8	0	0	2	0	0	1	3	2	10	1	7	2	0
ABERDEEN, .	19·2	0·9	44	10	15	0	0	0	0	1	0	1	0	13	2	10	2	0
GREENOCK, .	20·3	3·4	30	13	4	0	3	0	0	0	0	2	0	4	3	1	4	0
LEITH, . . .	9·8	0·0	14	3	5	0	0	0	0	0	0	0	0	3	0	0	0	0
PAISLEY, . .	47·2	22·8	56	15	5	0	23	0	2	2	0	0	1	14	0	5	1	0
PERTH, . . .	12·8	1·6	8	1	2	0	0	1	0	0	0	0	0	1	0	1	1	0

WEEKLY RETURN

OF

BIRTHS, DEATHS, AND MARRIAGES

IN EIGHT PRINCIPAL TOWNS OF

SCOTLAND.

By Authority of the Registrar-General.

No. 44. WEEK ENDING SATURDAY, NOVEMBER 2, 1889.

The Death-rate in Eight Principal Towns during the week ending with Saturday, November 2, 1889, was 20·3 per thousand of estimated population. This rate is 1·6 above that for the corresponding week of last year, and 1·0 above that for the previous week of the present year.

The lowest mortality was recorded in Paisley, viz., 11·6 per thousand; and the highest in Perth, viz., 25·3 per thousand.

The mortality from the seven most familiar Zymotic Diseases was at the rate of 2·1 per thousand, being 0·1 below that for last week.

The Deaths from Bronchitis, Pneumonia, and Pleurisy amounted to 143, being 32 above the number for the previous week.

The Mean Temperature was 44°·4, being 1°·6 below that for the week immediately preceding, and 3°·5 below that for the corresponding week of 1888.

TABLE I.—BIRTHS, DEATHS, AND MARRIAGES Registered, and METEOROLOGY, during the Week ending Saturday, November 2, 1889, in Eight Principal Towns of Scotland.

TOWNS.	Registration Area in Acres.	Population estimated to middle of Year 1889.	Persons to an Acre. 1889.	Proximity in Yards.	Registered during the Week ending Nov. 2, 1889.			Temperature.			Rainfall in Inches.
					Births	Deaths	Marriages	Highest	Lowest	Mean	
								°	°	°	
Eight Principal Towns in Scotland.	31,919	1,329,884	41·664	11·58	827	519	185	57·0	29·5	44·4	0·67
GLASGOW, . . .	6,111	528,144	86·425	8·04	366	241	89	56·3	30·8	44·5	0·70
EDINBURGH, . .	5,907	266,900	45·184	11·12	138	88	35	54·9	34·5	44·9	0·39
DUNDEE, . .	3,408	163,300	47·917	10·80	102	54	13	55·0	32·4	44·0	0·26
ABERDEEN, . .	5,811	121,448	20·900	16·35	79	49	13	53·2	32·9	42·9	0·46
GREENOCK, . .	1,509	78,248	51·854	10·38	41	22	11	53·5	35·2	44·0	2·25
LEITH, ...	1,344	76,400	56·845	9·92	43	35	8	57·0	38·3	46·1	0·27
PAISLEY, . . .	3,493	62,571	17·913	17·66	36	14	12	55·0	34·0	45·0	0·70
PERTH, ...	4,336	32,873	7·581	27·15	22	16	4	55·0	29·5	43·5	0·33
Corresponding Week of 1888.—Eight Towns.	31,919	1,314,274	41·175	11·65	787	473	186	62·0	30·0	47·9	1·05

[TURN OVER.

Week ending Saturday, November 2, 1889.

TABLE II.—DEATHS and RATE OF MORTALITY in Eight Principal Towns during the Week ending Saturday, November 2, 1889.

TOWNS.	Annual Rate of Mortality per 1000 living.		Deaths from All Causes.	The Deaths Registered in the Week include														
				Deaths of		Deaths from												
	From all Causes.	From Seven Zymotic Diseases.		Infants under One Year of Age.	Persons aged 60 Years & upwards.	Small-pox.	Measles.	Scarlet Fever.	Diphtheria.	Hooping-cough.	Fever.	Diarrhœa.	Croup and Laryngitis.	Bronchitis, Pneumonia & Pleurisy.	Violence.	Deaths in Public Institutions.	Deaths from Uncertified Causes.	Deaths from Unspecified Causes.
In Eight Towns,	20·3	2·1	519	127	101	0	7	10	9	10	4	13	10	143	21	71	71	2
GLASGOW, .	23·7	1·7	241	68	35	0	1	2	2	5	2	5	3	89	15	32	31	2
EDINBURGH,	17·1	2·3	88	17	17	0	2	1	3	3	2	1	3	18	1	15	31	0
DUNDEE, . .	17·2	1·3	54	13	13	0	0	0	1	1	0	2	1	10	2	7	2	0
ABERDEEN, .	21·0	2·6	49	12	9	0	3	0	1	0	0	2	1	7	1	7	2	0
GREENOCK, .	14·6	0·7	22	6	9	0	0	0	0	0	0	1	1	4	0	2	2	0
LEITH, . . .	23·8	5·4	35	7	8	0	1	5	1	0	0	1	0	7	2	5	3	0
PAISLEY, . .	11·6	2·5	14	3	7	0	0	0	1	1	0	1	1	4	0	0	0	0
PERTH, . . .	25·3	3·2	16	1	3	0	0	2	0	0	0	0	0	4	0	3	0	0

TABLE III.—DEATHS and RATE OF MORTALITY in Eight Principal Towns during the Week ending Saturday, November 3, 1888.

TOWNS.	Annual Rate of Mortality per 1000 living.		Deaths from All Causes.	The Deaths Registered in the Week include														
				Deaths of		Deaths from												
	From All Causes.	From Seven Zymotic Diseases.		Infants under One Year of Age.	Persons aged 60 Years & upwards.	Small-pox.	Measles.	Scarlet Fever.	Diphtheria.	Hooping-cough.	Fever.	Diarrhœa.	Croup and Laryngitis.	Bronchitis, Pneumonia & Pleurisy.	Violence.	Deaths in Public Institutions.	Deaths from Uncertified Causes.	Deaths from Unspecified Causes.
In Eight Towns,	18·7	2·2	473	101	94	0	23	1	4	5	3	20	3	98	20	61	65	0
GLASGOW, .	19·8	2·1	200	44	28	0	7	1	1	4	0	8	0	40	8	26	27	0
EDINBURGH,	15·0	1·0	76	16	21	0	0	0	2	0	1	2	0	12	2	14	24	0
DUNDEE, . .	18·5	2·3	57	17	13	0	0	0	0	0	0	7	1	17	6	5	2	0
ABERDEEN, .	17·9	0·9	41	5	12	0	0	0	0	1	0	1	0	5	0	6	2	0
GREENOCK, .	22·9	2·0	34	4	6	0	2	0	0	0	1	0	1	12	1	1	4	0
LEITH, . . .	16·8	0·7	24	5	5	0	0	0	0	0	0	1	0	5	1	3	2	0
PAISLEY, . .	28·7	13·5	34	7	6	0	14	0	1	0	1	0	1	5	2	6	2	0
PERTH, . . .	11·2	1·6	7	3	3	0	0	0	0	0	0	1	0	2	0	0	2	0

WEEKLY RETURN

OF

BIRTHS, DEATHS, AND MARRIAGES

IN EIGHT PRINCIPAL TOWNS OF

SCOTLAND.

By Authority of the Registrar-General.

No. 45. WEEK ENDING SATURDAY, NOVEMBER 9, 1889.

The Death-rate in Eight Principal Towns during the week ending with Saturday, November 9, 1889, was 19·8 per thousand of estimated population. This rate is 0·7 above that for the corresponding week of last year, but 0·5 below that for the previous week of the present year.

The lowest mortality was recorded in Perth, viz., 7·9 per thousand; and the highest in Glasgow, viz., 24·1 per thousand.

The mortality from the seven most familiar Zymotic Diseases was at the rate of 2·1 per thousand, exactly the same as for last week.

The Deaths from Bronchitis, Pneumonia, and Pleurisy amounted to 121, being 22 less than for the previous week.

21 of the deaths in Glasgow were from injuries received by the fall of a factory.

The Mean Temperature was 46°·3, being 1°·9 above that for the week immediately preceding, and 2°·5 above that for the corresponding week of 1888.

TABLE I.—BIRTHS, DEATHS, AND MARRIAGES Registered, and METEOROLOGY, during the Week ending Saturday, November 9, 1889, in Eight Principal Towns of Scotland.

TOWNS.	Registration Area in Acres.	Population estimated to middle of Year 1889.	Persons to an Acre. 1889.	Proximity in Yards.	Registered during the Week ending Nov. 9, 1889.			Temperature.			Rainfall in Inches.
					Births	Deaths	Marriages	Highest	Lowest	Mean	
								°	°	°	
Eight Principal Towns in Scotland.	31,919	1,329,884	41·664	11·58	851	507	231	68·0	29·0	46·3	0·30
GLASGOW, . . .	6,111	528,144	86·425	8·04	390	245	133	56·7	33·0	47·0	0·16
EDINBURGH, . .	5,907	266,900	45·184	11·12	133	87	34	59·5	30·5	47·3	0·39
DUNDEE, . .	3,408	163,300	47·917	10·80	87	49	19	58·9	30·3	44·4	0·22
ABERDEEN, . .	5,811	121,448	20·900	16·35	79	43	11	62·2	31·8	44·5	0·22
GREENOCK, . .	1,509	78,248	51·854	10·38	50	26	16	55·5	37·2	46·5	0·49
LEITH, ...	1,344	76,400	56·845	9·92	42	30	4	58·6	34·1	47·6	0·46
PAISLEY, . . .	3,493	62,571	17·913	17·66	52	22	10	55·0	31·9	47·1	0·22
PERTH, ...	4,336	32,873	7·581	27·15	18	5	4	68·0	29·0	46·0	0·27
Corresponding Week of 1888.—Eight Towns.	31,919	1,314,274	41·175	11·65	753	484	220	50·7	37·5	43·8	0·19

[TURN OVER.

Week ending Saturday, November 9, 1889.

TABLE II.—DEATHS and RATE OF MORTALITY in Eight Principal Towns during the Week ending Saturday, November 9, 1889.

TOWNS.	Annual Rate of Mortality per 1000 living.		Deaths from All Causes.	The Deaths Registered in the Week include														
				Deaths of		Deaths from												
	From all Causes.	From Seven Zymotic Diseases.		Infants under One Year of Age.	Persons aged 60 Years & upwards.	Small-pox.	Measles.	Scarlet Fever.	Diphtheria.	Hooping-cough.	Fever.	Diarrhœa.	Croup and Laryngitis.	Bronchitis, Pneumonia & Pleurisy.	Violence.	Deaths in Public Institutions.	Deaths from Uncertified Causes.	Deaths from Unspecified Causes.
In Eight Towns,	19·8	2·1	507	131	89	0	10	9	10	8	6	10	6	121	38	60	51	1
GLASGOW, .	24·1	2·4	245	66	36	0	6	4	2	6	2	4	1	67	30	29	28	1
EDINBURGH,	16·9	2·7	87	21	15	0	3	3	4	1	3	0	1	24	3	16	14	0
DUNDEE, . .	15·6	0·6	49	10	10	0	0	0	0	0	0	2	2	7	1	5	4	0
ABERDEEN, .	18·4	1·3	43	13	13	0	0	0	2	0	0	1	1	6	3	5	1	0
GREENOCK, .	17·3	1·3	26	9	4	0	0	0	0	0	0	2	0	6	1	1	4	0
LEITH, . . .	20·4	2·7	30	6	7	0	1	2	0	0	1	0	0	6	0	0	0	0
PAISLEY, . .	18·3	3·3	22	4	2	0	0	0	2	1	0	1	1	4	0	3	0	0
PERTH, . . .	7·9	0·0	5	2	2	0	0	0	0	0	0	0	0	1	0	1	0	0

TABLE III.—DEATHS and RATE OF MORTALITY in Eight Principal Towns during the Week ending Saturday, November 10, 1888.

TOWNS.	Annual Rate of Mortality per 1000 living.		Deaths from All Causes.	The Deaths Registered in the Week include														
				Deaths of		Deaths from												
	From All Causes.	From Seven Zymotic Diseases.		Infants under One Year of Age.	Persons aged 60 Years & upwards.	Small-pox.	Measles.	Scarlet Fever.	Diphtheria.	Hooping-cough.	Fever.	Diarrhœa.	Croup and Laryngitis.	Bronchitis, Pneumonia & Pleurisy.	Violence.	Deaths in Public Institutions.	Deaths from Uncertified Causes.	Deaths from Unspecified Causes.
In Eight Towns,	19·1	2·8	484	114	89	0	27	9	8	9	8	9	8	84	19	65	51	1
GLASGOW, .	22·3	3·1	226	51	32	0	4	9	3	7	3	5	5	40	12	37	25	1
EDINBURGH,	12·3	0·2	62	12	18	0	0	0	0	0	1	0	1	12	1	11	13	0
DUNDEE, . .	16·2	0·6	50	17	12	0	0	0	1	0	0	1	0	7	4	9	2	0
ABERDEEN, .	17·4	1·7	40	8	9	0	0	0	0	1	0	3	1	9	0	1	2	0
GREENOCK, .	23·0	6·1	34	7	6	0	3	0	3	0	3	0	0	5	0	6	3	0
LEITH, . . .	15·4	0·7	22	6	6	0	0	0	0	1	0	0	0	4	0	1	0	0
PAISLEY, . .	36·3	18·5	43	12	3	0	20	0	1	0	1	0	1	6	2	0	6	0
PERTH, . . .	11·2	0·0	7	1	3	0	0	0	0	0	0	0	0	1	0	0	0	0

WEEKLY RETURN

OF

BIRTHS, DEATHS, AND MARRIAGES

IN EIGHT PRINCIPAL TOWNS OF

SCOTLAND.

By Authority of the Registrar-General.

No. 46. WEEK ENDING SATURDAY, NOVEMBER 16, 1889.

The Death-rate in Eight Principal Towns during the week ending with Saturday, November 16, 1889, was 19·9 per thousand of estimated population. This rate is 0·8 above that for the corresponding week of last year, and 0·1 above that for the previous week of the present year.

The lowest mortality was recorded in Leith, viz., 13·6 per thousand; and the highest in Perth, viz., 23·7 per thousand.

The mortality from the seven most familiar Zymotic Diseases was at the rate of 2·5 per thousand, being 0·4 above that for the previous week.

The Deaths from Bronchitis, Pneumonia, and Pleurisy amounted to 142, being 21 more than for last week.

The Mean Temperature was 46°·8, being 0°·5 above that for the week immediately preceding, and also 0°·5 above that for the corresponding week of 1888.

TABLE I.—BIRTHS, DEATHS, AND MARRIAGES Registered, and METEOROLOGY, during the Week ending Saturday, November 16, 1889, in Eight Principal Towns of Scotland.

TOWNS.	Registration Area in Acres.	Population estimated to middle of Year 1889.	Persons to an Acre. 1889.	Proximity in Yards.	Registered during the Week ending Nov. 16, 1889.			Temperature.			Rainfall in Inches.
					Births	Deaths	Marriages	Highest	Lowest	Mean	
								°	°	°	
Eight Principal Towns in Scotland.	31,919	1,329,884	41·664	11·58	792	509	177	62·5	31·8	46·8	0·13
GLASGOW, . . .	6,111	528,144	86·425	8·04	363	232	74	56·2	33·0	47·0	0·10
EDINBURGH, . .	5,907	266,900	45·184	11·12	130	106	34	56·6	33·0	47·8	0·00
DUNDEE, . .	3,408	163,300	47·917	10·80	85	44	15	59·7	33·9	45·5	0·01
ABERDEEN, . .	5,811	121,448	20·900	16·35	75	41	12	59·2	31·8	45·1	0·04
GREENOCK, . .	1,509	78,248	51·854	10·38	34	24	15	54·0	39·0	48·0	0·50
LEITH, ...	1,344	76,400	56·845	9·92	46	20	10	55·7	37·5	48·3	0·04
PAISLEY, . . .	3,493	62,571	17·913	17·66	49	27	16	55·9	34·9	47·3	0·14
PERTH, ...	4,336	32,873	7·581	27·15	10	15	1	62·5	37·5	45·8	0·23
Corresponding Week of 1888.—Eight Towns.	31,919	1,314,274	41·175	11·65	841	484	180	61·0	34·3	46·3	1·69

TURN OVER.

Week ending Saturday, November 16, 1889.

TABLE II.—DEATHS and RATE OF MORTALITY in Eight Principal Towns during the Week ending Saturday, November 16, 1889.

TOWNS.	Annual Rate of Mortality per 1000 living.		Deaths from All Causes.	The Deaths Registered in the Week include														
				Deaths of		Deaths from												
	From all Causes.	From Seven Zymotic Diseases.		Infants under One Year of Age.	Persons aged 60 Years & upwards.	Small-pox.	Measles.	Scarlet Fever.	Diphtheria.	Hooping-cough.	Fever.	Diarrhœa.	Croup and Laryngitis.	Bronchitis, Pneumonia & Pleurisy.	Violence.	Deaths in Public Institutions.	Deaths from Uncertified Causes.	Deaths from Unspecified Causes.
In Eight Towns,	19·9	2·5	509	123	89	0	13	5	16	14	5	11	7	142	23	69	63	3
GLASGOW, .	22·8	3·1	232	62	29	0	5	2	3	10	3	8	1	75	12	31	27	2
EDINBURGH,	20·7	2·3	106	22	21	0	7	0	3	1	0	1	3	22	5	20	25	0
DUNDEE, . .	14·0	1·3	44	9	10	0	0	0	3	0	0	1	0	16	0	6	3	0
ABERDEEN, .	17·6	1·3	41	9	7	0	1	0	0	0	1	1	0	6	3	6	2	0
GREENOCK, .	15·9	2·0	24	6	3	0	0	0	1	1	1	0	1	5	2	4	3	0
LEITH, . . .	13·6	2·7	20	5	6	0	0	2	2	0	0	0	0	7	0	1	1	0
PAISLEY, . .	22·4	5·0	27	8	5	0	0	0	4	2	0	0	1	8	0	0	1	0
PERTH, . . .	23·7	1·6	15	2	8	0	0	1	0	0	0	0	1	3	1	1	1	1

TABLE III.—DEATHS and RATE OF MORTALITY in Eight Principal Towns during the Week ending Saturday, November 17, 1888.

TOWNS.	Annual Rate of Mortality per 1000 living.		Deaths from All Causes.	The Deaths Registered in the Week include														
				Deaths of		Deaths from												
	From All Causes.	From Seven Zymotic Diseases.		Infants under One Year of Age.	Persons aged 60 Years & upwards.	Small-pox.	Measles.	Scarlet Fever.	Diphtheria.	Hooping-cough.	Fever.	Diarrhœa.	Croup and Laryngitis.	Bronchitis, Pneumonia & Pleurisy.	Violence.	Deaths in Public Institutions.	Deaths from Uncertified Causes.	Deaths from Unspecified Causes.
In Eight Towns,	19·1	2·5	484	122	89	0	24	8	11	4	6	10	7	97	19	71	59	4
GLASGOW, .	18·3	2·3	185	38	19	0	3	6	6	4	1	3	3	43	8	31	25	2
EDINBURGH,	15·0	1·2	76	19	20	0	0	0	3	0	0	3	2	15	3	19	22	0
DUNDEE, . .	24·6	1·3	76	21	20	0	0	1	1	0	0	2	1	17	4	10	7	0
ABERDEEN, .	16·6	1·3	38	8	10	0	0	0	0	0	2	1	0	5	1	1	0	1
GREENOCK, .	21·6	4·1	32	10	6	0	3	1	1	0	1	0	1	5	1	2	2	0
LEITH, . . .	15·4	0·0	22	6	4	0	0	0	0	0	0	0	0	6	0	2	0	0
PAISLEY, . .	37·9	16·9	45	16	8	0	18	0	0	0	2	0	0	5	1	4	2	1
PERTH, . . .	16·0	1·6	10	4	2	0	0	0	0	0	0	1	0	1	1	2	1	0

WEEKLY RETURN

OF

BIRTHS, DEATHS, AND MARRIAGES

IN EIGHT PRINCIPAL TOWNS OF

SCOTLAND.

By Authority of the Registrar-General.

No. 47. WEEK ENDING SATURDAY, NOVEMBER 23, 1889.

The Death-rate in Eight Principal Towns during the week ending with Saturday, November 23, 1889, was 20·6 per thousand of estimated population. This rate is 2·8 above that for the corresponding week of last year, and 0·7 above that for the previous week of the present year.

The lowest mortality was recorded in Dundee, viz., 14·6 per thousand; and the highest in Glasgow, viz., 23·9 per thousand.

The mortality from the seven most familiar Zymotic Diseases was at the rate of 2·1 per thousand, being 0·4 below that for the previous week.

The Deaths from Bronchitis, Pneumonia, and Pleurisy amounted to 126, or 16 less than for last week.

The Mean Temperature was 44°·5, being 2°·3 below that for the week immediately preceding, and 0°·4 below that for the corresponding week of 1888.

TABLE I.—BIRTHS, DEATHS, AND MARRIAGES Registered, and METEOROLOGY, during the Week ending Saturday, November 23, 1889, in Eight Principal Towns of Scotland.

TOWNS.	Registration Area in Acres.	Population estimated to middle of Year 1889.	Persons to an Acre. 1889.	Proximity in Yards.	Registered during the Week ending Nov. 23, 1889.			Temperature.			Rainfall in Inches.
					Births	Deaths	Marriages	Highest	Lowest	Mean	
								°	°	°	
Eight Principal Towns in Scotland.	31,919	1,329,884	41·664	11·58	730	527	211	56·8	23·9	44·5	0·51
GLASGOW, . . .	6,111	528,144	86·425	8·04	311	243	102	53·9	28·1	45·7	0·91
EDINBURGH, . .	5,907	266,900	45·184	11·12	123	104	44	56·8	29·0	43·8	0·00
DUNDEE, . .	3,408	163,300	47·917	10·80	97	46	9	51·6	28·2	43·3	0·39
ABERDEEN, . .	5,811	121,448	20·900	16·35	79	49	12	52·2	30·4	42·5	0·17
GREENOCK, . .	1,509	78,248	51·854	10·38	48	30	18	54·5	32·2	45·6	1·06
LEITH, ...	1,344	76,400	56·845	9·92	27	23	9	55·9	33·7	46·0	0·08
PAISLEY, . . .	3,493	62,571	17·913	17·66	32	21	8	53·6	28·8	45·7	0·90
PERTH, ...	4,336	32,873	7·581	27·15	13	11	9	52·5	23·9	43·1	0·58
Corresponding Week of 1888.—Eight Towns.	31,919	1,314,274	41·175	11·65	789	449	204	58·2	32·0	44·9	2·02

[TURN OVER.

Week ending Saturday, November 23, 1889.

TABLE II.—DEATHS and RATE OF MORTALITY in Eight Principal Towns during the Week ending Saturday, November 23, 1889.

TOWNS.	Annual Rate of Mortality per 1000 living.		Deaths from All Causes.	The Deaths Registered in the Week include														
				Deaths of		Deaths from												
	From all Causes.	From Seven Zymotic Diseases.		Infants under One Year of Age.	Persons aged 60 Years & upwards.	Small-pox.	Measles.	Scarlet Fever.	Diphtheria.	Hooping-cough.	Fever.	Diarrhœa.	Croup and Laryngitis.	Bronchitis, Pneumonia & Pleurisy.	Violence.	Deaths in Public Institutions.	Deaths from Uncertified Causes.	Deaths from Unspecified Causes.
In Eight Towns,	20·6	2·1	527	128	107	0	7	8	8	7	8	15	9	126	20	75	46	2
GLASGOW, .	23·9	2·4	243	58	32	0	4	4	3	5	3	5	0	69	10	33	21	2
EDINBURGH,	20·3	2·1	104	21	25	0	1	1	3	0	1	5	1	20	7	23	13	0
DUNDEE, . .	14·6	1·6	46	17	13	0	0	0	1	1	1	2	3	8	1	2	4	0
ABERDEEN, .	21·0	1·3	49	10	8	0	2	0	0	0	0	1	1	6	0	9	1	0
GREENOCK, .	19·9	1·3	30	6	8	0	0	0	0	0	2	0	1	8	1	4	4	0
LEITH, . . .	15·7	2·7	23	5	7	0	0	3	0	0	1	0	2	5	1	2	1	0
PAISLEY, . .	17·5	2·5	21	9	7	0	0	0	1	1	0	1	1	9	0	1	2	0
PERTH, . . .	17·4	1·6	11	2	7	0	0	0	0	0	0	1	0	1	0	1	0	0

TABLE III.—DEATHS and RATE OF MORTALITY in Eight Principal Towns during the Week ending Saturday, November 24, 1888.

TOWNS.	Annual Rate of Mortality per 1000 living.		Deaths from All Causes.	The Deaths Registered in the Week include														
				Deaths of		Deaths from												
	From All Causes.	From Seven Zymotic Diseases.		Infants under One Year of Age.	Persons aged 60 Years & upwards.	Small-pox.	Measles.	Scarlet Fever.	Diphtheria.	Hooping-cough.	Fever.	Diarrhœa.	Croup and Laryngitis.	Bronchitis, Pneumonia & Pleurisy.	Violence.	Deaths in Public Institutions.	Deaths from Uncertified Causes.	Deaths from Unspecified Causes.
In Eight Towns,	17·8	2·4	449	111	74	0	25	7	10	9	4	6	10	94	11	58	53	3
GLASGOW, .	17·3	2·3	175	48	24	0	2	4	6	6	1	4	7	29	5	26	23	2
EDINBURGH,	14·1	0·8	71	14	12	0	0	0	1	1	2	0	1	19	3	10	14	0
DUNDEE, . .	21·4	1·9	66	22	14	0	1	2	2	0	0	1	1	21	1	4	2	0
ABERDEEN, .	14·8	0·9	34	6	11	0	0	0	0	1	0	1	0	5	0	4	2	0
GREENOCK, .	18·9	1·4	28	5	3	0	8	1	1	0	0	0	0	6	1	3	5	0
LEITH, . . .	20·3	1·4	29	7	4	0	1	0	0	0	1	0	0	4	1	4	4	1
PAISLEY, . .	27·0	11·8	32	4	3	0	13	0	0	1	0	0	0	6	0	3	2	0
PERTH, . . .	22·4	0·0	14	5	3	0	0	0	0	0	0	0	1	4	0	4	1	0

WEEKLY RETURN

OF

BIRTHS, DEATHS, AND MARRIAGES

IN EIGHT PRINCIPAL TOWNS OF

SCOTLAND.

By Authority of the Registrar-General.

No. 48. WEEK ENDING SATURDAY, NOVEMBER 30, 1889.

The Death-rate in Eight Principal Towns during the week ending with Saturday, November 30, 1889, was 21·0 per thousand of estimated population. This rate is 1·9 above that for the corresponding week of last year, and 0·4 above that for the previous week of the present year.

The lowest mortality was recorded in Dundee, viz., 15·0 per thousand; and the highest in Aberdeen, viz., 23·1 per thousand.

The mortality from the seven most familiar Zymotic Diseases was at the rate of 3·2 per thousand, being 1·1 above that for the previous week.

The Deaths from Bronchitis, Pneumonia, and Pleurisy amounted to 111, or 15 less than for last week.

The Mean Temperature was 37°·9, being 6°·6 below that for the week immediately preceding, and 1°·7 below that for the corresponding week of 1888.

TABLE I.—BIRTHS, DEATHS, AND MARRIAGES Registered, and METEOROLOGY, during the Week ending Saturday, November 30, 1889, in Eight Principal Towns of Scotland.

TOWNS.	Registration Area in Acres.	Population estimated to middle of Year 1889.	Persons to an Acre. 1889.	Proximity in Yards.	Registered during the Week ending Nov. 30, 1889.			Temperature.			Rainfall in Inches.
					Births	Deaths	Marriages	Highest	Lowest	Mean	
								°	°	°	
Eight Principal Towns in Scotland.	31,919	1,329,884	41·664	11·58	794	536	232	50·0	24·9	37·9	0·39
GLASGOW, . . .	6,111	528,144	86·425	8·04	375	229	103	50·0	24·9	38·0	0·29
EDINBURGH, . .	5,907	266,900	45·184	11·12	145	113	51	49·0	29·0	37·3	0·03
DUNDEE, . .	3,408	163,300	47·917	10·80	79	47	15	—	—	—	—
ABERDEEN, . .	5,811	121,448	20·900	16·35	65	54	23	47·1	28·8	36·9	0·68
GREENOCK, . .	1,509	78,248	51·854	10·38	51	31	13	49·7	27·2	37·6	0·84
LEITH, ...	1,344	76,400	56·845	9·92	34	26	17	49·7	30·9	38·9	0·00
PAISLEY, . . .	3,493	62,571	17·913	17·66	30	25	5	48·9	26·0	38·7	0·52
PERTH, ...	4,336	32,873	7·581	27·15	15	11	5	48·9	27·5	37·6	0·40
Corresponding Week of 1888.—Eight Towns.	31,919	1,314,274	41·175	11·65	802	483	250	56·0	26·5	39·6	1·19

[TURN OVER.

Week ending Saturday, November 30, 1889.

TABLE II.—DEATHS and RATE OF MORTALITY in Eight Principal Towns during the Week ending Saturday, November 30, 1889.

TOWNS.	Annual Rate of Mortality per 1000 living.		Deaths from All Causes.	The Deaths Registered in the Week include														
				Deaths of		Deaths from										Deaths in Public Institutions.	Deaths from Uncertified Causes.	Deaths from Unspecified Causes.
	From all Causes.	From Seven Zymotic Diseases.		Infants under One Year of Age.	Persons aged 60 Years & upwards.	Small-pox.	Measles.	Scarlet Fever.	Diphtheria.	Hooping-cough.	Fever.	Diarrhœa.	Croup and Laryngitis.	Bronchitis, Pneumonia & Pleurisy.	Violence.			
In Eight Towns,	21·0	3·2	536	151	91	1	18	13	9	21	8	11	10	111	23	82	56	1
GLASGOW, .	22·5	2·1	229	65	29	0	5	6	4	3	1	2	2	59	16	36	24	1
EDINBURGH,	22·0	5·5	113	27	27	*1	13	1	1	3	4	5	3	16	1	22	25	0
DUNDEE, . .	15·0	1·9	47	14	8	0	0	0	1	3	1	1	2	4	3	5	2	0
ABERDEEN, .	23·1	2·1	54	13	13	0	0	0	0	3	1	1	1	10	2	6	1	0
GREENOCK, .	20·5	4·0	31	13	5	0	0	0	0	4	1	1	1	9	0	3	3	0
LEITH, . . .	17·7	6·8	26	10	2	0	0	5	2	2	0	1	0	7	0	5	1	0
PAISLEY, . .	20·8	3·3	25	8	4	0	0	0	1	3	0	0	0	6	0	3	0	0
PERTH, . . .	17·4	1·6	11	1	3	0	0	1	0	0	0	0	1	0	1	2	0	0

* Chickenpox.

TABLE III.—DEATHS and RATE OF MORTALITY in Eight Principal Towns during the Week ending Saturday, December 1, 1888.

TOWNS.	Annual Rate of Mortality per 1000 living.		Deaths from All Causes.	The Deaths Registered in the Week include														
				Deaths of		Deaths from										Deaths in Public Institutions.	Deaths from Uncertified Causes.	Deaths from Unspecified Causes.
	From All Causes.	From Seven Zymotic Diseases.		Infants under One Year of Age.	Persons aged 60 Years & upwards.	Small-pox.	Measles.	Scarlet Fever.	Diphtheria.	Hooping-cough.	Fever.	Diarrhœa.	Croup and Laryngitis.	Bronchitis, Pneumonia & Pleurisy.	Violence.			
In Eight Towns,	19·1	2·4	483	95	94	0	14	13	10	7	11	5	7	86	22	75	49	3
GLASGOW, .	19·8	2·1	200	36	32	0	1	7	5	4	2	2	1	40	9	32	15	1
EDINBURGH,	16·2	1·4	82	15	22	0	0	1	1	2	3	0	1	10	1	19	21	0
DUNDEE, . .	16·5	0·6	51	12	7	0	0	1	0	0	1	0	0	11	1	7	1	0
ABERDEEN, .	17·9	1·7	41	8	12	0	1	0	0	1	1	1	2	5	2	3	0	2
GREENOCK, .	26·3	8·1	39	11	6	0	5	2	2	0	3	0	0	8	1	7	3	0
LEITH, . . .	12·6	1·4	18	5	4	0	0	0	2	0	0	0	1	4	4	2	2	0
PAISLEY, . .	32·0	7·6	38	6	7	0	7	0	0	0	0	2	2	6	2	2	5	0
PERTH, . . .	22·4	4·8	14	2	4	0	0	2	0	0	1	0	0	2	2	3	2	0

WEEKLY RETURN

OF

BIRTHS, DEATHS, AND MARRIAGES

IN EIGHT PRINCIPAL TOWNS OF

SCOTLAND.

By Authority of the Registrar-General.

No. 49. WEEK ENDING SATURDAY, DECEMBER 7, 1889.

The Death-rate in Eight Principal Towns during the week ending with Saturday, December 7, 1889, was 23·9 per thousand of estimated population. This rate is 4·6 above that for the corresponding week of last year, and 2·9 above that for the previous week of the present year.

The lowest mortality was recorded in Aberdeen, viz., 18·0 per thousand; and the highest in Paisley, viz., 26·6 per thousand. The rate in Edinburgh was 26·3, and in Leith, 26·5.

The mortality from the seven most familiar Zymotic Diseases was at the rate of 2·6 per thousand, being 0·6 below that for the previous week.

The Deaths from Bronchitis, Pneumonia, and Pleurisy amounted to 157, or 46 more than the number for last week.

The Mean Temperature was 37°·8, being 0°·1 below that for the week immediately preceding, and 10°·7 below that for the corresponding week of 1888.

TABLE I.—BIRTHS, DEATHS, AND MARRIAGES Registered, and METEOROLOGY, during the Week ending Saturday, December 7, 1889, in Eight Principal Towns of Scotland.

TOWNS.	Registration Area in Acres.	Population estimated to middle of Year 1889.	Persons to an Acre. 1889.	Proximity in Yards.	Registered during the Week ending Dec. 7, 1889.			Temperature.			Rainfall in Inches.
					Births	Deaths	Marriages	Highest	Lowest	Mean	
								°	°	°	
Eight Principal Towns in Scotland.	31,919	1,329,884	41·664	11·58	800	612	282	47·5	25·0	37·8	0·24
GLASGOW, . . .	6,111	528,144	86·425	8·04	363	256	134	46·0	26·0	38·3	0·22
EDINBURGH, . .	5,907	266,900	45·184	11·12	135	135	66	45·4	25·0	37·4	0·00
DUNDEE, . .	3,408	163,300	47·917	10·80	90	62	20	42·9	27·1	36·2	0·22
ABERDEEN, . .	5,811	121,448	20·900	16·35	62	42	22	44·3	33·3	39·1	0·40
GREENOCK, . .	1,509	78,248	51·854	10·38	48	33	12	46·7	—	—	0·73
LEITH, ...	1,344	76,400	56·845	9·92	46	39	12	45·5	27·6	38·5	0·00
PAISLEY, . . .	3,493	62,571	17·913	17·66	50	32	10	45·3	28·2	38·7	0·23
PERTH, ...	4,336	32,873	7·581	27·15	6	13	6	47·5	25·0	36·4	0·13
Corresponding Week of 1888.—Eight Towns.	31,919	1,314,274	41·175	11·65	807	487	245	57·8	32·4	48·5	1·32

[TURN OVER.

Week ending Saturday, December 7, 1889.

TABLE II.—DEATHS and RATE OF MORTALITY in Eight Principal Towns during the Week ending Saturday, December 7, 1889.

TOWNS.	Annual Rate of Mortality per 1000 living.		Deaths from All Causes.	The Deaths Registered in the Week include														
				Deaths of		Deaths from												
	From all Causes.	From Seven Zymotic Diseases.		Infants under One Year of Age.	Persons aged 60 Years & upwards.	Small-pox.	Measles.	Scarlet Fever.	Diphtheria.	Hooping-cough.	Fever.	Diarrhœa.	Croup and Laryngitis.	Bronchitis, Pneumonia & Pleurisy.	Violence.	Deaths in Public Institutions.	Deaths from Uncertified Causes.	Deaths from Unspecified Causes.
In Eight Towns,	23·9	2·6	612	158	124	0	11	13	9	20	4	10	9	157	27	73	80	0
GLASGOW, .	25·2	2·3	256	62	54	0	3	3	3	9	1	4	4	83	6	28	25	0
EDINBURGH,	26·3	3·7	135	33	23	0	7	1	1	8	1	1	2	27	7	24	45	0
DUNDEE, . .	19·7	0·3	62	20	15	0	0	0	0	1	0	0	0	14	7	6	0	0
ABERDEEN, .	18·0	1·7	42	11	9	0	1	0	0	0	2	1	3	8	3	5	0	0
GREENOCK, .	21·9	4·6	33	8	10	0	0	0	2	2	0	3	0	8	0	0	6	0
LEITH, . . .	26·5	6·1	39	10	4	0	0	8	1	0	0	0	0	7	2	6	1	0
PAISLEY, . .	26·6	2·5	32	9	6	0	0	0	2	0	0	1	0	9	1	2	3	0
PERTH, . . .	20·6	1·6	13	5	3	0	0	1	0	0	0	0	0	1	1	2	0	0

TABLE III.—DEATHS and RATE OF MORTALITY in Eight Principal Towns during the Week ending Saturday, December 8, 1888.

TOWNS.	Annual Rate of Mortality per 1000 living.		Deaths from All Causes.	The Deaths Registered in the Week include														
				Deaths of		Deaths from												
	From All Causes.	From Seven Zymotic Diseases.		Infants under One Year of Age.	Persons aged 60 Years & upwards.	Small-pox.	Measles.	Scarlet Fever.	Diphtheria.	Hooping-cough.	Fever.	Diarrhœa.	Croup and Laryngitis.	Bronchitis, Pneumonia & Pleurisy.	Violence.	Deaths in Public Institutions.	Deaths from Uncertified Causes.	Deaths from Unspecified Causes.
In Eight Towns,	19·3	1·9	487	111	94	0	8	12	11	7	3	8	7	113	20	80	50	3
GLASGOW, .	20·9	2·9	211	44	35	0	3	10	7	5	1	3	3	43	8	42	25	3
EDINBURGH,	15·6	0·6	79	13	18	0	0	0	1	2	0	0	1	14	6	16	15	0
DUNDEE, . .	13·6	0·3	42	17	11	0	0	0	0	0	0	1	0	19	1	4	2	0
ABERDEEN, .	18·7	0·9	43	13	10	0	0	0	0	0	0	2	0	8	1	5	2	0
GREENOCK, .	26·3	7·4	39	9	5	0	4	1	3	0	2	1	2	9	2	4	2	0
LEITH, . . .	15·4	0·0	22	7	4	0	0	0	0	0	0	0	0	7	1	1	2	0
PAISLEY, . .	32·0	2·5	38	6	7	0	1	1	0	0	0	1	1	9	1	5	2	0
PERTH, . . .	20·8	0·0	13	2	4	0	0	0	0	0	0	0	0	4	0	3	0	0

WEEKLY RETURN

OF

BIRTHS, DEATHS, AND MARRIAGES

IN EIGHT PRINCIPAL TOWNS OF

SCOTLAND.

By Authority of the Registrar-General.

No. 50. WEEK ENDING SATURDAY, DECEMBER 14, 1889.

The Death-rate in Eight Principal Towns during the week ending with Saturday, December 14, 1889, was 23·6 per thousand of estimated population. This rate is 4·3 above that for the corresponding week of last year, but 0·3 below that for the previous week of the present year.

The lowest mortality was recorded in Leith, viz., 16·3 per thousand; and the highest in Glasgow, viz., 26·6 per thousand.

The mortality from the seven most familiar Zymotic Diseases was at the rate of 3·3 per thousand, being an increase of 0·7 on the rate for last week.

The Deaths from Bronchitis, Pneumonia, and Pleurisy amounted to 157, the same number as for the previous week.

The Mean Temperature was 38°·5, being 0°·7 above that for the week immediately preceding, and 0°·4 above that for the corresponding week of 1888.

TABLE I.—BIRTHS, DEATHS, AND MARRIAGES Registered, and METEOROLOGY, during the Week ending Saturday, December 14, 1889, in Eight Principal Towns of Scotland.

TOWNS.	Registration Area in Acres.	Population estimated to middle of Year 1889.	Persons to an Acre. 1889.	Proximity in Yards.	Registered during the Week ending Dec. 14, 1889.			Temperature.			Rainfall in Inches.
					Births	Deaths	Marriages	Highest	Lowest	Mean	
								°	°	°	
Eight Principal Towns in Scotland.	31,919	1,329,884	41·664	11·58	821	604	184	54·5	20·0	38·5	0·59
GLASGOW, . . .	6,111	528,144	86·425	8·04	341	270	74	54·1	28·1	40·8	0·68
EDINBURGH, . .	5,907	266,900	45·184	11·12	144	118	43	52·5	26·0	38·4	0·27
DUNDEE, . .	3,408	163,300	47·917	10·80	103	63	18	53·2	23·5	36·5	0·30
ABERDEEN, . .	5,811	121,448	20·900	16·35	83	60	20	53·2	24·2	36·8	0·58
GREENOCK, . .	1,509	78,248	51·854	10·38	48	31	6	52·0	—	—	1·35
LEITH, ...	1,344	76,400	56·845	9·92	37	24	10	53·2	29·0	39·6	0·18
PAISLEY, . . .	3,493	62,571	17·913	17·66	50	27	7	53·2	30·0	40·9	0·80
PERTH, ...	4,336	32,873	7·581	27·15	15	11	6	54·5	20·0	36·7	0·53
Corresponding Week of 1888.—Eight Towns.	31,919	1,314,274	41·175	11·65	784	488	195	48·1	25·5	38·1	0·27

[TURN OVER.

Week ending Saturday, December 14, 1889.

TABLE II.—DEATHS and RATE OF MORTALITY in Eight Principal Towns during the Week ending Saturday, December 14, 1889.

TOWNS.	Annual Rate of Mortality per 1000 living.		Deaths from All Causes.	The Deaths Registered in the Week include														
				Deaths of		Deaths from										Deaths in Public Institutions.	Deaths from Uncertified Causes.	Deaths from Unspecified Causes.
	From all Causes.	From Seven Zymotic Diseases.		Infants under One Year of Age.	Persons aged 60 Years & upwards.	Small-pox.	Measles.	Scarlet Fever.	Diphtheria.	Hooping-cough.	Fever.	Diarrhœa.	Croup and Laryngitis.	Bronchitis, Pneumonia & Pleurisy.	Violence.			
In Eight Towns,	23·6	3·3	604	126	129	0	20	8	20	16	7	14	10	157	24	90	78	1
GLASGOW, .	26·6	4·0	270	59	47	0	11	3	5	9	6	7	3	73	15	50	31	1
EDINBURGH,	23·0	3·1	118	20	31	0	8	1	4	2	1	0	1	31	2	24	23	0
DUNDEE, . .	20·1	2·9	63	15	15	0	0	0	3	3	0	3	1	19	1	4	6	0
ABERDEEN, .	25·7	1·7	60	9	21	0	1	0	1	0	0	2	2	12	2	8	4	0
GREENOCK, .	20·6	2·7	31	10	1	0	0	0	2	2	0	0	2	7	2	2	9	0
LEITH, . . .	16·3	4·8	24	5	5	0	0	3	3	0	0	1	0	4	2	1	2	0
PAISLEY, . .	22·4	3·3	27	8	5	0	0	1	2	0	0	1	0	8	0	1	3	0
PERTH, . . .	17·4	0·0	11	0	4	0	0	0	0	0	0	0	1	3	0	0	0	0

TABLE III.—DEATHS and RATE OF MORTALITY in Eight Principal Towns during the Week ending Saturday, December 15, 1888.

TOWNS.	Annual Rate of Mortality per 1000 living.		Deaths from All Causes.	The Deaths Registered in the Week include														
				Deaths of		Deaths from										Deaths in Public Institutions.	Deaths from Uncertified Causes.	Deaths from Unspecified Causes.
	From All Causes.	From Seven Zymotic Diseases.		Infants under One Year of Age.	Persons aged 60 Years & upwards.	Small-pox.	Measles.	Scarlet Fever.	Diphtheria.	Hooping-cough.	Fever.	Diarrhœa.	Croup and Laryngitis.	Bronchitis, Pneumonia & Pleurisy.	Violence.			
In Eight Towns,	19·3	1·9	488	97	112	0	14	7	8	4	3	13	6	97	15	71	59	4
GLASGOW, .	20·9	1·8	211	41	38	0	4	3	4	2	2	3	4	45	9	23	27	4
EDINBURGH,	14·1	0·8	71	9	23	0	0	1	1	0	0	2	0	13	0	15	18	0
DUNDEE, . .	17·8	1·0	55	14	11	0	0	0	0	0	0	3	0	11	2	10	4	0
ABERDEEN, .	23·5	2·2	54	18	19	0	0	0	0	2	0	3	0	8	2	11	2	0
GREENOCK, .	19·6	4·7	29	4	3	0	4	2	1	0	0	0	0	9	0	4	2	0
LEITH, . . .	13·3	1·4	19	4	6	0	0	0	1	0	0	1	0	2	1	1	1	0
PAISLEY, . .	33·7	8·4	40	6	9	0	6	1	1	0	1	1	2	8	0	5	5	0
PERTH, . . .	14·4	0·0	9	1	3	0	0	0	0	0	0	0	0	1	1	2	0	0

WEEKLY RETURN

OF

BIRTHS, DEATHS, AND MARRIAGES

IN EIGHT PRINCIPAL TOWNS OF

SCOTLAND.

By Authority of the Registrar-General.

No. 51. WEEK ENDING SATURDAY, DECEMBER 21, 1889.

The Death-rate in Eight Principal Towns during the week ending with Saturday, December 21, 1889, was 26·1 per thousand of estimated population. This rate is 6·0 above that for the corresponding week of last year, and 2·5 above that for the previous week of the present year.

The lowest mortality was recorded in Greenock, viz., 12·0 per thousand; and the highest in Glasgow, viz., 29·9 per thousand.

The mortality from the seven most familiar Zymotic Diseases was at the rate of 3·3 per thousand, the same as for last week.

The Deaths from Bronchitis, Pneumonia, and Pleurisy amounted to 173, being an increase of 16 on the number for the previous week.

The Mean Temperature was 42°·5, being 4°·0 above that for the week immediately preceding, and 0°·1 above that for the corresponding week of 1888.

TABLE I.—BIRTHS, DEATHS, AND MARRIAGES Registered, and METEOROLOGY, during the Week ending Saturday, December 21, 1889, in Eight Principal Towns of Scotland.

TOWNS.	Registration Area in Acres.	Population estimated to middle of Year 1889.	Persons to an Acre. 1889.	Proximity in Yards.	Registered during the Week ending Dec. 21, 1889.			Temperature.			Rainfall in Inches.
					Births	Deaths	Marriages	Highest	Lowest	Mean	
								°	°	°	
Eight Principal Towns in Scotland.	31,919	1,329,884	41·664	11·58	781	667	192	55·5	26·0	42·5	1·08
GLASGOW, . . .	6,111	528,144	86·425	8·04	327	304	85	54·2	32·5	43·4	1·04
EDINBURGH, . .	5,907	266,900	45·184	11·12	127	134	34	55·5	29·5	43·3	0·79
DUNDEE, . .	3,408	163,300	47·917	10·80	93	83	26	53·6	30·5	40·6	0·41
ABERDEEN, . .	5,811	121,448	20·900	16·35	83	60	16	55·2	27·5	41·1	0·28
GREENOCK, . .	1,509	78,248	51·854	10·38	56	18	9	53·0	34·0	43·0	3·53
LEITH, ...	1,344	76,400	56·845	9·92	38	36	14	55·0	29·5	43·2	0·54
PAISLEY, . . .	3,493	62,571	17·913	17·66	48	18	4	53·2	34·0	43·9	1·46
PERTH, ...	4,336	32,873	7·581	27·15	9	14	4	54·0	26·0	41·6	0·61
Corresponding Week of 1888.—Eight Towns.	31,919	1,314,274	41·175	11·65	775	507	174	53·4	28·0	42·4	0·45

[TURN OVER.

Week ending Saturday, December 21, 1889.

TABLE II.—DEATHS and RATE OF MORTALITY in Eight Principal Towns during the Week ending Saturday, December 21, 1889.

TOWNS.	Annual Rate of Mortality per 1000 living.		Deaths from All Causes.	The Deaths Registered in the Week include														
				Deaths of		Deaths from												
	From all Causes.	From Seven Zymotic Diseases.		Infants under One Year of Age.	Persons aged 60 Years & upwards.	Small-pox.	Measles.	Scarlet Fever.	Diphtheria.	Hooping-cough.	Fever.	Diarrhœa.	Croup and Laryngitis.	Bronchitis, Pneumonia & Pleurisy.	Violence.	Deaths in Public Institutions.	Deaths from Uncertified Causes.	Deaths from Unspecified Causes.
In Eight Towns,	26·1	3·3	667	157	137	0	26	12	8	27	6	9	8	173	14	100	79	3
GLASGOW, .	29·9	3·4	304	68	53	0	11	1	4	14	3	2	3	89	6	45	29	3
EDINBURGH,	26·1	5·6	134	29	31	0	14	0	3	7	1	4	2	26	4	26	33	0
DUNDEE, . .	26·4	1·6	83	23	15	0	0	0	1	3	1	0	2	21	0	11	5	0
ABERDEEN, .	25·7	1·7	60	17	19	0	1	1	0	0	0	2	0	15	1	7	2	0
GREENOCK, .	12·0	1·3	18	5	5	0	0	1	0	0	0	1	1	6	1	1	4	0
LEITH, . . .	24·5	6·1	36	6	5	0	0	7	0	2	0	0	0	6	0	4	2	0
PAISLEY, . .	12·3	1·4	18	6	5	0	0	0	0	1	1	0	0	7	0	4	3	0
PERTH, . . .	22·2	3·2	14	3	4	0	0	2	0	0	0	0	0	3	2	2	1	0

TABLE III.—DEATHS and RATE OF MORTALITY in Eight Principal Towns during the Week ending Saturday, December 22, 1888.

TOWNS.	Annual Rate of Mortality per 1000 living.		Deaths from All Causes.	The Deaths Registered in the Week include														
				Deaths of		Deaths from												
	From All Causes.	From Seven Zymotic Diseases.		Infants under One Year of Age.	Persons aged 60 Years & upwards.	Small-pox.	Measles.	Scarlet Fever.	Diphtheria.	Hooping-cough.	Fever.	Diarrhœa.	Croup and Laryngitis.	Bronchitis, Pneumonia & Pleurisy.	Violence.	Deaths in Public Institutions.	Deaths from Uncertified Causes.	Deaths from Unspecified Causes.
In Eight Towns,	20·1	1·9	507	114	87	0	14	4	7	10	4	8	11	110	22	68	44	1
GLASGOW, .	22·6	2·7	229	52	27	0	5	4	4	9	2	3	8	46	7	33	16	1
EDINBURGH,	16·2	0·6	82	17	19	0	0	0	0	1	0	2	0	15	4	14	19	0
DUNDEE, . .	18·8	1·3	58	14	11	0	0	0	2	0	1	1	2	13	2	8	3	0
ABERDEEN, .	19·2	0·9	44	13	13	0	0	0	0	0	0	2	0	14	4	4	1	0
GREENOCK, .	21·6	4·1	32	4	4	0	5	0	1	0	0	0	0	11	3	2	3	0
LEITH, . . .	11·2	0·0	16	4	3	0	0	0	0	0	0	0	0	2	1	3	0	0
PAISLEY, . .	27·8	4·2	33	7	6	0	4	0	0	0	1	0	1	7	1	3	1	0
PERTH, . . .	20·8	0·0	13	3	4	0	0	0	0	0	0	0	0	2	0	1	1	0

WEEKLY RETURN

OF

BIRTHS, DEATHS, AND MARRIAGES

IN EIGHT PRINCIPAL TOWNS OF

SCOTLAND.

By Authority of the Registrar-General.

No. 52. WEEK ENDING SATURDAY, DECEMBER 28, 1889.

The Death-rate in Eight Principal Towns during the week ending with Saturday, December 28, 1889, was 24·6 per thousand of estimated population. This rate is 4·3 above that for the corresponding week of last year, but 1·5 below that for the previous week of the present year.

The lowest mortality was recorded in Perth, viz., 9·5 per thousand; and the highest in Glasgow, viz., 29·1 per thousand.

The mortality from the seven most familiar Zymotic Diseases was at the rate of 3·0 per thousand, being 0·3 below the rate for last week.

The Deaths from Bronchitis, Pneumonia, and Pleurisy amounted to 172, being one less than for the previous week.

The Mean Temperature was 40°·2, being 2°·3 below that for the week immediately preceding, but 1°·9 above that for the corresponding week of 1888.

TABLE I.—BIRTHS, DEATHS, AND MARRIAGES Registered, and METEOROLOGY, during the Week ending Saturday, December 28, 1889, in Eight Principal Towns of Scotland.

TOWNS.	Registration Area in Acres.	Population estimated to middle of Year 1889.	Persons to an Acre. 1889.	Proximity in Yards.	Registered during the Week ending Dec. 28, 1889.			Temperature.			Rainfall in Inches.
					Births	Deaths	Marriages	Highest	Lowest	Mean	
								°	°	°	
Eight Principal Towns in Scotland.	31,919	1,329,884	41·664	11·58	796	630	279	50·9	25·0	40·2	0·45
GLASGOW, . . .	6,111	528,144	86·425	8·04	355	296	124	50·9	25·0	40·9	0·34
EDINBURGH, . .	5,907	266,900	45·184	11·12	125	123	46	49·2	27·0	39·2	0·47
DUNDEE, . .	3,408	163,300	47·917	10·80	85	77	26	46·7	29·8	39·3	0·20
ABERDEEN, . .	5,811	121,448	20·900	16·35	77	50	36	48·2	27·6	38·8	0·97
GREENOCK, . .	1,509	78,248	51·854	10·38	50	28	8	50·5	28·0	41·9	0·58
LEITH, ...	1,344	76,400	56·845	9·92	46	22	14	50·2	29·7	40·8	0·41
PAISLEY, . . .	3,493	62,571	17·913	17·66	44	28	17	49·3	27·9	41·0	0·49
PERTH, ...	4,336	32,873	7·581	27·15	14	6	8	50·5	28·0	39·5	0·18
Corresponding Week of 1888.—Eight Towns.	31,919	1,314,274	41·175	11·65	769	512	293	48·5	25·0	38·3	0·64

[TURN OVER

Week ending Saturday, December 28, 1889.

TABLE II.—DEATHS and RATE OF MORTALITY in Eight Principal Towns during the Week ending Saturday, December 28, 1889.

TOWNS.	Annual Rate of Mortality per 1000 living.		Deaths from All Causes.	The Deaths Registered in the Week include														
				Deaths of		Deaths from												
	From all Causes.	From Seven Zymotic Diseases.		Infants under One Year of Age.	Persons aged 60 Years & upwards.	Small-pox.	Measles.	Scarlet Fever.	Diphtheria.	Hooping-cough.	Fever.	Diarrhœa.	Croup and Laryngitis.	Bronchitis, Pneumonia & Pleurisy.	Violence.	Deaths in Public Institutions.	Deaths from Uncertified Causes.	Deaths from Unspecified Causes.
In Eight Towns,	24·6	3·0	630	114	145	0	25	6	8	17	12	9	17	172	17	98	86	5
GLASGOW, .	29·1	3·6	296	47	63	0	13	1	5	7	6	5	3	98	9	54	41	5
EDINBURGH,	24·0	4·5	123	26	28	0	12	0	1	8	1	1	1	29	0	20	31	0
DUNDEE, . .	24·5	1·0	77	18	17	0	0	0	2	0	1	0	2	18	6	9	3	0
ABERDEEN, .	21·4	1·7	50	5	15	0	0	1	0	0	0	3	8	6	1	5	3	0
GREENOCK, .	18·6	2·7	28	7	5	0	0	1	0	1	2	0	2	8	0	3	2	0
LEITH, . . .	15·0	2·7	22	6	2	0	0	3	0	1	0	0	0	4	1	2	2	0
PAISLEY, . .	23·3	1·7	28	4	10	0	0	0	0	0	2	0	1	7	0	5	2	0
PERTH, . . .	9·5	0·0	6	1	5	0	0	0	0	0	0	0	0	2	0	0	2	0

TABLE III.—DEATHS and RATE OF MORTALITY in Eight Principal Towns during the Week ending Saturday, December 29, 1888.

TOWNS.	Annual Rate of Mortality per 1000 living.		Deaths from All Causes.	The Deaths Registered in the Week include														
				Deaths of		Deaths from												
	From All Causes.	From Seven Zymotic Diseases.		Infants under One Year of Age.	Persons aged 60 Years & upwards.	Small-pox.	Measles.	Scarlet Fever.	Diphtheria.	Hooping-cough.	Fever.	Diarrhœa.	Croup and Laryngitis.	Bronchitis, Pneumonia & Pleurisy.	Violence.	Deaths in Public Institutions.	Deaths from Uncertified Causes.	Deaths from Unspecified Causes.
In Eight Towns,	20·3	2·4	512	105	113	0	13	10	16	9	7	5	7	88	16	84	51	5
GLASGOW, .	24·6	3·2	249	55	36	0	8	5	8	7	3	1	3	52	8	45	25	3
EDINBURGH,	16·2	1·0	82	12	33	0	0	1	1	1	0	2	1	9	1	16	18	0
DUNDEE, . .	20·1	1·9	62	13	14	0	1	2	1	1	0	1	1	7	3	10	2	0
ABERDEEN, .	13·9	0·9	32	6	11	0	0	0	1	0	1	0	0	4	1	2	0	1
GREENOCK, .	17·6	2·7	26	9	5	0	1	0	1	0	1	1	0	4	1	3	1	0
LEITH, . . .	14·0	2·1	20	5	5	0	0	0	3	0	0	0	0	5	1	1	2	0
PAISLEY, . .	24·5	5·9	29	4	5	0	3	2	1	0	1	0	1	3	1	5	2	0
PERTH, . . .	19·2	1·6	12	1	4	0	0	0	0	0	1	0	1	4	0	2	1	1

WEEKLY RETURN

OF

BIRTHS, DEATHS, AND MARRIAGES

IN EIGHT PRINCIPAL TOWNS OF

SCOTLAND.

By Authority of the Registrar-General.

No. 13. WEEK ENDING SATURDAY, MARCH 30, 1889.

The Death-rate in Eight Principal Towns during the week ending with Saturday, the 30th March 1889, was 22·1 per thousand of estimated population. This rate is 1·6 below that for the corresponding week of last year, and 1·3 below that for the previous week of the present year.

The lowest mortality was recorded in Perth, viz., 6·3 per thousand; and the highest in Glasgow, viz., 29·6 per thousand.

The mortality from the seven most familiar Zymotic Diseases was at the rate of 3·6 per thousand, being an increase of 0·3 on that for last week.

The Deaths from Bronchitis, Pneumonia, and Pleurisy amounted to 132, or 9 more than for the previous week.

The Mean Temperature was 45°·5, being 4°·7 above that for the week immediately preceding, and 9°·8 above that for the corresponding week of 1888.

TABLE I.—BIRTHS, DEATHS, AND MARRIAGES Registered, and METEOROLOGY, during the Week ending Saturday, March 30, 1889, in Eight Principal Towns of Scotland.

TOWNS.	Registration Area in Acres.	Population estimated to middle of Year 1889.	Persons to an Acre. 1889.	Proximity in Yards.	Registered during the Week ending Mar. 30, 1889.			Temperature.			Rainfall in Inches.
					Births	Deaths	Marriages	Highest	Lowest	Mean	
								°	°	°	
Eight Principal Towns in Scotland.	31,919	1,329,884	41·664	11·58	855	565	155	66·2	26·0	45·5	0·23
GLASGOW, . . .	6,111	528,144	86·425	8·04	367	301	71	53·9	26·0	45·1	0·36
EDINBURGH, . .	5,907	266,900	45·184	11·12	168	72	33	55·0	32·5	45·7	0·08
DUNDEE, . .	3,408	163,300	47·917	10·80	104	68	12	59·4	29·7	45·5	0·10
ABERDEEN, . .	5,811	121,448	20·900	16·35	79	49	13	66·2	30·6	45·9	0·08
GREENOCK, . .	1,509	78,248	51·854	10·38	33	28	3	53·0	28·5	43·8	0·61
LEITH, ...	1,344	76,400	56·845	9·92	50	25	5	55·5	31·9	46·1	0·10
PAISLEY, . . .	3,493	62,571	17·913	17·66	42	18	13	54·0	35·1	45·6	0·39
PERTH, ...	4,336	32,873	7·581	27·15	12	4	5	59·5	28·0	46·1	0·10
Corresponding Week of 1888.—Eight Towns.	31,919	1,314,274	41·175	11·65	816	599	128	51·3	17·6	35·7	1·00

[TURN OVER.

Week ending Saturday, March 30, 1889.

TABLE II.—DEATHS and RATE OF MORTALITY in Eight Principal Towns during the Week ending Saturday, March 30, 1889.

TOWNS.	Annual Rate of Mortality per 1000 living.		Deaths from All Causes.	The Deaths Registered in the Week include														
				Deaths of		Deaths from												
	From all Causes.	From Seven Zymotic Diseases.		Infants under One Year of Age.	Persons aged 60 Years & upwards.	Small-pox.	Measles.	Scarlet Fever.	Diphtheria.	Hooping-cough.	Fever.	Diarrhœa.	Croup and Laryngitis.	Bronchitis, Pneumonia & Pleurisy.	Violence.	Deaths in Public Institutions.	Deaths from Uncertified Causes.	Deaths from Unspecified Causes.
In Eight Towns,	22·1	3·6	565	130	94	0	36	1	4	37	7	7	5	132	19	60	70	1
GLASGOW, .	29·6	7·1	301	69	38	0	34	1	3	29	4	1	1	70	9	27	37	1
EDINBURGH,	14·0	1·2	72	19	12	0	0	0	1	2	0	3	2	12	3	13	22	0
DUNDEE, . .	21·7	1·6	68	19	11	0	1	0	0	3	1	0	0	22	2	8	2	0
ABERDEEN, .	21·0	1·7	49	8	16	0	1	0	0	1	0	2	2	7	3	6	2	0
GREENOCK, .	18·6	2·0	28	7	2	0	0	0	0	2	1	0	0	7	2	3	6	0
LEITH, . . .	17·0	0·0	25	6	7	0	0	0	0	0	0	0	0	7	0	0	0	0
PAISLEY, . .	15·0	1·7	18	2	7	0	0	0	0	0	1	1	0	6	0	3	1	0
PERTH, . . .	6·3	0·0	4	0	1	0	0	0	0	0	0	0	0	1	0	0	0	0

TABLE III.—DEATHS and RATE OF MORTALITY in Eight Principal Towns during the Week ending Saturday, March 31, 1888.

TOWNS.	Annual Rate of Mortality per 1000 living.		Deaths from All Causes.	The Deaths Registered in the Week include														
				Deaths of		Deaths from												
	From All Causes.	From Seven Zymotic Diseases.		Infants under One Year of Age.	Persons aged 60 Years & upwards.	Small-pox.	Measles.	Scarlet Fever.	Diphtheria.	Hooping-cough.	Fever.	Diarrhœa.	Croup and Laryngitis.	Bronchitis, Pneumonia & Pleurisy.	Violence.	Deaths in Public Institutions.	Deaths from Uncertified Causes.	Deaths from Unspecified Causes.
In Eight Towns,	23·7	1·8	599	117	124	0	4	6	8	17	5	5	10	144	17	83	80	3
GLASGOW, .	27·4	2·3	277	61	45	0	2	4	2	12	1	2	1	77	10	34	32	2
EDINBURGH,	22·8	2·2	115	20	29	0	2	0	4	2	2	1	4	21	3	21	34	0
DUNDEE, . .	21·4	1·0	66	14	18	0	0	0	1	0	1	1	1	14	2	10	6	0
ABERDEEN, .	18·3	2·2	42	9	8	0	0	1	1	3	0	0	1	12	1	10	0	0
GREENOCK, .	20·9	0·7	31	5	8	0	0	0	0	0	0	1	0	8	0	2	3	0
LEITH, . . .	18·9	0·7	27	3	8	0	0	1	0	0	0	0	2	4	0	2	0	0
PAISLEY, . .	26·1	0·8	31	5	6	0	0	0	0	0	1	0	1	4	1	3	4	1
PERTH, . . .	16·0	0·0	10	0	2	0	0	0	0	0	0	0	0	4	0	1	1	0

WEEKLY RETURN

OF

BIRTHS, DEATHS, AND MARRIAGES

IN EIGHT PRINCIPAL TOWNS OF

SCOTLAND.

By Authority of the Registrar-General.

No. 14. WEEK ENDING SATURDAY, APRIL 6, 1889.

The Death-rate in Eight Principal Towns during the week ending with Saturday, the 6th April 1889, was 21·8 per thousand of estimated population. This rate is the same as that for the corresponding week of last year, and 0·3 below that for the previous week of the present year.

The lowest mortality was recorded in Greenock, viz., 7·3 per thousand; and the highest in Glasgow, viz., 28·8 per thousand.

The mortality from the seven most familiar Zymotic Diseases was at the rate of 3·5 per thousand, being 0·1 below that for last week.

The Deaths from Bronchitis, Pneumonia, and Pleurisy amounted to 116, or 16 less than for the previous week.

The Mean Temperature was 40°·3, being 5°·2 below that for the week immediately preceding, but 1°·0 above that for the corresponding week of 1888.

TABLE I.—BIRTHS, DEATHS, AND MARRIAGES Registered, and METEOROLOGY, during the Week ending Saturday, April 6, 1889, in Eight Principal Towns of Scotland.

TOWNS.	Registration Area in Acres.	Population estimated to middle of Year 1889.	Persons to an Acre. 1889.	Proximity in Yards.	Registered during the Week ending Apr. 6, 1889.			Temperature.			Rainfall in Inches.
					Births	Deaths	Marriages	Highest	Lowest	Mean	
								°	°	°	
Eight Principal Towns in Scotland.	31,919	1,329,884	41·664	11·58	841	558	189	55·8	31·0	40·3	0·96
GLASGOW, . . .	6,111	528,144	86·425	8·04	388	293	111	53·0	35·0	41·4	0·38
EDINBURGH, . .	5,907	266,900	45·184	11·12	141	91	25	53·8	32·8	40·5	0·67
DUNDEE, . .	3,408	163,300	47·917	10·80	90	60	22	55·2	31·0	38·7	1·42
ABERDEEN, . .	5,811	121,448	20·900	16·35	67	36	12	49·2	32·3	39·6	0·90
GREENOCK, . .	1,509	78,248	51·854	10·38	33	11	5	52·0	33·2	40·3	0·86
LEITH, ...	1,344	76,400	56·845	9·92	52	27	5	54·5	33·9	41·1	0·68
PAISLEY, . . .	3,493	62,571	17·913	17·66	56	27	7	55·8	34·0	41·0	0·50
PERTH, ...	4,336	32,873	7·581	27·15	14	13	2	54·0	31·5	39·5	2·24
Corresponding Week of 1888.—Eight Towns.	31,919	1,314,274	41·175	11·65	933	551	219	55·2	28·0	39·3	0·07

[TURN OVER.

Week ending Saturday, April 6, 1889.

TABLE II.—DEATHS and RATE OF MORTALITY in Eight Principal Towns during the Week ending Saturday, April 6, 1889.

TOWNS.	Annual Rate of Mortality per 1000 living.		Deaths from All Causes.	The Deaths Registered in the Week include														
				Deaths of		Deaths from										Deaths in Public Institutions.	Deaths from Uncertified Causes.	Deaths from Unspecified Causes.
	From all Causes.	From Seven Zymotic Diseases.		Infants under One Year of Age.	Persons aged 60 Years & upwards.	Small-pox.	Measles.	Scarlet Fever.	Diphtheria.	Hooping-cough.	Fever.	Diarrhœa.	Croup and Laryngitis.	Bronchitis, Pneumonia & Pleurisy.	Violence.			
In Eight Towns,	21·8	3·5	558	112	105	0	31	1	8	41	3	6	8	116	16	91	62	1
GLASGOW, .	28·8	6·8	293	61	48	0	28	1	6	29	1	4	4	60	6	39	32	1
EDINBURGH,	17·7	1·2	91	17	26	0	0	0	0	5	1	0	1	15	3	18	21	0
DUNDEE, . .	19·1	2·2	60	10	11	0	1	0	2	4	0	0	2	15	2	5	3	0
ABERDEEN, .	15·4	1·7	36	7	7	0	1	0	0	1	0	2	1	14	0	13	0	0
GREENOCK, .	7·3	0·0	11	2	0	0	0	0	0	0	0	0	0	0	1	1	1	0
LEITH, . . .	18·4	0·7	27	5	5	0	1	0	0	0	0	0	0	5	3	3	4	0
PAISLEY, . .	22·4	1·7	27	7	3	0	0	0	0	2	0	0	0	6	0	8	1	0
PERTH, . . .	20·6	1·6	13	3	5	0	0	0	0	0	1	0	0	1	1	4	0	0

TABLE III.—DEATHS and RATE OF MORTALITY in Eight Principal Towns during the Week ending Saturday, April 7, 1888.

TOWNS.	Annual Rate of Mortality per 1000 living.		Deaths from All Causes.	The Deaths Registered in the Week include														
				Deaths of		Deaths from										Deaths in Public Institutions.	Deaths from Uncertified Causes.	Deaths from Unspecified Causes.
	From All Causes.	From Seven Zymotic Diseases.		Infants under One Year of Age.	Persons aged 60 Years & upwards.	Small-pox.	Measles.	Scarlet Fever.	Diphtheria.	Hooping-cough.	Fever.	Diarrhœa.	Croup and Laryngitis.	Bronchitis, Pneumonia & Pleurisy.	Violence.			
In Eight Towns,	21·8	2·0	551	112	134	0	10	3	4	26	5	3	3	142	16	85	74	2
GLASGOW, .	24·3	2·6	246	61	52	0	4	2	1	15	1	3	2	72	6	33	32	1
EDINBURGH,	22·0	2·0	111	20	27	0	5	0	2	2	1	0	1	33	4	26	29	0
DUNDEE, . .	17·5	0·6	54	13	10	0	0	1	0	0	1	0	0	10	4	11	4	0
ABERDEEN, .	26·1	1·7	60	7	24	0	0	0	0	4	0	0	0	11	1	11	4	1
GREENOCK, .	16·9	0·0	25	3	8	0	0	0	0	0	0	0	0	3	0	1	4	0
LEITH, . . .	11·2	2·1	16	3	3	0	1	0	0	1	1	0	0	2	0	0	0	0
PAISLEY, . .	23·6	5·1	28	3	5	0	0	0	1	4	1	0	0	10	1	3	1	0
PERTH, . . .	17·6	0·0	11	2	5	0	0	0	0	0	0	0	0	1	0	0	0	0

WEEKLY RETURN

OF

BIRTHS, DEATHS, AND MARRIAGES

IN EIGHT PRINCIPAL TOWNS OF

SCOTLAND.

By Authority of the Registrar-General.

No. 15. WEEK ENDING SATURDAY, APRIL 13, 1889.

The Death-rate in Eight Principal Towns during the week ending with Saturday, the 13th April 1889, was 23·0 per thousand of estimated population. This rate is 2·2 above that for the corresponding week of last year, and 1·2 above that for the previous week of the present year.

The lowest mortality was recorded in Edinburgh, viz., 14·8 per thousand; and the highest in Glasgow, 28·9 per thousand.

The mortality from the seven most familiar Zymotic Diseases was at the rate of 3·4 per thousand, or 0·1 below that for last week.

The Deaths from Bronchitis, Pneumonia, and Pleurisy amounted to 119, being 3 above the number for the previous week.

The Mean Temperature was 39°·9, being 0°·4 below that for the week immediately preceding, and 3°·7 below that for the corresponding week of 1888.

TABLE I.—BIRTHS, DEATHS, AND MARRIAGES Registered, and METEOROLOGY, during the Week ending Saturday, April 13, 1889, in Eight Principal Towns of Scotland.

TOWNS.	Registration Area in Acres.	Population estimated to middle of Year 1889.	Persons to an Acre. 1889.	Proximity in Yards.	Registered during the Week ending Apr. 13, 1889.			Temperature.			Rainfall in Inches.
					Births	Deaths	Marriages	Highest	Lowest	Mean	
								°	°	°	
Eight Principal Towns in Scotland.	31,919	1,329,884	41·664	11·58	863	588	145	50·9	33·0	39·9	0·62
GLASGOW, . . .	6,111	528,144	86·425	8·04	408	294	66	47·1	35·1	40·6	0·27
EDINBURGH, . .	5,907	266,900	45·184	11·12	161	76	24	43·2	34·6	38·9	0·82
DUNDEE, . .	3,408	163,300	47·917	10·80	86	59	22	46·9	35·0	39·2	0·66
ABERDEEN, . . .	5,811	121,448	20·900	16·35	76	47	13	47·2	35·1	40·3	0·84
GREENOCK, . .	1,509	78,248	51·854	10·38	39	32	7	45·0	35·0	39·8	0·38
LEITH, ...	1,344	76,400	56·845	9·92	32	32	3	43·3	35·3	39·5	0·52
PAISLEY, . . .	3,493	62,571	17·913	17·66	46	32	6	50·9	35·1	41·5	0·32
PERTH, ...	4,336	32,873	7·581	27·15	15	16	4	48·5	33·0	39·2	1·16
Corresponding Week of 1888.—Eight Towns.	31,919	1,314,274	41·175	11·65	849	526	180	60·1	24·5	43·6	0·31

[TURN OVER.

Week ending Saturday, April 13, 1889.

TABLE II.—DEATHS and RATE OF MORTALITY in Eight Principal Towns during the Week ending Saturday, April 13, 1889.

TOWNS.	Annual Rate of Mortality per 1000 living.		Deaths from All Causes.	The Deaths Registered in the Week include														
				Deaths of		Deaths from												
	From all Causes.	From Seven Zymotic Diseases.		Infants under One Year of Age.	Persons aged 60 Years & upwards.	Small-pox.	Measles.	Scarlet Fever.	Diphtheria.	Hooping-cough.	Fever.	Diarrhœa.	Croup and Laryngitis.	Bronchitis, Pneumonia & Pleurisy.	Violence.	Deaths in Public Institutions.	Deaths from Uncertified Causes.	Deaths from Unspecified Causes.
In Eight Towns,	23·0	3·4	588	122	116	0	27	2	7	44	1	6	3	119	18	81	65	2
GLASGOW, .	28·9	5·9	294	64	40	0	23	1	3	30	0	3	1	50	11	41	30	2
EDINBURGH,	14·8	0·6	76	13	21	0	0	0	1	2	0	0	1	19	3	15	16	0
DUNDEE, . .	18·8	4·5	59	11	9	0	2	0	1	9	0	2	0	14	1	3	5	0
ABERDEEN, .	20·1	1·3	47	10	10	0	0	0	0	2	1	0	1	8	1	7	1	0
GREENOCK, .	21·3	3·3	32	10	9	0	2	0	1	1	0	1	0	8	1	3	6	0
LEITH, . . .	21·8	0·7	32	7	11	0	0	1	0	0	0	0	0	5	0	5	4	0
PAISLEY, . .	26·6	0·8	32	7	9	0	0	0	1	0	0	0	0	12	0	1	3	0
PERTH, . . .	25·3	0·0	16	0	7	0	0	0	0	0	0	0	0	3	1	6	0	0

TABLE III.—DEATHS and RATE OF MORTALITY in Eight Principal Towns during the Week ending Saturday, April 14, 1888.

TOWNS.	Annual Rate of Mortality per 1000 living.		Deaths from All Causes.	The Deaths Registered in the Week include														
				Deaths of		Deaths from												
	From All Causes.	From Seven Zymotic Diseases.		Infants under One Year of Age.	Persons aged 60 Years & upwards.	Small-pox.	Measles.	Scarlet Fever.	Diphtheria.	Hooping-cough.	Fever.	Diarrhœa.	Croup and Laryngitis.	Bronchitis, Pneumonia & Pleurisy.	Violence.	Deaths in Public Institutions.	Deaths from Uncertified Causes.	Deaths from Unspecified Causes.
In Eight Towns,	20·8	1·9	526	109	104	0	5	4	3	20	8	9	3	126	12	86	67	3
GLASGOW, .	22·2	2·6	225	49	38	0	3	2	1	11	5	4	2	56	3	35	26	3
EDINBURGH,	20·6	2·4	104	18	26	0	2	1	2	4	1	2	0	26	3	20	26	0
DUNDEE, . .	17·2	1·0	53	13	13	0	0	0	0	0	1	2	0	9	2	6	3	0
ABERDEEN, .	23·5	0·9	54	11	8	0	0	0	0	2	0	0	1	16	2	12	2	0
GREENOCK, .	16·9	0·7	25	8	4	0	0	0	0	1	0	0	0	5	0	2	6	0
LEITH, . . .	14·7	1·4	21	3	7	0	0	1	0	1	0	0	0	3	1	3	1	0
PAISLEY, . .	21·1	0·8	25	6	2	0	0	0	0	0	0	1	0	8	1	4	2	0
PERTH, . . .	30·4	3·2	19	1	6	0	0	0	0	1	1	0	0	3	0	4	1	0

WEEKLY RETURN

OF

BIRTHS, DEATHS, AND MARRIAGES

IN EIGHT PRINCIPAL TOWNS OF

SCOTLAND.

By Authority of the Registrar-General.

No. 16. WEEK ENDING SATURDAY, APRIL 20, 1889.

The Death-rate in Eight Principal Towns during the week ending with Saturday, the 20th April 1889, was 23·7 per thousand of estimated population. This rate is 2·5 above that for the corresponding week of last year, and 0·7 above that for the previous week of the present year.

The lowest mortality was recorded in Greenock, viz., 14·0 per thousand; and the highest in Paisley, viz., 29·9 per thousand.

The mortality from the seven most familiar Zymotic Diseases was at the rate of 4·2 per thousand, or 0·8 above that for last week.

The Deaths from Bronchitis, Pneumonia, and Pleurisy amounted to 130, being 11 above the number for the previous week.

The Mean Temperature was 47°·2, being 7°·3 above that for the week immediately preceding, and 1°·2 above that for the corresponding week of 1888.

TABLE I.—BIRTHS, DEATHS, AND MARRIAGES Registered, and METEOROLOGY, during the Week ending Saturday, April 20, 1889, in Eight Principal Towns of Scotland.

TOWNS.	Registration Area in Acres.	Population estimated to middle of Year 1889.	Persons to an Acre. 1889.	Proximity in Yards.	Registered during the Week ending Apr. 20, 1889.			Temperature.			Rainfall in Inches.
					Births	Deaths	Marriages	Highest	Lowest	Mean	
								°	°	°	
Eight Principal Towns in Scotland.	31,919	1,329,884	41·664	11·58	806	607	132	66·0	29·5	47·2	0·35
GLASGOW, . . .	6,111	528,144	86·425	8·04	350	299	57	57·5	31·6	47·2	0·34
EDINBURGH, . .	5,907	266,900	45·184	11·12	135	103	26	61·5	33·5	47·1	0·06
DUNDEE, . .	3,408	163,300	47·917	10·80	105	64	14	64·0	34·3	47·6	0·21
ABERDEEN, . .	5,811	121,448	20·900	16·35	65	50	6	61·2	35·1	47·3	0·14
GREENOCK, . .	1,509	78,248	51·854	10·38	51	21	7	53·0	30·2	45·4	1·34
LEITH, ...	1,344	76,400	56·845	9·92	52	24	6	61·3	36·1	48·1	0·02
PAISLEY, . . .	3,493	62,571	17·913	17·66	34	36	11	57·9	30·2	48·3	0·46
PERTH, ...	4,336	32,873	7·581	27·15	14	10	5	66·0	29·5	46·6	0·21
Corresponding Week of 1888.—Eight Towns.	31,919	1,314,274	41·175	11·65	812	535	125	60·3	31·0	46·0	0·85

[TURN OVER.

Week ending Saturday, April 20, 1889.

TABLE II.—DEATHS and RATE OF MORTALITY in Eight Principal Towns during the Week ending Saturday, April 20, 1889.

TOWNS.	Annual Rate of Mortality per 1000 living.		Deaths from All Causes.	The Deaths Registered in the Week include														
				Deaths of		Deaths from												
	From all Causes.	From Seven Zymotic Diseases.		Infants under One Year of Age.	Persons aged 60 Years & upwards.	Small-pox.	Measles.	Scarlet Fever.	Diphtheria.	Hooping-cough.	Fever.	Diarrhœa.	Croup and Laryngitis.	Bronchitis, Pneumonia & Pleurisy.	Violence.	Deaths in Public Institutions.	Deaths from Uncertified Causes.	Deaths from Unspecified Causes.
In Eight Towns,	23·7	4·2	607	132	108	0	34	4	6	50	5	8	10	130	14	82	75	2
GLASGOW, .	29·4	7·5	299	60	33	0	23	3	3	39	3	5	4	65	7	29	35	1
EDINBURGH,	20·1	1·6	103	19	32	0	0	1	2	4	0	1	2	14	2	21	24	0
DUNDEE, . .	20·4	2·5	64	18	13	0	1	0	1	5	1	0	2	21	2	9	3	0
ABERDEEN, .	21·4	2·6	50	13	13	0	5	0	0	0	0	1	1	10	0	10	2	1
GREENOCK, .	14·0	2·7	21	4	2	0	3	0	0	1	0	0	0	5	1	2	3	0
LEITH, . . .	16·3	1·4	24	5	6	0	1	0	0	0	1	0	0	4	0	3	2	0
PAISLEY, . .	29·9	2·5	36	10	6	0	1	0	0	1	0	1	1	9	2	7	5	0
PERTH, . . .	15·8	0·0	10	3	3	0	0	0	0	0	0	0	0	2	0	1	1	0

TABLE III.—DEATHS and RATE OF MORTALITY in Eight Principal Towns during the Week ending Saturday, April 21, 1888.

TOWNS.	Annual Rate of Mortality per 1000 living.		Deaths from All Causes.	The Deaths Registered in the Week include														
				Deaths of		Deaths from												
	From All Causes.	From Seven Zymotic Diseases.		Infants under One Year of Age.	Persons aged 60 Years & upwards.	Small-pox.	Measles.	Scarlet Fever.	Diphtheria.	Hooping-cough.	Fever.	Diarrhœa.	Croup and Laryngitis.	Bronchitis, Pneumonia & Pleurisy.	Violence.	Deaths in Public Institutions.	Deaths from Uncertified Causes.	Deaths from Unspecified Causes.
In Eight Towns,	21·2	2·5	535	110	112	0	9	4	11	17	10	11	4	122	9	69	58	0
GLASGOW, .	22·5	3·0	228	52	46	0	5	1	8	9	4	3	3	57	5	26	28	0
EDINBURGH,	20·0	1·8	101	18	21	0	3	0	1	1	2	2	0	21	1	21	19	0
DUNDEE, . .	22·0	2·9	68	14	11	0	0	3	1	1	1	3	0	16	2	8	1	0
ABERDEEN, .	19·2	1·3	44	12	11	0	0	0	0	2	0	1	0	7	1	6	1	0
GREENOCK, .	14·9	1·4	22	4	3	0	0	0	0	1	0	1	0	4	0	1	6	0
LEITH, . . .	19·6	2·8	28	4	9	0	1	0	0	2	1	0	0	5	0	2	1	0
PAISLEY, . .	25·5	2·5	29	5	6	0	0	0	1	1	0	1	1	9	0	2	2	0
PERTH, . . .	24·0	3·2	15	1	5	0	0	0	0	0	2	0	0	3	0	3	0	0

WEEKLY RETURN

OF

BIRTHS, DEATHS, AND MARRIAGES

IN EIGHT PRINCIPAL TOWNS OF

SCOTLAND.

By Authority of the Registrar-General.

No. 17. WEEK ENDING SATURDAY, APRIL 27, 1889.

The Death-rate in Eight Principal Towns during the week ending with Saturday, the 27th April 1889, was 21·7 per thousand of estimated population. This rate is 0·7 above that for the corresponding week of last year, but 2·0 below that for the previous week of the present year.

The lowest mortality was recorded in Edinburgh, viz., 12·9 per thousand; and the highest in Glasgow, viz., 28·3, and Perth 28·5 per thousand.

The mortality from the seven most familiar Zymotic Diseases was at the rate of 4·2 per thousand, the same as for the previous week.

The Deaths from Bronchitis, Pneumonia, and Pleurisy amounted to 100, or 30 less than for last week.

The Mean Temperature was 44°·8, being 2°·4 below that for the week immediately preceding, but 2°·4 above that for the corresponding week of 1888.

TABLE I.—BIRTHS, DEATHS, AND MARRIAGES Registered, and METEOROLOGY, during the Week ending Saturday, April 27, 1889, in Eight Principal Towns of Scotland.

TOWNS.	Registration Area in Acres.	Population estimated to middle of Year 1889.	Persons to an Acre. 1889.	Proximity in Yards.	Registered during the Week ending Apr. 27, 1889.			Temperature.			Rainfall in Inches.
					Births	Deaths	Marriages	Highest	Lowest	Mean	
								°	°	°	
Eight Principal Towns in Scotland.	31,919	1,329,884	41·664	11·58	871	554	241	58·2	31·5	44·8	0·62
GLASGOW, . . .	6,111	528,144	86·425	8·04	433	287	142	55·6	33·2	45·3	0·36
EDINBURGH, . .	5,907	266,900	45·184	11·12	132	66	34	57·5	34·2	44·5	0·89
DUNDEE, . .	3,408	163,300	47·917	10·80	74	67	15	57·3	32·3	43·9	0·62
ABERDEEN, . .	5,811	121,448	20·900	16·35	72	50	8	54·6	33·1	43·4	0·53
GREENOCK, . .	1,509	78,248	51·854	10·38	47	20	12	54·2	36·0	45·0	0·79
LEITH, ...	1,344	76,400	56·845	9·92	48	23	7	58·2	35·9	45·7	0·87
PAISLEY, . . .	3,493	62,571	17·913	17·66	42	23	21	56·9	35·5	46·1	0·56
PERTH, ...	4,336	32,873	7·581	27·15	23	18	2	57·0	31·5	44·6	0·37
Corresponding Week of 1888.—Eight Towns.	31,919	1,314,274	41·175	11·65	839	530	207	60·8	27·9	42·4	0·30

[TURN OVER.

Week ending Saturday, April 27, 1889.

TABLE II.—DEATHS and RATE OF MORTALITY in Eight Principal Towns during the Week ending Saturday, April 27, 1889.

TOWNS.	Annual Rate of Mortality per 1000 living.		Deaths from All Causes.	The Deaths Registered in the Week include														
				Deaths of		Deaths from												
	From all Causes.	From Seven Zymotic Diseases.		Infants under One Year of Age.	Persons aged 60 Years & upwards.	Small-pox.	Measles.	Scarlet Fever.	Diphtheria.	Hooping-cough.	Fever.	Diarrhœa.	Croup and Laryngitis.	Bronchitis, Pneumonia & Pleurisy.	Violence.	Deaths in Public Institutions.	Deaths from Uncertified Causes.	Deaths from Unspecified Causes.
In Eight Towns,	21·7	4·2	554	114	95	0	43	5	4	41	4	11	4	100	27	89	65	5
GLASGOW, .	28·3	8·5	287	58	37	0	40	4	2	32	2	6	2	54	13	46	32	2
EDINBURGH,	12·9	0·6	66	18	15	0	0	0	0	2	1	0	0	12	6	14	16	0
DUNDEE, . .	21·3	2·9	67	12	10	0	1	0	1	4	0	3	0	11	3	10	6	0
ABERDEEN, .	21·4	1·3	50	13	9	0	0	0	0	2	0	1	2	12	2	8	4	2
GREENOCK, .	13·3	2·0	20	1	7	0	2	0	1	0	0	0	0	0	2	2	5	0
LEITH, . . .	15·7	2·0	23	3	7	0	0	1	0	1	1	0	0	6	0	4	0	0
PAISLEY, . .	19·1	0·0	23	6	4	0	0	0	0	0	0	0	0	4	1	3	2	0
PERTH, . . .	28·5	1·6	18	3	6	0	0	0	0	0	0	1	0	1	0	2	0	1

TABLE III.—DEATHS and RATE OF MORTALITY in Eight Principal Towns during the Week ending Saturday, April 28, 1888.

TOWNS.	Annual Rate of Mortality per 1000 living.		Deaths from All Causes.	The Deaths Registered in the Week include														
				Deaths of		Deaths from												
	From All Causes.	From Seven Zymotic Diseases.		Infants under One Year of Age.	Persons aged 60 Years & upwards.	Small-pox.	Measles.	Scarlet Fever.	Diphtheria.	Hooping-cough.	Fever.	Diarrhœa.	Croup and Laryngitis.	Bronchitis, Pneumonia & Pleurisy.	Violence.	Deaths in Public Institutions.	Deaths from Uncertified Causes.	Deaths from Unspecified Causes.
In Eight Towns,	21·0	1·9	530	100	118	0	8	4	5	17	3	12	5	109	13	64	61	0
GLASGOW, .	24·3	2·7	246	38	54	0	6	1	4	9	3	4	3	49	3	33	24	0
EDINBURGH,	18·2	1·4	92	28	20	0	1	0	1	3	0	2	1	13	4	15	29	0
DUNDEE, . .	19·4	1·6	60	15	15	0	0	1	0	1	0	3	0	22	2	3	2	0
ABERDEEN, .	16·1	1·3	37	6	9	0	0	0	0	2	0	1	0	6	0	5	2	0
GREENOCK, .	14·9	0·7	22	2	6	0	0	0	0	1	0	0	0	4	2	0	0	0
LEITH, . . .	16·1	0·0	23	6	3	0	0	0	0	0	0	0	0	6	1	2	1	0
PAISLEY, . .	32·0	3·4	38	5	9	0	0	1	0	1	0	2	0	7	1	5	2	0
PERTH, . . .	19·2	3·2	12	0	2	0	1	1	0	0	0	0	1	2	0	1	1	0

WEEKLY RETURN

OF

BIRTHS, DEATHS, AND MARRIAGES

IN EIGHT PRINCIPAL TOWNS OF

SCOTLAND.

By Authority of the Registrar-General.

No. 18. WEEK ENDING SATURDAY, MAY 4, 1889.

The Death-rate in Eight Principal Towns during the week ending with Saturday, the 4th May 1889, was 22·3 per thousand of estimated population. This rate is 2·8 above that for the corresponding week of last year, and 0·6 above that for the previous week of the present year.

The lowest mortality was recorded in Leith, viz., 11·6 per thousand; and the highest in Paisley, viz., 29·9 per thousand.

The mortality from the seven most familiar Zymotic Diseases was at the rate of 4·1 per thousand, being 0·1 below that for last week.

The Deaths from Bronchitis, Pneumonia, and Pleurisy amounted to 105, or 5 more than for the previous week.

The Mean Temperature was 48°·2, being 3°·4 above that for the week immediately preceding, and 1°·7 above that for the corresponding week of 1888.

TABLE I.—BIRTHS, DEATHS, AND MARRIAGES Registered, and METEOROLOGY, during the Week ending Saturday, May 4, 1889, in Eight Principal Towns of Scotland.

TOWNS.	Registration Area in Acres.	Population estimated to middle of Year 1889.	Persons to an Acre. 1889.	Proximity in Yards.	Registered during the Week ending May 4, 1889.			Temperature.			Rainfall in Inches.
					Births	Deaths	Marriages	Highest	Lowest	Mean	
								°	°	°	
Eight Principal Towns in Scotland.	31,919	1,329,884	41·664	11·58	1005	570	321	67·3	35·0	48·2	1·00
GLASGOW, . . .	6,111	528,144	86·425	8·04	460	290	163	66·4	37·7	50·6	0·82
EDINBURGH, . .	5,907	266,900	45·184	11·12	177	90	73	65·3	35·0	48·7	0·67
DUNDEE, . .	3,408	163,300	47·917	10·80	118	62	20	54·1	37·7	46·5	1·13
ABERDEEN, . .	5,811	121,448	20·900	16·35	88	40	10	51·3	37·5	44·7	0·95
GREENOCK, . .	1,509	78,248	51·854	10·38	40	23	15	58·2	39·0	48·4	1·25
LEITH, ...	1,344	76,400	56·845	9·92	46	17	16	67·3	37·9	49·1	0·71
PAISLEY, . . .	3,493	62,571	17·913	17·66	50	36	17	63·7	37·5	50·3	0·84
PERTH, ...	4,336	32,873	7·581	27·15	26	12	7	56·0	37·0	47·4	1·62
Corresponding Week of 1888.—Eight Towns.	31,919	1,314,274	41·175	11·65	888	493	266	59·0	35·4	46·5	0·75

[TURN OVER.

Week ending Saturday, May 4, 1889.

TABLE II.—DEATHS and RATE OF MORTALITY in Eight Principal Towns during the Week ending Saturday, May 4, 1889.

TOWNS.	Annual Rate of Mortality per 1000 living.		Deaths from All Causes.	The Deaths Registered in the Week include													
				Deaths of		Deaths from											
	From all Causes.	From Seven Zymotic Diseases.		Infants under One Year of Age.	Persons aged 60 Years & upwards.	Small-pox.	Measles.	Scarlet Fever.	Diphtheria.	Hooping-cough.	Fever.	Diarrhœa.	Croup and Laryngitis.	Bronchitis, Pneumonia & Pleurisy.	Violence.	Deaths in Public Institutions.	Deaths from Uncertified Causes.	Deaths from Unspecified Causes.
In Eight Towns,	22·3	4·1	570	121	115	0	33	0	6	47	2	16	5	105	9	92	58	2
GLASGOW, .	28·6	7·2	290	62	48	0	26	0	1	36	2	8	3	53	4	42	31	2
EDINBURGH,	17·5	1·4	90	17	20	0	0	0	3	2	0	2	1	15	2	24	16	0
DUNDEE, . .	19·7	2·5	62	14	17	0	1	0	0	4	0	3	0	12	0	9	2	0
ABERDEEN, .	17·1	3·0	40	12	13	0	4	0	0	1	0	2	0	7	3	5	3	0
GREENOCK, .	15·3	2·0	23	5	5	0	1	0	1	1	0	0	1	5	0	1	4	0
LEITH, . . .	11·6	0·7	17	4	2	0	0	0	0	1	0	0	0	4	0	2	1	0
PAISLEY, . .	29·9	4·2	36	6	7	0	1	0	1	2	0	1	0	8	0	6	1	0
PERTH, . . .	19·0	0·0	12	1	3	0	0	0	0	0	0	0	0	1	0	3	0	0

TABLE III.—DEATHS and RATE OF MORTALITY in Eight Principal Towns during the Week ending Saturday, May 5, 1888.

TOWNS.	Annual Rate of Mortality per 1000 living.		Deaths from All Causes.	The Deaths Registered in the Week include													
				Deaths of		Deaths from											
	From All Causes.	From Seven Zymotic Diseases.		Infants under One Year of Age.	Persons aged 60 Years & upwards.	Small-pox.	Measles.	Scarlet Fever.	Diphtheria.	Hooping-cough.	Fever.	Diarrhœa.	Croup and Laryngitis.	Bronchitis, Pneumonia & Pleurisy.	Violence.	Deaths in Public Institutions.	Deaths from Uncertified Causes.	Deaths from Unspecified Causes.
In Eight Towns,	19·5	1·4	493	90	107	0	6	3	9	11	3	3	6	106	13	69	68	0
GLASGOW, .	22·0	2·3	223	32	37	0	5	1	8	7	1	1	0	51	6	30	31	0
EDINBURGH,	21·1	0·2	106	23	27	0	0	0	0	1	0	0	4	23	4	21	23	0
DUNDEE, . .	15·2	0·6	47	13	9	0	0	1	0	0	1	0	0	7	1	4	6	0
ABERDEEN, .	17·0	1·7	39	10	13	0	0	0	0	2	1	1	0	7	0	5	3	0
GREENOCK, .	15·5	1·4	23	3	5	0	0	0	1	0	0	1	0	1	2	3	2	0
LEITH, . . .	16·1	1·4	23	6	4	0	1	0	0	1	0	0	1	6	0	2	0	0
PAISLEY, . .	19·4	0·0	23	1	9	0	0	0	0	0	0	0	0	10	0	4	3	0
PERTH, . . .	14·4	1·6	9	2	3	0	0	1	0	0	0	0	1	1	0	0	0	0

WEEKLY RETURN

OF

BIRTHS, DEATHS, AND MARRIAGES

IN EIGHT PRINCIPAL TOWNS OF

SCOTLAND.

By Authority of the Registrar-General.

No. 19. WEEK ENDING SATURDAY, MAY 11, 1889.

The Death-rate in Eight Principal Towns during the week ending with Saturday, the 11th May 1889, was 21·2 per thousand of estimated population. This rate is 0·1 above that for the corresponding week of last year, but 1·1 below that for the previous week of the present year.

The lowest mortality was recorded in Leith, viz., 12·3 per thousand; and the highest in Paisley, viz., 30·8 per thousand.

The mortality from the seven most familiar Zymotic Diseases was at the rate of 3·0 per thousand, being 1·1 below that for last week.

The Deaths from Bronchitis, Pneumonia, and Pleurisy amounted to 83, or 22 less than the number for the previous week.

The Mean Temperature was 51°·2, being 3°·0 above that for the week immediately preceding, and 2°·5 above that for the corresponding week of 1888.

TABLE I.—BIRTHS, DEATHS, AND MARRIAGES Registered, and METEOROLOGY, during the Week ending Saturday, May 11, 1889, in Eight Principal Towns of Scotland.

TOWNS.	Registration Area in Acres.	Population estimated to middle of Year 1889.	Persons to an Acre. 1889.	Proximity in Yards.	Registered during the Week ending May 11, 1889.			Temperature.			Rainfall in Inches.
					Births	Deaths	Marriages	Highest	Lowest	Mean	
								°	°	°	
Eight Principal Towns in Scotland.	31,919	1,329,884	41·664	11·58	901	541	101	67·3	40·8	51·2	0·58
GLASGOW, . . .	6,111	528,144	86·425	8·04	381	253	46	64·4	43·2	53·2	1·33
EDINBURGH, . .	5,907	266,900	45·184	11·12	169	90	20	62·5	42·3	50·0	0·24
DUNDEE, . .	3,408	163,300	47·917	10·80	116	66	7	61·0	43·1	50·5	0·14
ABERDEEN, . .	5,811	121,448	20·900	16·35	80	40	19	58·2	40·8	48·3	0·17
GREENOCK, . .	1,509	78,248	51·854	10·38	42	20	5	66·0	46·0	53·2	0·79
LEITH, ...	1,344	76,400	56·845	9·92	53	18	3	62·1	43·0	49·5	0·31
PAISLEY, . . .	3,493	62,571	17·913	17·66	39	37	1	67·3	44·2	53·7	0·85
PERTH, ...	4,336	32,873	7·581	27·15	21	17	0	61·5	44·5	51·4	0·80
Corresponding Week of 1888.—Eight Towns.	31,919	1,314,274	41·175	11·65	839	534	108	69·5	30·5	48·7	0·09

[TURN OVER.

Week ending Saturday, May 11, 1889.

TABLE II.—DEATHS and RATE OF MORTALITY in Eight Principal Towns during the Week ending Saturday, May 11, 1889.

TOWNS.	Annual Rate of Mortality per 1000 living.		Deaths from All Causes.	The Deaths Registered in the Week include														
				Deaths of		Deaths from												
	From all Causes.	From Seven Zymotic Diseases.		Infants under One Year of Age.	Persons aged 60 Years & upwards.	Small-pox.	Measles.	Scarlet Fever.	Diphtheria.	Hooping-cough.	Fever.	Diarrhœa.	Croup and Laryngitis.	Bronchitis, Pneumonia & Pleurisy.	Violence.	Deaths in Public Institutions.	Deaths from Uncertified Causes.	Deaths from Unspecified Causes.
In Eight Towns,	21·2	3·0	541	94	93	0	22	5	6	36	5	3	3	83	23	80	56	3
GLASGOW, .	24·9	4·4	253	52	27	0	14	4	3	23	1	0	2	46	9	34	24	2
EDINBURGH,	17·5	1·8	90	11	23	0	0	0	2	4	3	0	0	11	6	20	19	1
DUNDEE, . .	21·0	3·8	66	12	12	0	1	1	0	8	0	2	1	7	2	5	5	0
ABERDEEN, .	17·1	2·6	40	10	9	0	5	0	0	0	0	1	0	4	1	7	1	0
GREENOCK, .	13·3	0·7	20	4	4	0	1	0	0	0	0	0	0	3	2	3	3	0
LEITH, . . .	12·3	0·0	18	0	3	0	0	0	0	0	0	0	0	3	2	1	0	0
PAISLEY, . .	30·8	1·7	37	3	8	0	1	0	0	1	0	0	0	6	0	6	3	0
PERTH, . . .	26·9	3·2	17	2	7	0	0	0	1	0	1	0	0	3	1	4	1	0

TABLE III.—DEATHS and RATE OF MORTALITY in Eight Principal Towns during the Week ending Saturday, May 12, 1888.

TOWNS.	Annual Rate of Mortality per 1000 living.		Deaths from All Causes.	The Deaths Registered in the Week include														
				Deaths of		Deaths from												
	From All Causes.	From Seven Zymotic Diseases.		Infants under One Year of Age.	Persons aged 60 Years & upwards.	Small-pox.	Measles.	Scarlet Fever.	Diphtheria.	Hooping-cough.	Fever.	Diarrhœa.	Croup and Laryngitis.	Bronchitis, Pneumonia & Pleurisy.	Violence.	Deaths in Public Institutions.	Deaths from Uncertified Causes.	Deaths from Unspecified Causes.
In Eight Towns,	21·1	1·6	534	112	119	0	11	3	1	19	3	3	7	105	18	80	67	2
GLASGOW, .	24·3	2·7	246	58	41	0	10	1	1	15	0	0	3	49	7	34	33	1
EDINBURGH,	21·2	1·0	107	16	35	0	0	0	0	2	1	2	0	15	4	14	15	0
DUNDEE, . .	16·5	0 3	51	15	5	0	0	1	0	0	0	0	1	9	4	4	8	0
ABERDEEN, .	20·5	0·9	47	10	16	0	0	0	0	1	1	0	2	11	0	9	2	0
GREENOCK, .	16·9	0·7	25	4	4	0	0	0	0	0	1	0	0	11	0	3	3	0
LEITH, . . .	14·7	0·7	21	4	7	0	1	0	0	0	0	0	1	3	0	4	2	0
PAISLEY, . .	20·2	1·7	24	3	7	0	0	0	0	1	0	1	0	4	1	8	2	1
PERTH, . . .	20 8	1·6	13	2	4	0	0	1	0	0	0	0	0	3	2	4	2	0

WEEKLY RETURN

OF

BIRTHS, DEATHS, AND MARRIAGES

IN EIGHT PRINCIPAL TOWNS OF

SCOTLAND.

By Authority of the Registrar-General.

No. 20. WEEK ENDING SATURDAY, MAY 18, 1889.

The Death-rate in Eight Principal Towns during the week ending with Saturday, the 18th May 1889, was 21·5 per thousand of estimated population. This rate is 2·2 above that for the corresponding week of last year, and 0·3 above that for the previous week of the present year.

The lowest mortality was recorded in Greenock, viz., 15·9 per thousand; and the highest in Aberdeen, viz., 26·5 per thousand.

The mortality from the seven most familiar Zymotic Diseases was at the rate of 3·7 per thousand, being an increase of 0·7 on that for last week.

The Deaths from Bronchitis, Pneumonia, and Pleurisy amounted to 90, or 7 more than for the previous week.

The Mean Temperature was 51°·2, being the same as that for the week immediately preceding, but 1°·1 above that for the corresponding week of 1888.

TABLE I.—BIRTHS, DEATHS, AND MARRIAGES Registered, and METEOROLOGY, during the Week ending Saturday, May 18, 1889, in Eight Principal Towns of Scotland.

TOWNS.	Registration Area in Acres.	Population estimated to middle of Year 1889.	Persons to an Acre. 1889.	Proximity in Yards.	Registered during the Week ending May 18, 1889.			Temperature.			Rainfall in Inches.
					Births	Deaths	Marriages	Highest	Lowest	Mean	
								°	°	°	
Eight Principal Towns in Scotland.	31,919	1,329,884	41·664	11·58	948	550	88	69·0	40·8	51·2	0·63
GLASGOW, . . .	6,111	528,144	86·425	8·04	438	253	31	66·3	42·9	53·8	1·03
EDINBURGH, . .	5,907	266,900	45·184	11·12	160	88	14	62·4	42·0	50·0	0·57
DUNDEE, . .	3,408	163,300	47·917	10·80	100	63	17	64·5	41·4	50·1	0·08
ABERDEEN, . .	5,811	121,448	20·900	16·35	68	62	8	58·3	40·8	48·9	0·14
GREENOCK, . .	1,509	78,248	51·854	10·38	51	24	8	66·0	43·2	52·5	0·89
LEITH, . . .	1,344	76,400	56·845	9·92	52	25	7	58·0	43·1	48·8	0·39
PAISLEY, . . .	3,493	62,571	17·913	17·66	60	21	3	69·0	43·9	54·6	1·13
PERTH, ...	4,336	32,873	7·581	27·15	19	14	0	66·5	41·0	51·3	0·78
Corresponding Week of 1888.—Eight Towns.	31,919	1,314,274	41·175	11·65	900	488	61	76·8	36·0	50·1	0·86

[TURN OVER.

Week ending Saturday, May 18, 1889.

TABLE II.—DEATHS and RATE OF MORTALITY in Eight Principal Towns during the Week ending Saturday, May 18, 1889.

TOWNS.	Annual Rate of Mortality per 1000 living.		Deaths from All Causes.	The Deaths Registered in the Week include														
				Deaths of		Deaths from										Deaths in Public Institutions.	Deaths from Uncertified Causes.	Deaths from Unspecified Causes.
	From all Causes.	From Seven Zymotic Diseases.		Infants under One Year of Age.	Persons aged 60 Years & upwards.	Small-pox.	Measles.	Scarlet Fever.	Diphtheria.	Hooping-cough.	Fever.	Diarrhœa.	Croup and Laryngitis.	Bronchitis, Pneumonia & Pleurisy.	Violence.			
In Eight Towns,	21·5	3·7	550	117	101	0	24	6	8	37	4	15	4	90	15	74	57	1
GLASGOW, .	24·9	5·7	253	48	32	0	15	4	3	23	3	10	2	43	7	34	27	1
EDINBURGH,	17·1	1·8	88	17	18	0	0	0	2	5	0	2	1	17	2	19	14	0
DUNDEE, . .	20·1	2·9	63	16	15	0	0	1	2	5	0	1	1	13	3	8	6	0
ABERDEEN, .	26·5	4·7	62	16	16	0	8	0	0	1	0	2	0	7	0	5	1	0
GREENOCK, .	15·9	0·7	24	6	6	0	0	0	1	0	0	0	0	4	0	1	4	0
LEITH, . . .	17·0	2·0	25	7	7	0	0	1	0	1	1	0	0	1	2	1	3	0
PAISLEY, . .	17·5	2·5	21	4	3	0	1	0	0	2	0	0	0	2	1	2	2	0
PERTH, . . .	22·2	0·0	14	3	4	0	0	0	0	0	0	0	0	3	0	4	0	0

TABLE III.—DEATHS and RATE OF MORTALITY in Eight Principal Towns during the Week ending Saturday, May 19, 1888.

TOWNS.	Annual Rate of Mortality per 1000 living.		Deaths from All Causes.	The Deaths Registered in the Week include														
				Deaths of		Deaths from										Deaths in Public Institutions.	Deaths from Uncertified Causes.	Deaths from Unspecified Causes.
	From All Causes.	From Seven Zymotic Diseases.		Infants under One Year of Age.	Persons aged 60 Years & upwards.	Small-pox.	Measles.	Scarlet Fever.	Diphtheria.	Hooping-cough.	Fever.	Diarrhœa.	Croup and Laryngitis.	Bronchitis, Pneumonia & Pleurisy.	Violence.			
In Eight Towns,	19·3	1·6	488	84	99	0	13	1	3	14	0	10	4	96	13	63	53	1
GLASGOW, .	22·1	2·8	224	34	30	0	10	1	0	11	0	6	0	55	6	27	24	1
EDINBURGH,	20·6	1·4	104	24	25	0	2	0	2	2	0	1	0	21	3	20	23	0
DUNDEE, . .	18·5	0·6	57	10	16	0	1	0	0	0	0	1	0	5	2	6	2	0
ABERDEEN, .	14·8	1·3	34	2	15	0	0	0	0	1	0	2	1	4	1	5	0	0
GREENOCK, .	12·8	0·7	19	4	3	0	0	0	1	0	0	0	0	3	1	1	1	0
LEITH, . . .	19·6	0·0	28	7	6	0	0	0	0	0	0	0	0	7	0	1	1	0
PAISLEY, . .	10·1	0·0	12	2	2	0	0	0	0	0	0	0	3	1	0	1	1	0
PERTH, . . .	16·0	0·0	10	1	2	0	0	0	0	0	0	0	0	0	0	2	1	0

WEEKLY RETURN

OF

BIRTHS, DEATHS, AND MARRIAGES

IN EIGHT PRINCIPAL TOWNS OF

SCOTLAND.

By Authority of the Registrar-General.

No. 21. WEEK ENDING SATURDAY, MAY 25, 1889.

The Death-rate in Eight Principal Towns during the week ending with Saturday, the 25th May 1889, was 22·3 per thousand of estimated population. This rate is 1·4 above that for the corresponding week of last year, and 0·8 above that for the previous week of the present year.

The lowest mortality was recorded in Dundee, viz., 15·9 per thousand; and the highest in Glasgow, viz., 28·6 per thousand.

The mortality from the seven most familiar Zymotic Diseases was at the rate of 4·6 per thousand, being an increase of 0·9 on that for last week.

The Deaths from Bronchitis, Pneumonia, and Pleurisy amounted to 101, being 11 above the number for the previous week.

The Mean Temperature was 56°·8, being 5°·6 above that for the week immediately preceding, and 5°·7 above that for the corresponding week of 1888.

TABLE I.—BIRTHS, DEATHS, AND MARRIAGES Registered, and METEOROLOGY, during the Week ending Saturday, May 25, 1889, in Eight Principal Towns of Scotland.

TOWNS.	Registration Area in Acres.	Population estimated to middle of Year 1889.	Persons to an Acre. 1889.	Proximity in Yards.	Registered during the Week ending May 25, 1889.			Temperature.			Rainfall in Inches.
					Births	Deaths	Marriages	Highest	Lowest	Mean	
								°	°	°	
Eight Principal Towns in Scotland.	31,919	1,329,884	41·664	11·58	834	571	85	76·2	41·2	56·8	0·03
GLASGOW, . . .	6,111	528,144	86·425	8·04	402	290	35	75·6	43·3	58·5	0·00
EDINBURGH, . .	5,907	266,900	45·184	11·12	124	85	15	74·4	41·5	56·8	0·00
DUNDEE, . . .	3,408	163,300	47·917	10·80	94	50	20	74·1	41·7	57·0	0·02
ABERDEEN, . .	5,811	121,448	20·900	16·35	75	54	9	68·8	42·7	55·2	0·24
GREENOCK, . .	1,509	78,248	51·854	10·38	32	33	4	71·0	41·2	56·4	0·00
LEITH, ...	1,344	76,400	56·845	9·92	53	27	0	72·1	44·0	55·7	0·02
PAISLEY, . . .	3,493	62,571	17·913	17·66	42	20	0	76·2	45·0	59·0	0·00
PERTH, ...	4,336	32,873	7·581	27·15	12	12	2	73·0	41·5	55·9	0·00
Corresponding Week of 1888.—Eight Towns.	31,919	1,314,274	41·175	11·65	860	529	120	72·9	36·8	52·1	0·01

[TURN OVER.

Week ending Saturday, May 25, 1889.

TABLE II.—DEATHS and RATE OF MORTALITY in Eight Principal Towns during the Week ending Saturday, May 25, 1889.

TOWNS.	Annual Rate of Mortality per 1000 living.		Deaths from All Causes.	The Deaths Registered in the Week include														
				Deaths of		Deaths from												
	From all Causes.	From Seven Zymotic Diseases.		Infants under One Year of Age.	Persons aged 60 Years & upwards.	Small-pox.	Measles.	Scarlet Fever.	Diphtheria.	Hooping-cough.	Fever.	Diarrhœa.	Croup and Laryngitis.	Bronchitis, Pneumonia & Pleurisy.	Violence.	Deaths in Public Institutions.	Deaths from Uncertified Causes.	Deaths from Unspecified Causes.
In Eight Towns,	22·3	4·6	571	142	88	0	34	8	8	53	4	10	6	101	17	63	61	3
GLASGOW, .	28·6	7·8	290	77	38	0	21	6	5	43	1	3	4	55	7	28	28	2
EDINBURGH,	16·6	1·4	85	24	14	0	1	0	0	4	1	1	0	10	4	17	20	1
DUNDEE, . .	15·9	3·2	50	12	5	0	2	1	0	3	0	4	1	8	1	4	4	0
ABERDEEN, .	23·1	4·7	54	7	16	0	7	0	0	2	1	1	0	12	0	5	2	0
GREENOCK, .	21·9	2·7	33	5	3	0	2	1	0	1	0	0	0		4	4	5	0
LEITH, . . .	18·4	2·7	27	11	4	0	1	0	3	0	0	0	0	4	0	1	2	0
PAISLEY, . .	16·6	0·8	20	4	5	0	0	0	0	0	1	0	1	5	0	1	0	0
PERTH, . . .	19·0	1·6	12	2	3	0	0	0	0	0	0	1	0	5	1	3	0	0

TABLE III.—DEATHS and RATE OF MORTALITY in Eight Principal Towns during the Week ending Saturday, May 26, 1888.

TOWNS.	Annual Rate of Mortality per 1000 living.		Deaths from All Causes.	The Deaths Registered in the Week include														
				Deaths of		Deaths from												
	From All Causes.	From Seven Zymotic Diseases.		Infants under One Year of Age.	Persons aged 60 Years & upwards.	Small-pox.	Measles.	Scarlet Fever.	Diphtheria.	Hooping-cough.	Fever.	Diarrhœa.	Croup and Laryngitis.	Bronchitis, Pneumonia & Pleurisy.	Violence.	Deaths in Public Institutions.	Deaths from Uncertified Causes.	Deaths from Unspecified Causes.
In Eight Towns,	20·9	2·0	529	105	112	0	13	10	1	11	6	10	1	103	21	70	65	0
GLASGOW, .	25·4	3·2	257	45	45	0	13	9	0	4	3	3	1	55	9	25	27	0
EDINBURGH,	17·8	0·8	90	17	23	0	0	0	0	2	0	2	0	17	2	20	23	0
DUNDEE, . .	15·2	1·6	47	10	11	0	0	1	0	0	1	3	0	7	4	7	2	0
ABERDEEN, .	20·5	1·3	47	16	16	0	0	0	0	2	0	1	0	13	1	5	4	0
GREENOCK, .	18·9	2·0	28	5	6	0	0	0	0	2	1	0	0	3	2	3	5	0
LEITH, . . .	11·2	1·3	16	8	2	0	0	0	0	1	0	1	0	2	0	0	3	0
PAISLEY, . .	23·6	1·7	28	3	3	0	0	0	1	0	1	0	0	3	3	5	0	0
PERTH, . . .	25·6	0·0	16	1	6	0	0	0	0	0	0	0	0	3	0	5	1	0

WEEKLY RETURN

OF

BIRTHS, DEATHS, AND MARRIAGES

IN EIGHT PRINCIPAL TOWNS OF

SCOTLAND.

By Authority of the Registrar-General.

No. 22. WEEK ENDING SATURDAY, JUNE 1, 1889.

The Death-rate in Eight Principal Towns during the week ending with Saturday, the 1st June 1889, was 21·3 per thousand of estimated population. This rate is 2·0 above that for the corresponding week of last year, but 1·0 below that for the previous week of the present year.

The lowest mortality was recorded in Edinburgh, viz., 14·8 per thousand; and the highest in Glasgow, viz., 25·4 per thousand.

The mortality from the seven most familiar Zymotic Diseases was at the rate of 3·3 per thousand, being 1·3 below that for last week.

The Deaths from Bronchitis, Pneumonia, and Pleurisy amounted to 88, being 13 less than for last week.

The Mean Temperature was 53°·5, being 3°·3 below that for the week immediately preceding, but 6°·5 above that for the corresponding week of 1888.

TABLE I.—BIRTHS, DEATHS, AND MARRIAGES Registered, and METEOROLOGY, during the Week ending Saturday, June 1, 1889, in Eight Principal Towns of Scotland.

TOWNS.	Registration Area in Acres.	Population estimated to middle of Year 1889.	Persons to an Acre. 1889.	Proximity in Yards.	Registered during the Week ending June 1, 1889.			Temperature.			Rainfall in Inches.
					Births	Deaths	Marriages	Highest	Lowest	Mean	
								°	°	°	
Eight Principal Towns in Scotland.	31,919	1,329,884	41·664	11·58	907	545	96	69·3	39·5	53·5	0·84
GLASGOW, . . .	6,111	528,144	86·425	8·04	394	258	27	68·8	40·5	54·2	0·91
EDINBURGH, . .	5,907	266,900	45·184	11·12	177	76	28	62·8	40·8	53·3	0·85
DUNDEE, . .	3,408	163,300	47·917	10·80	89	66	16	63·9	41·5	53·2	1·08
ABERDEEN, . .	5,811	121,448	20·900	16·35	79	53	17	58·4	42·2	51·4	0·24
GREENOCK, . .	1,509	78,248	51·854	10·38	51	27	2	64·2	44·0	53·5	0·80
LEITH, ...	1,344	76,400	56·845	9·92	38	25	2	65·1	41·9	53·5	0·85
PAISLEY, . . .	3,493	62,571	17·913	17·66	53	29	3	69·3	43·1	55·0	0·56
PERTH, ...	4,336	32,873	7·581	27·15	26	11	1	66·0	39·5	54·1	1·44
Corresponding Week of 1888.—Eight Towns.	31,919	1,314,274	41·175	11·65	869	489	117	62·2	30·1	47·0	1·63

[TURN OVER.

Week ending Saturday, May 25, 1889.

TABLE II.—DEATHS and RATE OF MORTALITY in Eight Principal Towns during the Week ending Saturday, May 25, 1889.

TOWNS.	Annual Rate of Mortality per 1000 living.		Deaths from All Causes.	The Deaths Registered in the Week include														
				Deaths of		Deaths from												
	From all Causes.	From Seven Zymotic Diseases.		Infants under One Year of Age.	Persons aged 60 Years & upwards.	Small-pox.	Measles.	Scarlet Fever.	Diphtheria.	Hooping-cough.	Fever.	Diarrhœa.	Croup and Laryngitis.	Bronchitis, Pneumonia & Pleurisy.	Violence.	Deaths in Public Institutions.	Deaths from Uncertified Causes.	Deaths from Unspecified Causes.
In Eight Towns,	22·3	4·6	571	142	88	0	34	8	8	53	4	10	6	101	17	63	61	3
GLASGOW, . .	28·6	7·8	290	77	38	0	21	6	5	43	1	3	4	55	7	28	28	2
EDINBURGH,	16·6	1·4	85	24	14	0	1	0	0	4	1	1	0	10	4	17	20	1
DUNDEE, . .	15·9	3·2	50	12	5	0	2	1	0	3	0	4	1	8	1	4	4	0
ABERDEEN, .	23·1	4·7	54	7	16	0	7	0	0	2	1	1	0	12	0	5	2	0
GREENOCK, .	21·9	2·7	33	5	3	0	2	1	0	1	0	0	0		4	4	5	0
LEITH, . . .	18·4	2·7	27	11	4	0	1	0	3	0	0	0	0	4	0	1	2	0
PAISLEY, . .	16·6	0·8	20	4	5	0	0	0	0	0	1	0	1	5	0	1	0	0
PERTH, . . .	19·0	1·6	12	2	3	0	0	0	0	0	0	1	0	5	1	3	0	0

TABLE III.—DEATHS and RATE OF MORTALITY in Eight Principal Towns during the Week ending Saturday, May 26, 1888.

TOWNS.	Annual Rate of Mortality per 1000 living.		Deaths from All Causes.	The Deaths Registered in the Week include														
				Deaths of		Deaths from												
	From All Causes.	From Seven Zymotic Diseases.		Infants under One Year of Age.	Persons aged 60 Years & upwards.	Small-pox.	Measles.	Scarlet Fever.	Diphtheria.	Hooping-cough.	Fever.	Diarrhœa.	Croup and Laryngitis.	Bronchitis, Pneumonia & Pleurisy.	Violence.	Deaths in Public Institutions.	Deaths from Uncertified Causes.	Deaths from Unspecified Causes.
In Eight Towns,	20·9	2·0	529	105	112	0	13	10	1	11	6	10	1	103	21	70	65	0
GLASGOW, .	25·4	3·2	257	45	45	0	13	9	0	4	3	3	1	55	9	25	27	0
EDINBURGH,	17·8	0·8	90	17	23	0	0	0	0	2	0	2	0	17	2	20	23	0
DUNDEE, . .	15·2	1·6	47	10	11	0	0	1	0	0	1	3	0	7	4	7	2	0
ABERDEEN, .	20·5	1·3	47	16	16	0	0	0	0	2	0	1	0	13	1	5	4	0
GREENOCK, .	18·9	2·0	28	5	6	0	0	0	0	2	1	0	0	3	2	3	5	0
LEITH, . . .	11·2	1·3	16	8	2	0	0	0	0	1	0	1	0	2	0	0	3	0
PAISLEY, . .	23·6	1·7	28	3	3	0	0	0	1	0	1	0	0	3	3	5	0	0
PERTH, . . .	25·6	0·0	16	1	6	0	0	0	0	0	0	0	0	3	0	5	1	0

WEEKLY RETURN

OF

BIRTHS, DEATHS, AND MARRIAGES

IN EIGHT PRINCIPAL TOWNS OF

SCOTLAND.

By Authority of the Registrar-General.

No. 22. WEEK ENDING SATURDAY, JUNE 1, 1889.

The Death-rate in Eight Principal Towns during the week ending with Saturday, the 1st June 1889, was 21·3 per thousand of estimated population. This rate is 2·0 above that for the corresponding week of last year, but 1·0 below that for the previous week of the present year.

The lowest mortality was recorded in Edinburgh, viz., 14·8 per thousand; and the highest in Glasgow, viz., 25·4 per thousand.

The mortality from the seven most familiar Zymotic Diseases was at the rate of 3·3 per thousand, being 1·3 below that for last week.

The Deaths from Bronchitis, Pneumonia, and Pleurisy amounted to 88, being 13 less than for last week.

The Mean Temperature was 53°·5, being 3°·3 below that for the week immediately preceding, but 6°·5 above that for the corresponding week of 1888.

TABLE I.—BIRTHS, DEATHS, AND MARRIAGES Registered, and METEOROLOGY, during the Week ending Saturday, June 1, 1889, in Eight Principal Towns of Scotland.

TOWNS.	Registration Area in Acres.	Population estimated to middle of Year 1889.	Persons to an Acre. 1889.	Proximity in Yards.	Registered during the Week ending June 1, 1889.			Temperature.			Rainfall in Inches.
					Births	Deaths	Marriages	Highest	Lowest	Mean	
								°	°	°	
Eight Principal Towns in Scotland.	31,919	1,329,884	41·664	11·58	907	545	96	69·3	39·5	53·5	0·84
GLASGOW, . . .	6,111	528,144	86·425	8·04	394	258	27	68·8	40·5	54·2	0·91
EDINBURGH, . .	5,907	266,900	45·184	11·12	177	76	28	62·8	40·8	53·3	0·85
DUNDEE, . .	3,408	163,300	47·917	10·80	89	66	16	63·9	41·5	53·2	1·08
ABERDEEN, . .	5,811	121,448	20·900	16·35	79	53	17	58·4	42·2	51·4	0·24
GREENOCK, . .	1,509	78,248	51·854	10·38	51	27	2	64·2	44·0	53·5	0·80
LEITH, ...	1,344	76,400	56·845	9·92	38	25	2	65·1	41·9	53·5	0·85
PAISLEY, . . .	3,493	62,571	17·913	17·66	53	29	3	69·3	43·1	55·0	0·56
PERTH, ...	4,336	32,873	7·581	27·15	26	11	1	66·0	39·5	54·1	1·44
Corresponding Week of 1888.—Eight Towns.	31,919	1,314,274	41·175	11·65	869	489	117	62·2	30·1	47·0	1·63

[TURN OVER.

Week ending Saturday, June 1, 1889.

TABLE II.—DEATHS and RATE OF MORTALITY in Eight Principal Towns during the Week ending Saturday, June 1, 1889.

TOWNS.	Annual Rate of Mortality per 1000 living.		Deaths from All Causes.	The Deaths Registered in the Week include														
				Deaths of		Deaths from												
	From all Causes.	From Seven Zymotic Diseases.		Infants under One Year of Age.	Persons aged 60 Years & upwards.	Small-pox.	Measles.	Scarlet Fever.	Diphtheria.	Hooping-cough.	Fever.	Diarrhœa.	Croup and Laryngitis.	Bronchitis, Pneumonia & Pleurisy.	Violence.	Deaths in Public Institutions.	Deaths from Uncertified Causes.	Deaths from Unspecified Causes.
In Eight Towns,	21·3	3·3	545	103	106	0	20	3	10	33	4	15	1	88	15	86	44	3
GLASGOW, .	25·4	4·7	258	48	35	0	12	2	5	22	1	6	1	45	6	38	18	3
EDINBURGH,	14·8	1·9	76	16	18	0	1	1	0	4	2	2	0	11	2	17	18	0
DUNDEE, . .	21·0	3·5	66	12	20	0	0	0	2	5	0	4	0	8	3	5	2	0
ABERDEEN, .	22·7	3·0	53	9	16	0	5	0	0	0	0	2	0	7	2	10	1	0
GREENOCK, .	17·9	2·0	27	2	6	0	1	0	2	0	0	0	0	5	0	4	2	0
LEITH, . . .	17·0	2·0	25	4	3	0	0	0	1	0	1	1	0	6	1	5	1	0
PAISLEY, . .	24·1	1·7	29	8	5	0	0	0	0	2	0	0	0	4	1	5	1	0
PERTH, . . .	17·4	1·6	11	4	3	0	1	0	0	0	0	0	0	2	0	2	1	0

TABLE III.—DEATHS and RATE OF MORTALITY in Eight Principal Towns during the Week ending Saturday, June 2, 1888.

TOWNS.	Annual Rate of Mortality per 1000 living.		Deaths from All Causes.	The Deaths Registered in the Week include														
				Deaths of		Deaths from												
	From All Causes.	From Seven Zymotic Diseases.		Infants under One Year of Age.	Persons aged 60 Years & upwards.	Small-pox.	Measles.	Scarlet Fever.	Diphtheria.	Hooping-cough.	Fever.	Diarrhœa.	Croup and Laryngitis.	Bronchitis, Pneumonia & Pleurisy.	Violence.	Deaths in Public Institutions.	Deaths from Uncertified Causes.	Deaths from Unspecified Causes.
In Eight Towns,	19·3	2·1	489	97	117	0	11	9	4	14	7	7	1	80	19	81	62	1
GLASGOW, .	22·2	3·7	225	50	44	0	10	6	2	12	4	3	0	25	12	36	21	1
EDINBURGH,	18·4	1·0	93	14	20	0	0	1	2	0	0	2	1	25	3	21	27	0
DUNDEE, . .	16·2	1·6	50	11	11	0	1	2	0	0	1	1	0	8	2	4	2	0
ABERDEEN, .	19·2	0·4	44	8	18	0	0	0	0	1	0	0	0	11	0	6	2	0
GREENOCK, .	12·2	0·7	18	4	2	0	0	0	0	0	1	0	0	0	0	1	2	0
LEITH, . . .	14·0	0·0	20	3	5	0	0	0	0	0	0	0	0	2	2	4	2	0
PAISLEY, . .	22·8	1·7	27	5	9	0	0	0	0	1	1	0	0	7	0	7	5	0
PERTH, . . .	19·2	1·6	12	2	8	0	0	0	0	0	0	1	0	2	0	2	1	0

WEEKLY RETURN

OF

BIRTHS, DEATHS, AND MARRIAGES

IN EIGHT PRINCIPAL TOWNS OF

SCOTLAND.

By Authority of the Registrar-General.

No. 23. WEEK ENDING SATURDAY, JUNE 8, 1889.

The Death-rate in Eight Principal Towns during the week ending with Saturday, the 8th June 1889, was 19·4 per thousand of estimated population. This rate is 0·9 above that for the corresponding week of last year, but 1·9 below that for the previous week of the present year.

The lowest mortality was recorded in Greenock, viz., 13·3 per thousand; and the highest in Glasgow, viz., 23·4 per thousand.

The mortality from the seven most familiar Zymotic Diseases was at the rate of 3·0 per thousand, being 0·3 below that for last week.

The Deaths from Bronchitis, Pneumonia, and Pleurisy amounted to 87, or 1 less than for last week.

The Mean Temperature was 56°·9, being 3°·4 above that for the week immediately preceding, and 9°·4 above that for the corresponding week of 1888.

TABLE I.—BIRTHS, DEATHS, AND MARRIAGES Registered, and METEOROLOGY, during the Week ending Saturday, June 8, 1889, in Eight Principal Towns of Scotland.

TOWNS.	Registration Area in Acres.	Population estimated to middle of Year 1889.	Persons to an Acre. 1889.	Proximity in Yards.	Registered during the Week ending June 8, 1889.			Temperature.			Rainfall in Inches.
					Births	Deaths	Marriages	Highest	Lowest	Mean	
								°	°	°	
Eight Principal Towns in Scotland.	31,919	1,329,884	41·664	11·58	910	497	289	72·1	41·5	56·9	0·88
GLASGOW, . . .	6,111	528,144	86·425	8·04	407	238	111	71·7	42·9	57·6	0·67
EDINBURGH, . .	5,907	266,900	45·184	11·12	147	77	61	68·9	42·7	56·5	1·16
DUNDEE, . . .	3,408	163,300	47·917	10·80	98	51	36	70·4	45·0	57·0	0·70
ABERDEEN, . .	5,811	121,448	20·900	16·35	76	49	25	66·4	45·2	55·6	0·63
GREENOCK, . .	1,509	78,248	51·854	10·38	55	20	21	69·5	46·0	57·1	1·13
LEITH, ...	1,344	76,400	56·845	9·92	48	27	17	69·9	46·7	56·1	1·35
PAISLEY, . . .	3,493	62,571	17·913	17·66	61	24	14	72·1	44·1	58·3	0·48
PERTH, ...	4,336	32,873	7·581	27·15	18	11	4	68·0	41·5	57·3	0·96
Corresponding Week of 1888.—Eight Towns.	31,919	1,314,274	41·175	11·65	849	468	409	67·5	30·0	47·5	1·01

[TURN OVER.

Week ending Saturday, June 8, 1889.

TABLE II.—DEATHS and RATE OF MORTALITY in Eight Principal Towns during the Week ending Saturday, June 8, 1889.

TOWNS.	Annual Rate of Mortality per 1000 living.		Deaths from All Causes.	The Deaths Registered in the Week include														
				Deaths of		Deaths from												
	From all Causes.	From Seven Zymotic Diseases.		Infants under One Year of Age.	Persons aged 60 Years & upwards.	Small-pox.	Measles.	Scarlet Fever.	Diphtheria.	Hooping-cough.	Fever.	Diarrhœa.	Croup and Laryngitis.	Bronchitis, Pneumonia & Pleurisy.	Violence.	Deaths in Public Institutions.	Deaths from Uncertified Causes.	Deaths from Unspecified Causes.
In Eight Towns,	19·4	3·0	497	107	91	0	23	5	2	29	1	16	6	87	20	79	48	3
GLASGOW, .	23·4	4·2	238	49	34	0	16	3	1	16	1	6	2	41	8	48	21	2
EDINBURGH,	15·0	1·0	77	16	20	0	0	0	0	2	0	3	2	16	7	12	17	0
DUNDEE, . .	16·2	3·2	51	10	11	0	0	1	0	6	0	3	0	12	1	2	2	0
ABERDEEN, .	21·0	4·7	49	13	8	0	7	0	1	0	0	3	1	5	0	6	1	0
GREENOCK, .	13·3	1·3	20	7	3	0	0	0	0	1	0	1	1	2	3	1	5	0
LEITH, . . .	18·4	2·0	27	3	8	0	0	0	0	3	0	0	0	5	1	4	1	0
PAISLEY, . .	20·0	1·7	24	8	5	0	0	1	0	1	0	0	0	5	0	5	1	0
PERTH, . . .	17·4	0·0	11	1	2	0	0	0	0	0	0	0	0	1	0	1	0	1

TABLE III.—DEATHS and RATE OF MORTALITY in Eight Principal Towns during the Week ending Saturday, June 9, 1888.

TOWNS.	Annual Rate of Mortality per 1000 living.		Deaths from All Causes.	The Deaths Registered in the Week include														
				Deaths of		Deaths from												
	From All Causes.	From Seven Zymotic Diseases.		Infants under One Year of Age.	Persons aged 60 Years & upwards.	Small-pox.	Measles.	Scarlet Fever.	Diphtheria.	Hooping-cough.	Fever.	Diarrhœa.	Croup and Laryngitis.	Bronchitis, Pneumonia & Pleurisy.	Violence.	Deaths in Public Institutions.	Deaths from Uncertified Causes.	Deaths from Unspecified Causes.
In Eight Towns,	18·5	1·7	468	79	107	0	6	3	5	18	4	8	6	97	13	75	53	2
GLASGOW, .	20·8	2·6	211	43	31	0	5	3	2	14	0	3	3	45	6	28	22	1
EDINBURGH,	17·6	1·4	89	16	24	0	1	0	2	1	0	3	2	10	2	15	23	1
DUNDEE, . .	13·9	0·6	43	5	12	0	0	0	1	0	1	0	0	12	1	3	2	0
ABERDEEN, .	21·8	2·2	50	9	18	0	0	0	0	2	1	2	1	8	1	15	0	0
GREENOCK, .	16·2	0·0	24	0	8	0	0	0	0	0	0	0	0	10	1	3	4	0
LEITH, . . .	12·6	2·1	18	2	4	0	0	0	0	1	2	0	0	4	1	3	1	0
PAISLEY, . .	16·0	0·0	19	4	3	0	0	0	0	0	0	0	0	6	0	3	1	0
PERTH, . . .	22·4	0·0	14	0	7	0	0	0	0	0	0	0	0	2	1	5	0	0

WEEKLY RETURN

OF

BIRTHS, DEATHS, AND MARRIAGES

IN EIGHT PRINCIPAL TOWNS OF

SCOTLAND.

By Authority of the Registrar-General.

No. 24. WEEK ENDING SATURDAY, JUNE 15, 1889.

The Death-rate in Eight Principal Towns during the week ending with Saturday, the 15th June 1889, was 20·5 per thousand of estimated population. This rate is 0·5 above that for the corresponding week of last year, and 1·1 above that for the previous week of the present year.

The lowest mortality was recorded in Perth, viz., 11·1 per thousand; and the highest in Paisley, viz., 24·9 per thousand.

The mortality from the seven most familiar Zymotic Diseases was at the rate of 3·7 per thousand, being 0·7 above that for last week.

The Deaths from Bronchitis, Pneumonia, and Pleurisy amounted to 81, being 6 less than for the previous week.

The Mean Temperature was 55°·4, being 1°·5 below that for the week immediately preceding, but 2°·1 above that for the corresponding week of 1888.

TABLE I.—BIRTHS, DEATHS, AND MARRIAGES Registered, and METEOROLOGY, during the Week ending Saturday, June 15, 1889, in Eight Principal Towns of Scotland.

TOWNS.	Registration Area in Acres.	Population estimated to middle of Year 1889.	Persons to an Acre. 1889.	Proximity in Yards.	Registered during the Week ending June 15, 1889.			Temperature.			Rainfall in Inches.
					Births	Deaths	Marriages	Highest	Lowest	Mean	
								°	°	°	
Eight Principal Towns in Scotland.	31,919	1,329,884	41·664	11·58	895	524	486	70·6	37·0	55·4	0·13
GLASGOW, . . .	6,111	528,144	86·425	8·04	377	236	216	66·0	38·0	55·6	0·07
EDINBURGH, . .	5,907	266,900	45·184	11·12	178	93	122	68·5	37·3	55·4	0·04
DUNDEE, . .	3,408	163,300	47·917	10·80	87	57	39	70·1	40·4	56·1	0·05
ABERDEEN, . .	5,811	121,448	20·900	16·35	80	44	30	65·5	40·8	54·3	0·07
GREENOCK, . .	1,509	78,248	51·854	10·38	55	28	15	65·0	44·0	54·9	0·49
LEITH, ...	1,344	76,400	56·845	9·92	55	29	34	70·6	40·1	55·9	0·08
PAISLEY, . . .	3,493	62,571	17·913	17·66	52	30	21	66·3	41·0	56·4	0·09
PERTH, ...	4,336	32,873	7·581	27·15	11	7	9	68·0	37·0	54·4	0·12
Corresponding Week of 1888.—Eight Towns.	31,919	1,314,274	41·175	11·65	842	505	297	69·9	39·0	53·3	0·51

[TURN OVER.

Week ending Saturday, June 15, 1889.

TABLE II.—DEATHS and RATE OF MORTALITY in Eight Principal Towns during the Week ending Saturday, June 15, 1889.

TOWNS.	Annual Rate of Mortality per 1000 living.		Deaths from All Causes.	The Deaths Registered in the Week include														
				Deaths of		Deaths from										Deaths in Public Institutions.	Deaths from Uncertified Causes.	Deaths from Unspecified Causes.
	From all Causes.	From Seven Zymotic Diseases.		Infants under One Year of Age.	Persons aged 60 Years & upwards.	Small-pox.	Measles.	Scarlet Fever.	Diphtheria.	Hooping-cough.	Fever.	Diarrhœa.	Croup and Laryngitis.	Bronchitis, Pneumonia & Pleurisy.	Violence.			
In Eight Towns,	20·5	3·7	524	95	85	0	26	3	10	35	4	17	7	81	16	91	50	2
GLASGOW, .	23·2	5·5	236	41	32	0	13	2	6	27	3	5	2	39	8	39	18	2
EDINBURGH,	18·1	1·0	93	19	19	0	0	0	1	2	0	2	2	10	0	20	24	0
DUNDEE, . .	18·2	3·5	57	8	7	0	1	0	0	4	0	6	1	11	2	5	3	0
ABERDEEN, .	18·8	3·9	44	10	9	0	8	0	0	1	0	0	0	4	4	10	1	0
GREENOCK, .	18·6	1·3	28	3	4	0	0	0	1	0	0	1	2	6	1	6	2	0
LEITH, . . .	19·7	4·8	29	9	4	0	4	0	1	0	1	1	0	8	1	3	1	0
PAISLEY, . .	24·9	3·3	30	3	7	0	0	1	1	1	0	1	0	2	0	6	1	0
PERTH, . . .	11·1	1·6	7	2	3	0	0	0	0	0	0	1	0	1	0	2	0	0

TABLE III.—DEATHS and RATE OF MORTALITY in Eight Principal Towns during the Week ending Saturday, June 16, 1888.

TOWNS.	Annual Rate of Mortality per 1000 living.		Deaths from All Causes.	The Deaths Registered in the Week include														
				Deaths of		Deaths from										Deaths in Public Institutions.	Deaths from Uncertified Causes.	Deaths from Unspecified Causes.
	From All Causes.	From Seven Zymotic Diseases.		Infants under One Year of Age.	Persons aged 60 Years & upwards.	Small-pox.	Measles.	Scarlet Fever.	Diphtheria.	Hooping-cough.	Fever.	Diarrhœa.	Croup and Laryngitis.	Bronchitis, Pneumonia & Pleurisy.	Violence.			
In Eight Towns,	20·0	1·4	505	102	106	0	13	5	1	5	3	9	4	90	21	82	64	2
GLASGOW, .	23·9	2·4	242	51	45	0	12	2	1	5	3	1	0	46	8	28	27	2
EDINBURGH,	19·6	0·6	99	21	23	0	1	2	0	0	0	0	2	19	6	21	31	0
DUNDEE, . .	15·2	1·6	47	8	13	0	0	0	0	0	0	5	2	6	5	9	2	0
ABERDEEN, .	16·6	1·3	38	7	10	0	0	1	0	0	0	2	0	11	1	10	1	0
GREENOCK, .	16·2	0·0	24	5	3	0	0	0	0	0	0	0	0	2	0	4	2	0
LEITH, . . .	16·8	0·7	24	3	8	0	0	0	0	0	0	1	0	1	1	3	0	0
PAISLEY, . .	16·0	0·0	19	2	1	0	0	0	0	0	0	0	0	3	0	5	1	0
PERTH, . . .	19·2	0·0	12	5	3	0	0	0	0	0	0	0	0	2	0	2	0	0

WEEKLY RETURN

OF

BIRTHS, DEATHS, AND MARRIAGES

IN EIGHT PRINCIPAL TOWNS OF

SCOTLAND.

By Authority of the Registrar-General.

No. 25. WEEK ENDING SATURDAY, JUNE 22, 1889.

The Death-rate in Eight Principal Towns during the week ending with Saturday, the 22nd June 1889, was 19·4 per thousand of estimated population. This rate is 1·0 above that for the corresponding week of last year, but 1·1 below that for the previous week of the present year.

The lowest mortality was recorded in Greenock, viz., 12·6 per thousand; and the highest in Leith, viz., 24·5 per thousand.

The mortality from the seven most familiar Zymotic Diseases was at the rate of 3·2 per thousand, or 0·5 below that for last week.

The Deaths from Bronchitis, Pneumonia, and Pleurisy amounted to 68, being 13 below the number for the previous week.

The Mean Temperature was 58°·3, being 2°·9 above that for the week immediately preceding, and 3°·7 above that for the corresponding week of 1888.

TABLE I.—BIRTHS, DEATHS, AND MARRIAGES Registered, and METEOROLOGY, during the Week ending Saturday, June 22, 1889, in Eight Principal Towns of Scotland.

TOWNS.	Registration Area in Acres.	Population estimated to middle of Year 1889.	Persons to an Acre. 1889.	Proximity in Yards.	Registered during the Week ending June 22, 1889.			Temperature.			Rainfall in Inches.
					Births	Deaths	Marriages	Highest	Lowest	Mean	
								°	°	°	
Eight Principal Towns in Scotland.	31,919	1,329,884	41·664	11·58	870	496	315	82·1	44·0	58·3	0·00
GLASGOW, . . .	6,111	528,144	86·425	8·04	388	227	168	78·7	44·5	59·3	0·00
EDINBURGH, . .	5,907	266,900	45·184	11·12	143	92	50	75·2	44·0	57·6	0·00
DUNDEE, . .	3,408	163,300	47·917	10·80	102	53	20	75·6	47·5	57·9	0·00
ABERDEEN, . .	5,811	121,448	20·900	16·35	70	38	25	67·5	46·1	55·7	0·00
GREENOCK, . .	1,509	78,248	51·854	10·38	63	19	11	78·2	48·0	59·5	0·00
LEITH, ...	1,344	76,400	56·845	9·92	43	36	18	69·8	48·9	57·1	0·00
PAISLEY, . . .	3,493	62,571	17·913	17·66	43	22	19	82·1	46·1	62·3	0·00
PERTH, ...	4,336	32,873	7·581	27·15	18	9	4	76·0	44·0	56·8	0·00
Corresponding Week of 1888.—Eight Towns.	31,919	1,314,274	41·175	11·65	882	466	294	75·3	38·0	54·6	0·01

[TURN OVER.

Week ending Saturday, June 22, 1889.

TABLE II.—DEATHS and RATE OF MORTALITY in Eight Principal Towns during the Week ending Saturday, June 22, 1889.

TOWNS.	Annual Rate of Mortality per 1000 living.		Deaths from All Causes.	The Deaths Registered in the Week include														
				Deaths of		Deaths from												
	From all Causes.	From Seven Zymotic Diseases.		Infants under One Year of Age.	Persons aged 60 Years & upwards.	Small-pox.	Measles.	Scarlet Fever.	Diphtheria.	Hooping-cough.	Fever.	Diarrhœa.	Croup and Laryngitis.	Bronchitis, Pneumonia & Pleurisy.	Violence.	Deaths in Public Institutions.	Deaths from Uncertified Causes.	Deaths from Unspecified Causes.
In Eight Towns,	19·4	3·2	496	105	97	0	21	5	6	33	0	18	4	68	18	75	56	2
GLASGOW, .	22·3	4·1	227	51	34	0	10	1	2	25	0	4	3	34	8	31	21	1
EDINBURGH,	17·9	2·1	92	11	30	0	0	2	0	5	0	4	0	12	5	19	25	0
DUNDEE, . .	16·9	2·5	53	10	11	0	0	0	2	1	0	5	0	8	2	7	3	0
ABERDEEN, .	16·3	3·9	38	13	7	0	7	0	0	0	0	2	0	2	0	8	1	0
GREENOCK, .	12·6	0·0	19	4	5	0	0	0	0	0	0	0	0	1	1	1	3	1
LEITH, . . .	24·5	6·1	36	9	5	0	4	1	2	0	0	2	1	7	1	4	1	0
PAISLEY, . .	18·3	1·7	22	4	4	0	0	0	0	2	0	0	0	2	0	5	1	0
PERTH, . . .	14·2	3·2	9	3	1	0	0	1	0	0	0	1	0	2	1	0	1	0

TABLE III.—DEATHS and RATE OF MORTALITY in Eight Principal Towns during the Week ending Saturday, June 23, 1888.

TOWNS.	Annual Rate of Mortality per 1000 living.		Deaths from All Causes.	The Deaths Registered in the Week include														
				Deaths of		Deaths from												
	From All Causes.	From Seven Zymotic Diseases.		Infants under One Year of Age.	Persons aged 60 Years & upwards.	Small-pox.	Measles.	Scarlet Fever.	Diphtheria.	Hooping-cough.	Fever.	Diarrhœa.	Croup and Larngitis.	Bronchitis, Pneumonia & Pleurisy.	Violence.	Deaths in Public Institutions.	Deaths from Uncertified Causes.	Deaths from Unspecified Causes.
In Eight Towns,	18·4	1·8	466	85	100	0	12	6	3	9	4	12	4	71	16	63	45	0
GLASGOW, .	22·7	3·3	230	43	35	0	11	4	1	8	0	9	1	40	7	26	19	0
EDINBURGH,	11·9	0·6	60	12	16	0	1	0	0	0	1	1	0	9	3	10	16	0
DUNDEE, . .	16·2	0·6	50	6	13	0	0	0	0	0	1	1	1	2	4	10	1	0
ABERDEEN, .	21·8	1·7	50	8	13	0	0	1	0	1	1	1	1	7	1	9	0	0
GREENOCK, .	11·5	0·7	17	2	3	0	0	0	1	0	0	0	1	5	0	3	1	0
LEITH, . . .	18·9	0·7	27	9	6	0	0	1	0	0	0	0	0	6	1	0	4	0
PAISLEY, . .	16·9	0·8	20	3	7	0	0	0	1	0	0	0	0	2	0	3	3	0
PERTH, . . .	19·2	1·6	12	2	7	0	0	0	0	0	1	0	0	0	0	2	1	0

WEEKLY RETURN

OF

BIRTHS, DEATHS, AND MARRIAGES

IN EIGHT PRINCIPAL TOWNS OF

SCOTLAND.

By Authority of the Registrar-General.

No. 26. WEEK ENDING SATURDAY, JUNE 29, 1889.

The Death-rate in Eight Principal Towns during the week ending with Saturday, the 29th June 1889, was 18·4 per thousand of estimated population. This rate is 0·2 above that for the corresponding week of last year, but 1·0 below that for the previous week of the present year.

The lowest mortality was recorded in Edinburgh, viz., 14·2 per thousand; and the highest in Glasgow, viz., 21·6 per thousand.

The mortality from the seven most familiar Zymotic Diseases was at the rate of 3·1 per thousand, being 0·1 below that for last week.

The Deaths from Bronchitis, Pneumonia, and Pleurisy amounted to 66, or 2 less than for the previous week.

The Mean Temperature was 59°·4, being 1°·1 above that for the week immediately preceding, and 2°·9 above that for the corresponding week of 1888.

TABLE I.—BIRTHS, DEATHS, AND MARRIAGES Registered, and METEOROLOGY, during the Week ending Saturday, June 29, 1889, in Eight Principal Towns of Scotland.

TOWNS.	Registration Area in Acres.	Population estimated to middle of Year 1889.	Persons to an Acre. 1889.	Proximity in Yards.	Registered during the Week ending June 29, 1889.			Temperature.			Rainfall in Inches.
					Births	Deaths	Marriages	Highest	Lowest	Mean	
								°	°	°	
Eight Principal Towns in Scotland.	31,919	1,329,884	41·664	11·58	873	471	280	78·5	43·7	59·4	0·00
GLASGOW, . . .	6,111	528,144	86·425	8·04	419	219	125	76·0	43·9	59·1	0·00
EDINBURGH, . .	5,907	266,900	45·184	11·12	151	73	65	77·8	44·0	58·9	0·00
DUNDEE, . .	3,408	163,300	47·917	10·80	89	47	22	78·3	49·0	60·4	0·00
ABERDEEN, . .	5,811	121,448	20·900	16·35	65	45	24	74·6	44·2	57·2	0·00
GREENOCK, . .	1,509	78,248	51·854	10·38	43	23	10	75·5	43·7	60·3	0·00
LEITH, ...	1,344	76,400	56·845	9·92	54	27	14	78·4	48·4	59·0	0·00
PAISLEY, . . .	3,493	62,571	17·913	17·66	38	25	13	77·3	46·9	61·0	0·01
PERTH, ...	4,336	32,873	7·581	27·15	14	12	7	78·5	44·5	59·5	0·00
Corresponding Week of 1888.—Eight Towns.	31,919	1,314,274	41·175	11·65	899	461	268	80·6	38·0	56·5	0·30

[TURN OVER.

Week ending Saturday, June 29, 1889.

TABLE II.—DEATHS and RATE OF MORTALITY in Eight Principal Towns during the Week ending Saturday, June 29, 1889.

TOWNS.	Annual Rate of Mortality per 1000 living.		Deaths from All Causes.	The Deaths Registered in the Week include														
				Deaths of		Deaths from										Deaths in Public Institutions.	Deaths from Uncertified Causes.	Deaths from Unspecified Causes.
	From all Causes.	From Seven Zymotic Diseases.		Infants under One Year of Age.	Persons aged 60 Years & upwards.	Small-pox.	Measles.	Scarlet Fever.	Diphtheria.	Hooping-cough.	Fever.	Diarrhœa.	Croup and Laryngitis.	Bronchitis, Pneumonia & Pleurisy.	Violence.			
In Eight Towns,	18·4	3·1	471	95	77	0	24	5	5	24	4	17	5	66	26	74	54	3
GLASGOW, .	21·6	3·7	219	39	36	0	10	3	2	15	1	7	4	41	8	37	28	2
EDINBURGH,	14·2	1·6	73	16	10	0	0	2	1	3	0	2	1	3	5	7	14	0
DUNDEE, . .	15·0	3·5	47	7	7	0	1	0	0	6	1	3	0	4	3	10	2	0
ABERDEEN, .	19·3	4·3	45	10	10	0	8	0	1	0	1	0	0	2	4	8	3	0
GREENOCK, .	15·3	2·0	23	3	5	0	0	0	1	0	0	2	0	5	4	4	1	0
LEITH, . . .	18·4	4·1	27	12	1	0	4	0	0	0	1	1	0	5	1	2	2	0
PAISLEY, . .	20·8	1·7	25	7	5	0	0	0	0	0	0	2	0	5	0	4	3	0
PERTH, . . .	19·0	1·6	12	1	3	0	1	0	0	0	0	0	0	1	1	2	1	1

TABLE III.—DEATHS and RATE OF MORTALITY in Eight Principal Towns during the Week ending Saturday, June 30, 1888.

TOWNS.	Annual Rate of Mortality per 1000 living.		Deaths from All Causes.	The Deaths Registered in the Week include														
				Deaths of		Deaths from										Deaths in Public Institutions.	Deaths from Uncertified Causes.	Deaths from Unspecified Causes.
	From All Causes.	From Seven Zymotic Diseases.		Infants under One Year of Age.	Persons aged 60 Years & upwards.	Small-pox.	Measles.	Scarlet Fever.	Diphtheria.	Hooping-cough.	Fever.	Diarrhœa.	Croup and Larryngitis.	Bronchitis, Pneumonia & Pleurisy.	Violence.			
In Eight Towns,	18·2	1·9	461	95	103	0	13	6	2	10	6	12	3	86	17	72	52	2
GLASGOW, .	21·6	3·0	219	46	35	0	12	3	1	7	2	5	2	38	5	39	24	2
EDINBURGH,	16·8	0·8	85	16	29	0	1	1	0	0	1	1	0	16	7	12	20	0
DUNDEE, . .	14·2	1·6	44	10	13	0	0	2	0	0	1	2	0	9	2	10	0	0
ABERDEEN, .	14·8	0·9	34	5	10	0	0	0	0	1	1	0	0	8	2	3	1	0
GREENOCK, .	11·5	1·3	17	2	5	0	0	0	0	1	1	0	0	5	0	0	5	0
LEITH, . . .	17·5	1·4	25	6	6	0	0	0	0	1	0	1	0	3	1	1	0	0
PAISLEY, . .	20·2	3·4	24	8	2	0	0	0	1	0	0	3	1	3	0	5	2	0
PERTH, . . .	20·8	0·0	13	2	3	0	0	0	0	0	0	0	0	4	0	2	0	0

WEEKLY RETURN

OF

BIRTHS, DEATHS, AND MARRIAGES

IN EIGHT PRINCIPAL TOWNS OF

SCOTLAND.

By Authority of the Registrar-General.

No. 27. WEEK ENDING SATURDAY, JULY 6, 1889.

The Death-rate in Eight Principal Towns during the week ending with Saturday, the 6th July 1889, was 21·3 per thousand of estimated population. This rate is 5·1 above that for the corresponding week of last year, and 2·9 above that for the previous week of the present year.

The lowest mortality was recorded in Perth, viz., 15·8 per thousand; and the highest in Glasgow, viz., 25·7 per thousand.

The mortality from the seven most familiar Zymotic Diseases was at the rate of 3·2 per thousand, being 0·1 above that for last week.

The Deaths from Bronchitis, Pneumonia, and Pleurisy amounted to 73, or 7 more than for the previous week.

The Mean Temperature was 59°·6, being 0°·2 above that for the week immediately preceding, and 7°·9 above that for the corresponding week of 1888.

TABLE I.—BIRTHS, DEATHS, AND MARRIAGES Registered, and METEOROLOGY, during the Week ending Saturday, July 6, 1889, in Eight Principal Towns of Scotland.

TOWNS.	Registration Area in Acres.	Population estimated to middle of Year 1889.	Persons to an Acre. 1889.	Proximity in Yards.	Registered during the Week ending July 6, 1889.			Temperature.			Rainfall in Inches.
					Births	Deaths	Marriages	Highest	Lowest	Mean	
								°	°	°	
Eight Principal Towns in Scotland.	31,919	1,329,884	41·664	11·58	862	545	311	75·9	43·0	59·6	0·04
GLASGOW, . . .	6,111	528,144	86·425	8·04	423	261	145	72·5	48·9	60·9	0·00
EDINBURGH, . .	5,907	266,900	45·184	11·12	154	89	59	71·7	45·5	59·5	0·00
DUNDEE, . .	3,408	163,300	47·917	10·80	81	59	29	75·9	46·1	59·3	0·06
ABERDEEN, . .	5,811	121,448	20·900	16·35	58	45	29	69·4	48·6	57·2	0·11
GREENOCK, . .	1,509	78,248	51·854	10·38	39	34	19	71·0	50·2	59·7	0·00
LEITH, ...	1,344	76,400	56·845	9·92	53	24	9	72·5	48·4	58·7	0·02
PAISLEY, . . .	3,493	62,571	17·913	17·66	40	23	18	74·9	50·9	62·3	0·01
PERTH, ...	4,336	32,873	7·581	27·15	14	10	3	72·0	43·0	59·2	0·11
Corresponding Week of 1888.—Eight Towns.	31,919	1,314,274	41·175	11·65	813	410	326	67·9	37·9	51·7	1·38

[TURN OVER.

Week ending Saturday, July 6, 1889.

TABLE II.—DEATHS and RATE OF MORTALITY in Eight Principal Towns during the Week ending Saturday, July 6, 1889.

TOWNS.	Annual Rate of Mortality per 1000 living.		Deaths from All Causes.	The Deaths Registered in the Week include														
				Deaths of		Deaths from												
	From all Causes.	From Seven Zymotic Diseases.		Infants under One Year of Age.	Persons aged 60 Years & upwards.	Small-pox.	Measles.	Scarlet Fever.	Diphtheria.	Hooping-cough.	Fever.	Diarrhœa.	Croup and Laryngitis.	Bronchitis, Pneumonia & Pleurisy.	Violence.	Deaths in Public Institutions.	Deaths from Uncertified Causes.	Deaths from Unspecified Causes.
In Eight Towns,	21·3	3·2	545	127	93	0	26	2	6	24	1	22	7	73	21	99	52	3
GLASGOW, .	25·7	4·5	261	62	28	0	13	0	1	18	1	13	4	41	7	37	25	2
EDINBURGH,	17·3	1·8	89	22	19	0	0	0	4	1	0	4	2	10	6	26	17	0
DUNDEE, . .	18·8	1·3	59	13	19	0	0	1	0	1	0	2	0	10	0	8	1	0
ABERDEEN, .	19·3	4·7	45	10	8	0	9	0	0	1	0	1	0	4	3	10	0	0
GREENOCK, .	22·6	2·7	34	6	5	0	0	0	1	1	0	2	1	4	3	3	4	0
LEITH, . . .	16·3	4·1	24	7	4	0	4	1	0	1	0	0	0	2	1	2	2	0
PAISLEY, . .	19·1	0·8	23	5	9	0	0	0	0	1	0	0	0	2	0	9	2	0
PERTH, . . .	15·8	0·0	10	2	1	0	0	0	0	0	0	0	0	0	1	4	1	1

TABLE III.—DEATHS and RATE OF MORTALITY in Eight Principal Towns during the Week ending Saturday, July 7, 1888.

TOWNS.	Annual Rate of Mortality per 1000 living.		Deaths from All Causes.	The Deaths Registered in the Week include														
				Deaths of		Deaths from												
	From All Causes.	From Seven Zymotic Diseases.		Infants under One Year of Age.	Persons aged 60 Years & upwards.	Small-pox.	Measles.	Scarlet Fever.	Diphtheria.	Hooping-cough.	Fever.	Diarrhœa.	Croup and Laryngitis.	Bronchitis, Pneumonia & Pleurisy.	Violence.	Deaths in Public Institutions.	Deaths from Uncertified Causes.	Deaths from Unspecified Causes.
In Eight Towns,	16·2	1·5	410	77	81	0	7	3	7	5	5	10	6	77	19	60	60	1
GLASGOW, .	18·9	2·0	191	37	32	0	6	2	3	3	2	4	1	36	8	26	28	1
EDINBURGH,	16·8	1·6	85	15	16	0	0	1	3	1	1	2	2	13	6	18	24	0
DUNDEE, . .	12·9	0·6	40	13	6	0	0	0	0	0	0	2	2	5	2	3	3	0
ABERDEEN, .	14·8	1·7	34	4	6	0	0	0	0	1	2	1	0	9	1	7	2	0
GREENOCK, .	9·5	0·0	14	3	6	0	0	0	0	0	0	0	0	5	0	0	2	0
LEITH, . . .	14·0	0·7	20	4	6	0	0	0	0	0	0	1	1	4	0	1	0	0
PAISLEY, . .	16·0	0·8	19	1	8	0	1	0	0	0	0	0	0	4	2	5	1	0
PERTH, . . .	11·2	1·6	7	0	1	0	0	0	1	0	0	0	0	1	0	0	0	0

WEEKLY RETURN

OF

BIRTHS, DEATHS, AND MARRIAGES

IN EIGHT PRINCIPAL TOWNS OF

SCOTLAND.

By Authority of the Registrar-General.

No. 28. WEEK ENDING SATURDAY, JULY 13, 1889.

The Death-rate in Eight Principal Towns during the week ending with Saturday, the 13th July 1889, was 18·6 per thousand of estimated population. This rate is 2·5 above that for the corresponding week of last year, but 2·7 below that for the previous week of the present year.

The lowest mortality was recorded in Perth, viz., 9·5 per thousand; and the highest in Paisley, viz., 23·3 per thousand.

The mortality from the seven most familiar Zymotic Diseases was at the rate of 3·6 per thousand, being an increase of 0·4 on that for last week.

The Deaths from Bronchitis, Pneumonia, and Pleurisy amounted to 53, or 20 below the number for the previous week.

The Mean Temperature was 54°·9, being 4°·7 below that for the week immediately preceding, and 0°·4 below that for the corresponding week of 1888.

TABLE I.—BIRTHS, DEATHS, AND MARRIAGES Registered, and METEOROLOGY, during the Week ending Saturday, July 13, 1889, in Eight Principal Towns of Scotland.

TOWNS.	Registration Area in Acres.	Population estimated to middle of Year 1889.	Persons to an Acre. 1889.	Proximity in Yards.	Registered during the Week ending July 13, 1889.			Temperature.			Rainfall in Inches.
					Births	Deaths	Marriages	Highest	Lowest	Mean	
								°	°	°	
Eight Principal Towns in Scotland.	31,919	1,329,884	41·664	11·58	785	476	231	74·9	42·0	54·9	1·32
GLASGOW, . . .	6,111	528,144	86·425	8·04	329	227	102	70·8	42·1	55·2	1·39
EDINBURGH, . .	5,907	266,900	45·184	11·12	135	85	44	68·8	42·0	54·8	2·54
DUNDEE, . .	3,408	163,300	47·917	10·80	99	41	13	70·7	44·9	55·0	0·65
ABERDEEN, . .	5,811	121,448	20·900	16·35	63	39	14	64·3	43·2	53·8	0·62
GREENOCK, . .	1,509	78,248	51·854	10·38	61	23	33	68·0	42·0	54·5	1·66
LEITH, ...	1,344	76,400	56·845	9·92	43	27	8	64·0	44·2	54·3	1·82
PAISLEY, . . .	3,493	62,571	17·913	17·66	43	28	12	74·9	42·8	56·4	1·00
PERTH, ...	4,336	32,873	7·581	27·15	12	6	5	74·0	42·0	54·9	0·89
Corresponding Week of 1888.—Eight Towns.	31,919	1,314,274	41·175	11·65	771	406	233	71·9	38·0	55·3	0·62

[TURN OVER.

Week ending Saturday, July 13, 1889.

TABLE II.—DEATHS and RATE OF MORTALITY in Eight Principal Towns during the Week ending Saturday, July 13, 1889.

TOWNS.	Annual Rate of Mortality per 1000 living.		Deaths from All Causes.	The Deaths Registered in the Week include														
				Deaths of		Deaths from												
	From all Causes.	From Seven Zymotic Diseases.		Infants under One Year of Age.	Persons aged 60 Years & upwards.	Small-pox.	Measles.	Scarlet Fever.	Diphtheria.	Hooping-cough.	Fever.	Diarrhœa.	Croup and Laryngitis.	Bronchitis, Pneumonia & Pleurisy.	Violence.	Deaths in Public Institutions.	Deaths from Uncertified Causes.	Deaths from Unspecified Causes.
In Eight Towns,	18·6	3·6	476	123	80	0	19	3	1	24	7	37	3	53	22	68	48	1
GLASGOW, .	22·3	5·0	227	65	29	0	8	1	1	16	4	21	1	20	9	33	20	1
EDINBURGH,	16·6	2·1	85	27	16	0	1	0	0	1	2	7	1	11	3	16	14	0
DUNDEE, . .	13·1	1·9	41	8	11	0	0	0	0	5	0	1	0	8	2	4	3	0
ABERDEEN, .	16·7	3·4	39	2	9	0	8	0	0	0	0	0	0	4	2	6	1	0
GREENOCK, .	15·3	3·3	23	5	5	0	0	1	0	1	0	3	0	1	1	2	3	0
LEITH, . . .	18·4	2·7	27	8	4	0	2	0	0	0	0	2	0	5	3	2	4	0
PAISLEY, . .	23·3	4·2	28	7	3	0	0	0	0	1	1	3	1	3	2	3	3	0
PERTH, . . .	9·5	1·6	6	1	3	0	0	1	0	0	0	0	0	1	0	2	0	0

TABLE III.—DEATHS and RATE OF MORTALITY in Eight Principal Towns during the Week ending Saturday, July 14, 1888.

TOWNS.	Annual Rate of Mortality per 1000 living.		Deaths from All Causes.	The Deaths Registered in the Week include														
				Deaths of		Deaths from												
	From All Causes.	From Seven Zymotic Diseases.		Infants under One Year of Age.	Persons aged 60 Years & upwards.	Small-pox.	Measles.	Scarlet Fever.	Diphtheria.	Hooping-cough.	Fever.	Diarrhœa.	Croup and Laryngitis.	Bronchitis, Pneumonia & Pleurisy.	Violence.	Deaths in Public Institutions.	Deaths from Uncertified Causes.	Deaths from Unspecified Causes.
In Eight Towns,	16·1	1·2	406	76	93	0	3	1	5	8	3	8	4	68	14	58	62	0
GLASGOW, .	16·3	1·6	165	28	34	0	3	0	2	6	1	4	2	30	8	22	29	0
EDINBURGH,	16·2	0·8	82	15	23	0	0	0	0	1	1	2	1	8	2	17	19	0
DUNDEE, . .	16·5	0·6	51	12	7	0	0	1	1	0	0	0	1	11	0	7	5	0
ABERDEEN, .	19·2	0·4	44	10	12	0	0	0	0	1	0	0	0	10	2	5	1	0
GREENOCK, .	11·5	0·7	17	3	4	0	0	0	0	0	0	1	0	4	0	1	3	0
LEITH, . . .	16·8	0·0	24	5	7	0	0	0	0	0	0	0	0	3	2	2	4	0
PAISLEY, . .	14·3	1·7	17	2	4	0	0	0	1	0	1	0	0	2	0	2	1	0
PERTH, . . .	9·6	3·2	6	1	2	0	0	0	1	0	0	1	0	0	0	2	0	0

WEEKLY RETURN

OF

BIRTHS, DEATHS, AND MARRIAGES

IN EIGHT PRINCIPAL TOWNS OF

SCOTLAND.

By Authority of the Registrar-General.

No. 29. WEEK ENDING SATURDAY, JULY 20, 1889.

The Death-rate in Eight Principal Towns during the week ending with Saturday, the 20th July 1889, was 19·6 per thousand of estimated population. This rate is 1·2 above that for the corresponding week of last year, and 1·0 above that for the previous week of the present year.

The lowest mortality was recorded in Aberdeen, viz., 15·0 per thousand; and the highest in Glasgow, viz., 21·9 per thousand.

The mortality from the seven most familiar Zymotic Diseases was at the rate of 3·7 per thousand, or 0·1 above that for last week.

The Deaths from Bronchitis, Pneumonia, and Pleurisy amounted to 66, being an increase of 13 on the number for the previous week.

The Mean Temperature was 55°·4, being 0°·5 above that for the week immediately preceding, but 1°·4 below that for the corresponding week of 1888.

TABLE I.—BIRTHS, DEATHS, AND MARRIAGES Registered, and METEOROLOGY, during the Week ending Saturday, July 20, 1889, in Eight Principal Towns of Scotland.

TOWNS.	Registration Area in Acres.	Population estimated to middle of Year 1889.	Persons to an Acre. 1889.	Proximity in Yards.	Registered during the Week ending July 20, 1889.			Temperature.			Rainfall in Inches.
					Births	Deaths	Marriages	Highest	Lowest	Mean	
								°	°	°	
Eight Principal Towns in Scotland.	31,919	1,329,884	41·664	11·58	808	500	503	71·0	39·1	55·4	0·50
GLASGOW, . . .	6,111	528,144	86·425	8·04	394	222	329	64·9	46·9	55·3	0·26
EDINBURGH, . .	5,907	266,900	45·184	11·12	126	81	60	62·5	44·3	54·4	0·18
DUNDEE, . .	3,408	163,300	47·917	10·80	78	62	38	68·8	39·1	55·9	0·64
ABERDEEN, . .	5,811	121,448	20·900	16·35	79	35	31	63·3	48·2	55·6	1·11
GREENOCK, . .	1,509	78,248	51·854	10·38	38	31	8	69·0	46·0	56·0	0·33
LEITH, ...	1,344	76,400	56·845	9·92	42	30	15	63·0	45·8	54·4	0·49
PAISLEY, . . .	3,493	62,571	17·913	17·66	35	26	15	68·1	45·2	56·0	0·25
PERTH, ...	4,336	32,873	7·581	27·15	16	13	7	71·0	44·5	55·8	0·76
Corresponding Week of 1888.—Eight Towns.	31,919	1,314,274	41·175	11·65	905	466	465	76·6	41·0	56·8	1·50

[TURN OVER.

Week ending Saturday, July 20, 1889.

TABLE II.—DEATHS and RATE OF MORTALITY in Eight Principal Towns during the Week ending Saturday, July 20, 1889.

TOWNS.	Annual Rate of Mortality per 1000 living.		Deaths from All Causes.	The Deaths Registered in the Week include														
				Deaths of		Deaths from												
	From all Causes.	From Seven Zymotic Diseases.		Infants under One Year of Age.	Persons aged 60 Years & upwards.	Small-pox.	Measles.	Scarlet Fever.	Diphtheria.	Hooping-cough.	Fever.	Diarrhœa.	Croup and Laryngitis.	Bronchitis, Pneumonia & Pleurisy.	Violence.	Deaths in Public Institutions.	Deaths from Uncertified Causes.	Deaths from Unspecified Causes.
In Eight Towns,	19·6	3·7	500	125	76	0	18	2	4	20	12	38	3	66	17	75	50	3
GLASGOW, .	21·9	4·5	222	58	25	0	8	1	1	11	7	18	3	36	9	29	19	3
EDINBURGH,	15·8	1·8	81	21	12	0	2	0	0	3	1	3	0	6	2	18	17	0
DUNDEE, . .	19·7	2·5	62	11	14	0	0	0	0	2	2	4	0	7	3	10	3	0
ABERDEEN, .	15·0	3·4	35	8	11	0	5	0	0	0	0	3	0	6	1	6	2	0
GREENOCK, .	20·6	4·7	31	8	3	0	0	0	2	1	1	3	0	3	0	4	6	0
LEITH, . . .	20·4	5·4	30	7	4	0	3	0	1	1	0	3	0	4	1	2	1	0
PAISLEY, . .	21·6	5·0	26	10	3	0	0	0	0	2	1	3	0	3	1	3	2	0
PERTH, . . .	20·6	3·2	13	2	4	0	0	1	0	0	0	1	0	1	0	3	0	0

TABLE III.—DEATHS and RATE OF MORTALITY in Eight Principal Towns during the Week ending Saturday, July 21, 1888.

TOWNS.	Annual Rate of Mortality per 1000 living.		Deaths from All Causes.	The Deaths Registered in the Week include														
				Deaths of		Deaths from												
	From All Causes.	From Seven Zymotic Diseases.		Infants under One Year of Age.	Persons aged 60 Years & upwards.	Small-pox.	Measles.	Scarlet Fever.	Diphtheria.	Hooping-cough.	Fever.	Diarrhœa.	Croup and Laryngitis.	Bronchitis, Pneumonia & Pleurisy.	Violence.	Deaths in Public Institutions.	Deaths from Uncertified Causes.	Deaths from Unspecified Causes.
In Eight Towns,	18·4	1·4	466	101	96	0	9	2	4	5	3	12	5	84	15	64	73	3
GLASGOW, .	23·0	2·1	233	53	38	0	7	1	1	4	2	6	2	38	8	30	42	2
EDINBURGH,	16·2	0·8	82	19	14	0	1	0	1	1	0	1	2	17	3	12	22	0
DUNDEE, . .	11·3	1·3	35	8	12	0	0	0	1	0	1	2	0	10	0	4	1	0
ABERDEEN, .	17·9	0·4	41	6	14	0	0	0	0	0	0	1	0	8	2	8	0	0
GREENOCK, .	14·9	1·4	22	5	2	0	0	0	1	0	0	1	1	3	1	1	2	0
LEITH, . . .	16·1	0·7	23	6	5	0	1	0	0	0	0	0	0	5	0	2	3	1
PAISLEY, . .	18·5	1·7	22	2	9	0	0	1	0	0	0	1	0	3	1	6	2	0
PERTH, . . .	12·8	0·0	8	2	2	0	0	0	0	0	0	0	0	0	0	1	1	0

WEEKLY RETURN

OF

BIRTHS, DEATHS, AND MARRIAGES

IN EIGHT PRINCIPAL TOWNS OF

SCOTLAND.

By Authority of the Registrar-General.

No. 30. WEEK ENDING SATURDAY, JULY 27, 1889.

The Death-rate in Eight Principal Towns during the week ending with Saturday, the 27th July 1889, was 17·9 per thousand of estimated population. This rate is 2·6 above that for the corresponding week of last year, but 1·7 below that for the previous week of the present year.

The lowest mortality was recorded in Dundee, viz., 10·8 per thousand; and the highest in Paisley, viz., 28·3 per thousand.

The mortality from the seven most familiar Zymotic Diseases was at the rate of 3·7 per thousand, being exactly the same as for the previous week.

The Deaths from Bronchitis, Pneumonia, and Pleurisy amounted to 51, or 15 below the number for last week.

The Mean Temperature was 56°·7, being 1°·3 above that for the week immediately preceding, but 0°·2 below that for the corresponding week of 1888.

TABLE I.—BIRTHS, DEATHS, AND MARRIAGES Registered, and METEOROLOGY, during the Week ending Saturday, July 27, 1889, in Eight Principal Towns of Scotland.

TOWNS.	Registration Area in Acres.	Population estimated to middle of Year 1889.	Persons to an Acre. 1889.	Proximity in Yards.	Registered during the Week ending July 27, 1889.			Temperature.			Rainfall in Inches.
					Births	Deaths	Marriages	Highest	Lowest	Mean	
								°	°	°	
Eight Principal Towns in Scotland.	31,919	1,329,884	41·664	11·58	763	459	290	72·1	41·5	56·7	0·91
GLASGOW, . . .	6,111	528,144	86·425	8·04	357	205	58	71·7	41·9	57·5	0·56
EDINBURGH, . .	5,907	266,900	45·184	11·12	126	77	53	70·6	41·5	57·1	1·31
DUNDEE, . .	3,408	163,300	47·917	10·80	65	34	100	71·9	44·4	57·5	1·27
ABERDEEN, . .	5,811	121,448	20·900	16·35	66	46	48	62·4	41·5	54·2	1·16
GREENOCK, . .	1,509	78,248	51·854	10·38	37	26	9	66·0	47·0	57·1	0·38
LEITH, ...	1,344	76,400	56·845	9·92	55	25	14	71·2	45·8	56·9	1·11
PAISLEY, . . .	3,493	62,571	17·913	17·66	38	34	6	72·1	43·9	57·6	0·48
PERTH, ...	4,336	32,873	7·581	27·15	19	12	2	69·0	42·0	55·8	0·98
Corresponding Week of 1888.—Eight Towns.	31,919	1,314,274	41·175	11·65	796	387	253	69·5	46·4	56·9	1·62

[TURN OVER.

Week ending Saturday, July 27, 1889.

TABLE II.—DEATHS and RATE OF MORTALITY in Eight Principal Towns during the Week ending Saturday, July 27, 1889.

TOWNS.	Annual Rate of Mortality per 1000 living.		Deaths from All Causes.	The Deaths Registered in the Week include														
				Deaths of		Deaths from												
	From all Causes.	From Seven Zymotic Diseases.		Infants under One Year of Age.	Persons aged 60 Years & upwards.	Small-pox.	Measles.	Scarlet Fever.	Diphtheria.	Hooping-cough.	Fever.	Diarrhœa.	Croup and Laryngitis.	Bronchitis, Pneumonia & Pleurisy.	Violence.	Deaths in Public Institutions.	Deaths from Uncertified Causes.	Deaths from Unspecified Causes.
In Eight Towns,	17·9	3·7	459	133	66	0	20	3	6	21	4	41	4	51	17	67	69	1
GLASGOW, .	20·0	4·1	205	62	24	0	4	1	4	13	3	17	1	24	7	30	32	1
EDINBURGH,	15·0	2·3	77	21	19	0	3	0	1	1	0	7	1	7	3	18	24	0
DUNDEE, . .	10·8	1·6	34	14	4	0	0	0	0	1	1	3	0	5	2	4	6	0
ABERDEEN, .	19·7	3·4	46	13	11	0	6	0	0	0	0	2	1	5	2	8	1	0
GREENOCK, .	17·3	5·3	26	7	1	0	0	0	0	2	0	6	0	2	0	2	0	0
LEITH, . . .	17·0	5·4	25	6	2	0	7	0	0	0	0	1	0	2	0	1	1	0
PAISLEY, . .	28·3	7·5	34	9	2	0	0	1	1	3	0	4	1	4	1	2	4	0
PERTH, . . .	19·0	4·7	12	1	3	0	0	1	0	1	0	1	0	2	2	2	1	0

TABLE III.—DEATHS and RATE OF MORTALITY in Eight Principal Towns during the Week ending Saturday, July 28, 1888.

TOWNS.	Annual Rate of Mortality per 1000 living.		Deaths from All Causes.	The Deaths Registered in the Week include														
				Deaths of		Deaths from												
	From All Causes.	From Seven Zymotic Diseases.		Infants under One Year of Age.	Persons aged 60 Years & upwards.	Small-pox.	Measles.	Scarlet Fever.	Diphtheria.	Hooping-cough.	Fever.	Diarrhœa.	Croup and Laryngitis.	Bronchitis, Pneumonia & Pleurisy.	Violence.	Deaths in Public Institutions.	Deaths from Uncertified Causes.	Deaths from Unspecified Causes.
In Eight Towns,	15·3	1·6	387	85	74	0	5	3	3	6	3	21	3	46	16	65	52	3
GLASGOW, .	16·9	2·0	171	37	28	0	5	1	1	6	2	5	1	23	10	27	31	3
EDINBURGH,	13·7	0·6	69	8	16	0	0	1	1	0	0	1	1	12	0	20	12	0
DUNDEE, . .	14·2	3·6	44	20	5	0	0	0	0	0	0	11	0	7	1	4	3	0
ABERDEEN, .	10·9	0·4	25	6	7	0	0	0	0	0	0	1	0	0	1	5	0	0
GREENOCK, .	11·5	2·7	17	3	2	0	0	1	1	0	0	2	1	0	1	2	2	0
LEITH, . . .	14·7	1·4	21	5	4	0	0	0	0	0	1	1	0	2	0	2	0	0
PAISLEY, . .	24·5	0·0	29	4	11	0	0	0	0	0	0	0	0	2	0	5	2	0
PERTH, . . .	17·6	0·0	11	2	1	0	0	0	0	0	0	0	0	0	3	0	2	0

WEEKLY RETURN

OF

BIRTHS, DEATHS, AND MARRIAGES

IN EIGHT PRINCIPAL TOWNS OF

SCOTLAND.

By Authority of the Registrar-General.

No. 31. WEEK ENDING SATURDAY, AUGUST 3, 1889.

The Death-rate in Eight Principal Towns during the week ending with Saturday, August 3, 1889, was 18·3 per thousand of estimated population. This rate is 2·4 above that for the corresponding week of last year, and 0·4 above that for the previous week of the present year.

The lowest mortality was recorded in Dundee, viz., 12·4 per thousand; and the highest in Paisley, viz., 27·4 per thousand.

The mortality from the seven most familiar Zymotic Diseases was at the rate of 3·0 per thousand, being 0·7 below that for last week.

The Deaths from Bronchitis, Pneumonia, and Pleurisy amounted to 55, being an increase of 4 on the number for last week.

The Mean Temperature was 61°·5, being 4°·8 above that for the week immediately preceding, and 9°·2 above that for the corresponding week of 1888.

TABLE I.—BIRTHS, DEATHS, AND MARRIAGES Registered, and METEOROLOGY, during the Week ending Saturday, August 3, 1889, in Eight Principal Towns of Scotland.

TOWNS.	Registration Area in Acres.	Population estimated to middle of Year 1889.	Persons to an Acre. 1889.	Proximity in Yards.	Registered during the Week ending Aug. 3, 1889.			Temperature.			Rainfall in Inches.
					Births	Deaths	Marriages	Highest	Lowest	Mean	
								°	°	°	
Eight Principal Towns in Scotland.	31,919	1,329,884	41·664	11·58	770	468	202	78·6	45·0	61·5	0·27
GLASGOW, . . .	6,111	528,144	86·425	8·04	343	208	57	77·9	50·1	61·9	0·26
EDINBURGH, . .	5,907	266,900	45·184	11·12	143	88	79	77·3	49·9	61·5	0·09
DUNDEE, . .	3,408	163,300	47·917	10·80	87	39	15	—	—	—	—
ABERDEEN, . .	5,811	121,448	20·900	16·35	64	31	12	71·8	53·5	60·3	0·10
GREENOCK, . .	1,509	78,248	51·854	10·38	37	24	3	75·2	50·0	61·7	0·45
LEITH, ...	1,344	76,400	56·845	9·92	38	37	18	72·2	51·7	61·6	0·27
PAISLEY, . . .	3,493	62,571	17·913	17·66	43	33	16	78·6	51·0	62·4	0·32
PERTH, ...	4,336	32,873	7·581	27·15	15	8	2	76·0	45·0	61·4	0·41
Corresponding Week of 1888.—Eight Towns.	31,919	1,314,274	41·175	11·65	810	402	203	68·5	36·4	52·3	0·29

[TURN OVER.

Week ending Saturday, August 3, 1889.

TABLE II.—DEATHS and RATE OF MORTALITY in Eight Principal Towns during the Week ending Saturday, August, 3, 1889.

TOWNS.	Annual Rate of Mortality per 1000 living.		Deaths from All Causes.	The Deaths Registered in the Week include														
				Deaths of		Deaths from												
	From all Causes.	From Seven Zymotic Diseases.		Infants under One Year of Age.	Persons aged 60 Years & upwards.	Small-pox.	Measles.	Scarlet Fever.	Diphtheria.	Hooping-cough.	Fever.	Diarrhœa.	Croup and Laryngitis.	Bronchitis, Pneumonia & Pleurisy.	Violence.	Deaths in Public Institutions.	Deaths from Uncertified Causes.	Deaths from Unspecified Causes.
In Eight Towns,	18·3	3·0	468	126	88	0	8	4	4	15	7	39	5	55	21	73	54	2
GLASGOW, .	20·5	3·9	208	57	27	0	1	2	1	6	5	25	1	22	13	43	27	2
EDINBURGH,	17·1	2·3	88	19	17	0	3	0	1	3	1	4	2	11	3	11	14	0
DUNDEE, . .	12·4	1·3	39	10	12	0	0	0	0	2	0	2	0	4	0	2	3	0
ABERDEEN, .	13·3	1·3	31	11	11	0	2	0	0	1	0	0	0	4	1	4	1	0
GREENOCK, .	15·9	2·0	24	9	4	0	0	0	0	0	0	3	1	1	1	3	3	0
LEITH, . . .	25·2	4·8	37	11	7	0	2	1	2	1	1	0	1	6	2	2	2	0
PAISLEY, . .	27·4	5·0	33	6	9	0	0	0	0	2	0	4	0	7	1	7	4	0
PERTH, . . .	12·7	3·2	8	3	1	0	0	1	0	0	0	1	0	0	0	1	0	0

TABLE III.—DEATHS and RATE OF MORTALITY in Eight Principal Towns during the Week ending Saturday, August 4, 1888.

TOWNS.	Annual Rate of Mortality per 1000 living.		Deaths from All Causes.	The Deaths Registered in the Week include														
				Deaths of		Deaths from												
	From All Causes.	From Seven Zymotic Diseases.		Infants under One Year of Age.	Persons aged 60 Years & upwards.	Small-pox.	Measles.	Scarlet Fever.	Diphtheria.	Hooping-cough.	Fever.	Diarrhœa.	Croup and Laryngitis.	Bronchitis, Pneumonia & Pleurisy.	Violence.	Deaths in Public Institutions.	Deaths from Uncertified Causes.	Deaths from Unspecified Causes.
In Eight Towns,	15·9	1·5	402	110	70	0	3	3	2	5	3	22	3	55	12	59	61	1
GLASGOW, .	18·2	2·3	184	49	24	0	3	1	1	3	3	12	1	20	8	30	25	0
EDINBURGH,	15·6	0·2	79	26	18	0	0	0	0	1	0	0	1	12	2	9	24	0
DUNDEE, . .	12·6	2·6	39	8	9	0	0	1	0	0	0	7	0	3	0	9	4	0
ABERDEEN, .	18·7	1·3	43	11	8	0	0	0	0	1	0	2	0	7	1	7	3	1
GREENOCK, .	13·5	0·0	20	7	1	0	0	0	0	0	0	0	0	4	0	1	2	0
LEITH, . . .	10·5	0·0	15	6	4	0	0	0	0	0	0	0	1	3	0	1	0	0
PAISLEY, . .	15·2	1·7	18	3	6	0	0	0	1	0	0	1	0	5	0	2	2	0
PERTH, . . .	6·4	1·6	4	0	0	0	0	1	0	0	0	0	0	1	1	0	1	0

WEEKLY RETURN

OF

BIRTHS, DEATHS, AND MARRIAGES

IN EIGHT PRINCIPAL TOWNS OF

SCOTLAND.

By Authority of the Registrar-General.

No. 32. WEEK ENDING SATURDAY, AUGUST 10, 1889.

The Death-rate in Eight Principal Towns during the week ending with Saturday, August 10, 1889, was 18·6 per thousand of estimated population. This rate is 3·0 above that for the corresponding week of last year, and 0·3 above that for the previous week of the present year.

The lowest mortality was recorded equally at Edinburgh, Aberdeen, and Leith, viz., 15·0 per thousand; and the highest at Paisley, viz., 30·8 per thousand.

The mortality from the seven most familiar Zymotic Diseases was at the rate of 4·2 per thousand, being 1·2 above that for the previous week.

The Deaths from Bronchitis, Pneumonia, and Pleurisy amounted to 58, being 3 above the number for last week.

The Mean Temperature was 57°·1, being 4°·4 below that for the week immediately preceding, but 0°·6 above that for the corresponding week of 1888.

TABLE I.—BIRTHS, DEATHS, AND MARRIAGES Registered, and METEOROLOGY, during the Week ending Saturday, August 10, 1889, in Eight Principal Towns of Scotland.

TOWNS.	Registration Area in Acres.	Population estimated to middle of Year 1889.	Persons to an Acre. 1889.	Proximity in Yards.	Registered during the Week ending Aug. 10, 1889.			Temperature.			Rainfall in Inches.
					Births	Deaths	Marriages	Highest	Lowest	Mean	
								°	°	°	
Eight Principal Towns in Scotland.	31,919	1,329,884	41·664	11·58	717	475	155	69·1	44·8	57·1	1·76
GLASGOW, . . .	6,111	528,144	86·425	8·04	328	213	59	68·9	44·8	58·1	1·17
EDINBURGH, . .	5,907	266,900	45·184	11·12	110	77	49	67·0	49·2	57·5	1·81
DUNDEE, . .	3,408	163,300	47·917	10·80	75	54	7	66·0	50·2	56·3	3·25
ABERDEEN, . .	5,811	121,448	20·900	16·35	75	35	11	68·2	48·7	56·2	1·65
GREENOCK, . .	1,509	78,248	51·854	10·38	41	27	6	67·0	48·2	57·1	0·64
LEITH, ...	1,344	76,400	56·845	9·92	46	22	12	68·4	51·1	57·4	1·69
PAISLEY, . . .	3,493	62,571	17·913	17·66	34	37	5	69·1	45·3	58·6	1·12
PERTH, ...	4,336	32,873	7·581	27·15	8	10	6	67·0	48·0	56·0	2·77
Corresponding Week of 1888.—Eight Towns.	31,919	1,314,274	41·175	11·65	795	395	154	70·3	44·0	56·5	0·37

[TURN OVER.

Week ending Saturday, August 10, 1889.

TABLE II.—DEATHS and RATE OF MORTALITY in Eight Principal Towns during the Week ending Saturday, August, 10, 1889.

TOWNS.	Annual Rate of Mortality per 1000 living.		Deaths from All Causes.	The Deaths Registered in the Week include														
				Deaths of		Deaths from												
	From all Causes.	From Seven Zymotic Diseases.		Infants under One Year of Age.	Persons aged 60 Years & upwards.	Small-pox.	Measles.	Scarlet Fever.	Diphtheria.	Hooping-cough.	Fever.	Diarrhœa.	Croup and Laryngitis.	Bronchitis, Pneumonia & Pleurisy.	Violence.	Deaths in Public Institutions.	Deaths from Uncertified Causes.	Deaths from Unspecified Causes.
In Eight Towns,	18·6	4·2	475	130	92	1	10	2	7	24	7	57	2	58	16	77	47	1
GLASGOW, .	21·0	4·7	213	60	37	0	1	2	3	14	5	23	0	22	11	34	21	1
EDINBURGH,	15·0	3·1	77	16	29	*1	4	0	2	1	1	7	1	12	2	17	12	0
DUNDEE, . .	17·2	5·1	54	19	3	0	0	0	0	4	1	11	0	7	1	4	5	0
ABERDEEN, .	15·0	0·9	35	10	7	0	2	0	0	0	0	0	1	6	0	4	0	0
GREENOCK, .	17·9	1·3	27	4	7	0	0	0	1	0	0	1	0	3	0	6	6	0
LEITH, . . .	15·0	4·8	22	8	2	0	3	0	1	0	0	3	0	3	0	4	0	0
PAISLEY, . .	30·8	13·3	37	11	6	0	0	0	0	5	0	11	0	3	1	5	3	0
PERTH, . . .	15·8	1·6	10	2	1	0	0	0	0	0	0	1	0	2	1	3	0	0

* Chickenpox.

TABLE III.—DEATHS and RATE OF MORTALITY in Eight Principal Towns during the Week ending Saturday, August 11, 1888.

TOWNS.	Annual Rate of Mortality per 1000 living.		Deaths from All Causes.	The Deaths Registered in the Week include														
				Deaths of		Deaths from												
	From All Causes.	From Seven Zymotic Diseases.		Infants under One Year of Age.	Persons aged 60 Years & upwards.	Small-pox.	Measles.	Scarlet Fever.	Diphtheria.	Hooping-cough.	Fever.	Diarrhœa.	Croup and Larnygitis.	Bronchitis, Pneumonia & Pleurisy.	Violence.	Deaths in Public Institutions.	Deaths from Uncertified Causes.	Deaths from Unspecified Causes.
In Eight Towns,	15·6	1·7	395	99	74	0	6	2	7	5	6	18	4	45	14	59	50	5
GLASGOW, .	16·4	1·6	166	41	30	0	4	0	0	3	1	8	2	19	4	24	25	4
EDINBURGH,	14·8	0·8	75	22	12	0	0	0	2	0	1	1	0	6	5	15	15	0
DUNDEE, . .	14·6	1·0	45	10	13	0	0	1	0	0	0	2	1	5	2	7	4	0
ABERDEEN, .	14·8	2·6	34	10	6	0	0	0	1	1	0	4	1	8	1	4	1	0
GREENOCK, .	18·9	0·7	28	3	5	0	0	0	0	0	0	1	0	1	1	0	3	1
LEITH, . . .	11·2	2·1	16	2	2	0	0	0	0	0	3	0	0	5	0	4	0	0
PAISLEY, . .	16·9	8·4	20	7	4	0	2	1	3	1	1	2	0	1	0	3	2	0
PERTH, . . .	17·6	1·6	11	4	2	0	0	0	1	0	0	0	0	0	1	2	0	0

WEEKLY RETURN

OF

BIRTHS, DEATHS, AND MARRIAGES

IN EIGHT PRINCIPAL TOWNS OF

SCOTLAND.

By Authority of the Registrar-General.

No. 33. WEEK ENDING SATURDAY, AUGUST 17, 1889.

The Death-rate in Eight Principal Towns during the week ending with Saturday, August 17, 1889, was 17·8 per thousand of estimated population. This rate is 0·5 above that for the corresponding week of last year, but 0·8 below that for the previous week of the present year.

The lowest mortality was recorded in Aberdeen, viz., 11·6 per thousand; and the highest in Perth, viz., 26·9 per thousand.

The mortality from the seven most familiar Zymotic Diseases was at the rate of 3·4 per thousand, or 0·8 below that for the previous week.

The Deaths from Bronchitis, Pneumonia, and Pleurisy amounted to 52, being 6 below the number for last week.

The Mean Temperature was 56°·1, being 1°·0 below that for the week immediately preceding, but 1°·6 above that for the corresponding week of 1888.

TABLE I.—BIRTHS, DEATHS, AND MARRIAGES Registered, and METEOROLOGY, during the Week ending Saturday, August 17, 1889, in Eight Principal Towns of Scotland.

TOWNS.	Registration Area in Acres.	Population estimated to middle of Year 1889.	Persons to an Acre. 1889.	Proximity in Yards.	Registered during the Week ending Aug. 17, 1889.			Temperature.			Rainfall in Inches.
					Births	Deaths	Marriages	Highest	Lowest	Mean	
								°	°	°	
Eight Principal Towns in Scotland.	31,919	1,329,884	41·664	11·58	763	455	152	67·2	44·5	56·1	1·13
GLASGOW, . . .	6,111	528,144	86·425	8·04	347	210	65	64·8	48·5	56·9	0·93
EDINBURGH, . .	5,907	266,900	45·184	11·12	141	79	35	64·8	49·0	56·3	0·58
DUNDEE, . . .	3,408	163,300	47·917	10·80	68	54	8	64·2	45·2	52·9	0·75
ABERDEEN, . .	5,811	121,448	20·900	16·35	75	27	12	67·2	48·2	56·2	2·05
GREENOCK, . .	1,509	78,248	51·854	10·38	35	21	8	63·2	49·0	56·1	1·93
LEITH, ...	1,344	76,400	56·845	9·92	45	23	6	66·0	51·8	57·5	0·89
PAISLEY, . . .	3,493	62,571	17·913	17·66	35	24	16	64·5	50·0	57·5	1·07
PERTH, ...	4,336	32,873	7·581	27·15	17	17	2	67·0	44·5	55·4	0·88
Corresponding Week of 1888.—Eight Towns.	31,919	1,314,274	41·175	11·65	785	438	143	71·1	35·1	54·5	0·28

[TURN OVER.

Week ending Saturday, August 17, 1889.

TABLE II.—DEATHS and RATE OF MORTALITY in Eight Principal Towns during the Week ending Saturday, August 17, 1889.

TOWNS.	Annual Rate of Mortality per 1000 living.		Deaths from All Causes.	The Deaths Registered in the Week include														
				Deaths of		Deaths from												
	From all Causes.	From Seven Zymotic Diseases.		Infants under One Year of Age.	Persons aged 60 Years & upwards.	Small-pox.	Measles.	Scarlet Fever.	Diphtheria.	Hooping-cough.	Fever.	Diarrhœa.	Croup and Laryngitis.	Bronchitis, Pneumonia & Pleurisy.	Violence.	Deaths in Public Institutions.	Deaths from Uncertified Causes.	Deaths from Unspecified Causes.
In Eight Towns,	17·8	3·4	455	150	74	1	10	0	7	21	6	43	5	52	18	68	36	1
GLASGOW, .	20·7	4·1	210	74	25	0	4	0	2	12	1	23	2	22	6	27	13	0
EDINBURGH,	15·4	2·3	79	17	16	*1	0	0	3	2	2	4	0	11	5	20	8	0
DUNDEE, . .	17·2	2·5	54	18	8	0	0	0	2	3	0	3	2	6	1	5	1	0
ABERDEEN, .	11·6	1·7	27	10	9	0	3	0	0	0	0	1	0	4	1	1	2	0
GREENOCK, .	14·0	3·3	21	6	6	0	0	0	0	0	1	4	0	3	0	2	4	0
LEITH, . . .	15·7	4·8	23	10	3	0	3	0	0	0	0	4	1	2	1	4	1	0
PAISLEY, . .	20·0	7·5	24	12	3	0	0	0	0	4	1	4	0	2	1	2	5	0
PERTH, . . .	26·9	1·6	17	3	4	0	0	0	0	0	1	0	0	2	3	7	2	1

* Chickenpox.

TABLE III.—DEATHS and RATE OF MORTALITY in Eight Principal Towns during the Week ending Saturday, August 18, 1888.

TOWNS.	Annual Rate of Mortality per 1000 living.		Deaths from All Causes.	The Deaths Registered in the Week include														
				Deaths of		Deaths from												
	From All Causes.	From Seven Zymotic Diseases.		Infants under One Year of Age.	Persons aged 60 Years & upwards.	Small-pox.	Measles.	Scarlet Fever.	Diphtheria.	Hooping-cough.	Fever.	Diarrhœa.	Croup and Laryngitis.	Bronchitis, Pneumonia, & Pleurisy.	Violence.	Deaths in Public Institutions.	Deaths from Uncertified Causes.	Deaths from Unspecified Causes.
In Eight Towns,	17·3	1·7	438	95	81	0	6	6	3	5	3	20	2	55	16	74	49	2
GLASGOW, .	20·1	2·1	203	47	30	0	2	2	2	4	1	10	2	26	3	30	20	1
EDINBURGH,	15·2	1·4	77	14	18	0	1	0	1	1	1	3	0	10	6	20	8	0
DUNDEE, . .	15·9	1·0	49	15	11	0	0	1	0	0	0	2	0	8	2	3	12	0
ABERDEEN, .	16·6	0·9	38	7	9	0	0	0	0	0	0	2	0	3	2	9	3	1
GREENOCK, .	10·1	0·0	15	3	3	0	0	0	0	0	0	0	0	3	0	1	3	0
LEITH, . . .	14·0	1·4	20	1	4	0	0	1	0	0	1	0	0	0	2	5	2	0
PAISLEY, . .	24·5	5·9	29	7	4	0	3	1	0	0	0	3	0	5	1	6	1	0
PERTH, . . .	11·2	1·6	7	1	2	0	0	1	0	0	0	0	0	0	0	0	0	0

WEEKLY RETURN

OF

BIRTHS, DEATHS, AND MARRIAGES

IN EIGHT PRINCIPAL TOWNS OF

SCOTLAND.

By Authority of the Registrar-General.

No. 34. WEEK ENDING SATURDAY, AUGUST 24, 1889.

The Death-rate in Eight Principal Towns during the week ending with Saturday, August 24, 1889, was 18·1 per thousand of estimated population. This rate is 1·4 above that for the corresponding week of last year, and 0·3 above that for the previous week of the present year.

The lowest mortality was recorded in Aberdeen, viz., 13·3 per thousand; and the highest in Paisley, viz., 29·9 per thousand.

The mortality from the seven most familiar Zymotic Diseases was at the rate of 3·6 per thousand, being an increase of 0·2 on the rate for last week.

The Deaths from Bronchitis, Pneumonia, and Pleurisy amounted to 43, or 9 less than for last week.

The Mean Temperature was 55°·1, being 1°·0 below that for the week immediately preceding, and 2°·2 below that for the corresponding week of 1888.

TABLE I.—BIRTHS, DEATHS, AND MARRIAGES Registered, and METEOROLOGY, during the Week ending Saturday, August 24, 1889, in Eight Principal Towns of Scotland.

TOWNS.	Registration Area in Acres.	Population estimated to middle of Year 1889.	Persons to an Acre. 1889.	Proximity in Yards.	Registered during the Week ending Aug. 24, 1889.			Temperature.			Rainfall in Inches.
					Births	Deaths	Marriages	Highest	Lowest	Mean	
								°	°	°	
Eight Principal Towns in Scotland.	31,919	1,329,884	41·664	11·58	787	462	149	69·0	40·0	55·1	1·43
GLASGOW, . . .	6,111	528,144	86·425	8·04	355	212	56	64·4	48·3	56·4	1·21
EDINBURGH, . .	5,907	266,900	45·184	11·12	129	75	28	64·4	46·5	55·9	1·81
DUNDEE, . .	3,408	163,300	47·917	10·80	82	50	11	66·1	42·3	55·2	1·34
ABERDEEN, . .	5,811	121,448	20·900	16·35	70	31	5	68·3	48·8	50·9	1·07
GREENOCK, . .	1,509	78,248	51·854	10·38	35	21	6	63·7	44·2	54·4	2·29
LEITH, ...	1,344	76,400	56·845	9·92	47	26	7	63·9	46·4	56·0	1·13
PAISLEY, . . .	3,493	62,571	17·913	17·66	53	36	35	66·1	45·0	56·3	1·25
PERTH, ...	4,336	32,873	7·581	27·15	16	11	1	69·0	40·0	55·6	1·34
Corresponding Week of 1888.—Eight Towns.	31,919	1,314,274	41·175	11·65	711	421	132	73·2	35·3	57·3	0·80

[TURN OVER.

Week ending Saturday, August 24, 1889.

TABLE II.—DEATHS and RATE OF MORTALITY in Eight Principal Towns during the Week ending Saturday, August 24, 1889.

TOWNS.	Annual Rate of Mortality per 1000 living.		Deaths from All Causes.	The Deaths Registered in the Week include														
				Deaths of		Deaths from										Deaths in Public Institutions.	Deaths from Uncertified Causes.	Deaths from Unspecified Causes.
	From all Causes.	From Seven Zymotic Diseases.		Infants under One Year of Age.	Persons aged 60 Years & upwards.	Small-pox.	Measles.	Scarlet Fever.	Diphtheria.	Hooping-cough.	Fever.	Diarrhœa.	Croup and Laryngitis.	Bronchitis, Pneumonia & Pleurisy.	Violence.			
In Eight Towns,	18·1	3·6	462	118	81	2	13	2	8	11	7	48	5	43	16	76	45	1
GLASGOW, .	20·9	3·9	212	60	33	*2	3	1	3	5	2	24	1	24	8	26	22	1
EDINBURGH,	14·6	3·3	75	16	12	0	2	1	2	3	2	7	2	2	2	25	13	0
DUNDEE, . .	15·9	3·8	50	12	13	0	0	0	3	1	1	7	0	6	2	3	1	0
ABERDEEN, .	13·3	3·0	31	8	6	0	3	0	0	0	0	4	0	3	1	8	0	0
GREENOCK, .	14·0	1·3	21	1	5	0	0	0	0	1	0	1	0	3	2	4	3	0
LEITH, . . .	17·7	4·1	26	8	5	0	5	0	0	0	0	1	1	2	0	3	0	0
PAISLEY, . .	29·9	5·8	36	11	4	0	0	0	0	1	2	4	1	2	0	6	5	0
PERTH, . . .	17·4	0·0	11	2	3	0	0	0	0	0	0	0	0	1	1	1	1	0

* Chickenpox.

TABLE III.—DEATHS and RATE OF MORTALITY in Eight Principal Towns during the Week ending Saturday, August 25, 1888.

TOWNS.	Annual Rate of Mortality per 1000 living.		Deaths from All Causes.	The Deaths Registered in the Week include														
				Deaths of		Deaths from										Deaths in Public Institutions.	Deaths from Uncertified Causes.	Deaths from Unspecified Causes.
	From All Causes.	From Seven Zymotic Diseases.		Infants under One Year of Age.	Persons aged 60 Years & upwards.	Small-pox.	Measles.	Scarlet Fever.	Diphtheria.	Hooping-cough.	Fever.	Diarrhœa.	Croup and Laryngitis.	Bronchitis, Pneumonia & Pleurisy.	Violence.			
In Eight Towns,	16·7	1·7	421	94	90	0	5	4	3	4	10	16	5	70	16	55	62	4
GLASGOW, .	18·8	2·1	190	53	27	0	1	1	1	4	3	11	3	40	7	13	35	4
EDINBURGH,	14·4	1·2	73	15	19	0	0	1	1	0	3	1	0	11	3	15	17	0
DUNDEE, . .	13·9	0·3	43	6	11	0	0	0	0	0	0	1	0	6	1	9	2	0
ABERDEEN, .	13·5	0·0	31	6	11	0	0	0	0	0	0	0	1	4	1	3	1	0
GREENOCK, .	14·2	2·0	21	0	6	0	0	0	1	0	2	0	0	3	2	7	1	0
LEITH, . . .	18·2	2·1	26	7	7	0	0	1	0	0	1	1	1	2	1	1	1	0
PAISLEY, . .	21·1	6·7	25	6	3	0	4	1	0	0	1	2	0	3	1	3	5	0
PERTH, . . .	19·2	0·0	12	1	6	0	0	0	0	0	0	0	0	1	0	4	0	0

WEEKLY RETURN

OF

BIRTHS, DEATHS, AND MARRIAGES

IN EIGHT PRINCIPAL TOWNS OF

SCOTLAND.

By Authority of the Registrar-General.

No. 35. WEEK ENDING SATURDAY, AUGUST 31, 1889.

The Death-rate in Eight Principal Towns during the week ending with Saturday, August 31, 1889, was 17·6 per thousand of estimated population. This rate is 1·5 above that for the corresponding week of last year, but 0·5 below that for the previous week of the present year.

The lowest mortality was recorded in Greenock, viz., 12·6 per thousand; and the highest in Paisley, viz., 25·8 per thousand.

The mortality from the seven most familiar Zymotic Diseases was at the rate of 2·9 per thousand, being 0·7 below that for the previous week.

The Deaths from Bronchitis, Pneumonia, and Pleurisy amounted to 48, being 5 more than for last week.

The Mean Temperature was 56°·0, being 0°·9 above that for the week immediately preceding and 0°·1 above that for the corresponding week of 1888.

TABLE I.—BIRTHS, DEATHS, AND MARRIAGES Registered, and METEOROLOGY, during the Week ending Saturday, August 31, 1889, in Eight Principal Towns of Scotland.

TOWNS.	Registration Area in Acres.	Population estimated to middle of Year 1889.	Persons to an Acre. 1889.	Proximity in Yards.	Registered during the Week ending Aug. 31, 1889.			Temperature.			Rainfall in Inches.
					Births	Deaths	Marriages	Highest	Lowest	Mean	
								°	°	°	
Eight Principal Towns in Scotland.	31,919	1,329,884	41·664	11·58	815	449	157	71·4	39·0	56·0	0·88
GLASGOW, . . .	6,111	528,144	86·425	8·04	371	195	71	64·1	40·0	55·3	0·98
EDINBURGH, . .	5,907	266,900	45·184	11·12	143	83	33	70·2	40·0	56·1	0·68
DUNDEE, . .	3,408	163,300	47·917	10·80	89	46	16	71·4	42·3	57·3	0·46
ABERDEEN, . .	5,811	121,448	20·900	16·35	69	31	14	64·2	45·4	55·5	0·60
GREENOCK, . .	1,509	78,248	51·854	10·38	48	19	5	63·0	45·0	54·6	2·16
LEITH, ...	1,344	76,400	56·845	9·92	50	35	10	66·3	44·9	57·2	0·69
PAISLEY, . . .	3,493	62,571	17·913	17·66	36	31	7	69·9	43·3	56·0	0·94
PERTH, ...	4,336	32,873	7·581	27·15	9	9	1	69·5	39·0	56·3	0·51
Corresponding Week of 1888.—Eight Towns.	31,919	1,314,274	41·175	11·65	792	407	157	72·0	40·2	55·9	0·84

[TURN OVER.

Week ending Saturday, August 31, 1889.

TABLE II.—DEATHS and RATE OF MORTALITY in Eight Principal Towns during the Week ending Saturday, August 31, 1889.

TOWNS.	Annual Rate of Mortality per 1000 living.		Deaths from All Causes.	The Deaths Registered in the Week include														
				Deaths of		Deaths from												
	From all Causes.	From Seven Zymotic Diseases.		Infants under One Year of Age.	Persons aged 60 Years & upwards.	Small-pox.	Measles.	Scarlet Fever.	Diphtheria.	Hooping-cough.	Fever.	Diarrhœa.	Croup and Laryngitis.	Bronchitis, Pneumonia & Pleurisy.	Violence.	Deaths in Public Institutions.	Deaths from Uncertified Causes.	Deaths from Unspecified Causes.
In Eight Towns,	17·6	2·9	449	107	75	0	7	5	7	19	5	31	7	48	22	74	39	2
GLASGOW, .	19·2	3·4	195	48	26	0	2	1	5	11	2	14	1	29	10	27	14	2
EDINBURGH,	16·2	1·8	83	18	14	0	0	3	0	0	2	4	3	6	5	21	19	0
DUNDEE, . .	14·6	2·9	46	13	9	0	0	0	1	3	0	5	1	4	1	6	2	0
ABERDEEN, .	13·3	1·3	31	5	7	0	2	0	0	0	0	1	1	3	1	5	0	0
GREENOCK, .	12·6	2·7	19	4	3	0	0	0	1	1	0	2	0	1	1	2	1	0
LEITH, . . .	23·8	4·8	35	11	6	0	3	0	0	2	0	2	0	4	3	4	3	0
PAISLEY, . .	25·8	5·0	31	8	7	0	0	0	0	2	1	3	0	1	1	6	0	0
PERTH, . . .	14·4	1·6	9	0	3	0	0	1	0	0	0	0	1	0	0	3	0	0

TABLE III.—DEATHS and RATE OF MORTALITY in Eight Principal Towns during the Week ending Saturday, September 1, 1888.

TOWNS.	Annual Rate of Mortality per 1000 living.		Deaths from All Causes.	The Deaths Registered in the Week include														
				Deaths of		Deaths from												
	From All Causes.	From Seven Zymotic Diseases.		Infants under One Year of Age.	Persons aged 60 Years & upwards.	Small-pox.	Measles.	Scarlet Fever.	Diphtheria.	Hooping-cough.	Fever.	Diarrhœa.	Croup and Laryngitis.	Bronchitis, Pneumonia & Pleurisy.	Violence.	Deaths in Public Institutions.	Deaths from Uncertified Causes.	Deaths from Unspecified Causes.
In Eight Towns,	16·1	1·7	407	92	76	0	5	5	2	3	4	25	7	56	15	56	48	3
GLASGOW, .	17·4	2·2	176	42	26	0	0	4	1	1	1	15	2	28	8	26	22	2
EDINBURGH,	15·0	0·4	76	19	19	0	0	0	0	0	1	1	2	10	4	9	16	0
DUNDEE, . .	12·9	1·3	40	13	8	0	0	0	0	0	1	3	1	7	3	3	1	0
ABERDEEN, .	13·5	1·3	31	8	8	0	0	0	0	0	1	2	1	4	0	6	2	0
GREENOCK, .	12·2	0·0	18	1	1	0	0	0	0	0	0	0	0	2	0	2	1	0
LEITH, . . .	16·1	2·1	23	3	5	0	1	0	0	0	0	2	0	2	0	3	3	1
PAISLEY, . .	27·8	6·7	33	5	6	0	4	0	1	2	0	1	0	3	0	4	3	0
PERTH, . . .	16·0	3·2	10	1	3	0	0	1	0	0	0	1	1	0	0	3	0	0

WEEKLY RETURN

OF

BIRTHS, DEATHS, AND MARRIAGES

IN EIGHT PRINCIPAL TOWNS OF

SCOTLAND.

By Authority of the Registrar-General.

No. 36. WEEK ENDING SATURDAY, SEPTEMBER 7, 1889.

The Death-rate in Eight Principal Towns during the week ending with Saturday, September 7, 1889, was 16·5 per thousand of estimated population. This rate is 0·5 above that for the corresponding week of last year, but 1·1 below that for the previous week of the present year.

The lowest mortality was recorded in Perth, viz., 11·1 per thousand; and the highest in Glasgow, viz., 21·2 per thousand.

The mortality from the seven most familiar Zymotic Diseases was at the rate of 2·6 per thousand, being 0·3 below that for the previous week.

The Deaths from Bronchitis, Pneumonia, and Pleurisy amounted to 50, being 2 more than during last week.

The Mean Temperature was 56°·6, being 0°·6 above that for the week immediately preceding, and 2°·2 above that for the corresponding week of 1888.

TABLE I.—BIRTHS, DEATHS, AND MARRIAGES Registered, and METEOROLOGY, during the Week ending Saturday, September 7, 1889, in Eight Principal Towns of Scotland.

TOWNS.	Registration Area in Acres.	Population estimated to middle of Year 1889.	Persons to an Acre. 1889.	Proximity in Yards.	Registered during the Week ending Sept. 7, 1889.			Temperature.			Rainfall in Inches.
					Births	Deaths	Marriages	Highest	Lowest	Mean	
								°	°	°	
Eight Principal Towns in Scotland.	31,919	1,329,884	41·664	11·58	782	423	197	72·0	42·0	56·6	0·01
GLASGOW, . . .	6,111	528,144	86·425	8·04	343	215	90	70·0	42·2	57·8	0·03
EDINBURGH, . .	5,907	266,900	45·184	11·12	145	65	41	71·0	43·9	56·5	0·00
DUNDEE, . .	3,408	163,300	47·917	10·80	90	45	19	66·4	42·1	55·3	0·01
ABERDEEN, . .	5,811	121,448	20·900	16·35	59	35	21	63·2	48·2	55·6	0·00
GREENOCK, . .	1,509	78,248	51·854	10·38	37	21	12	66·2	48·0	57·0	0·00
LEITH, ...	1,344	76,400	56·845	9·92	46	21	8	63·8	47·1	55·4	0·00
PAISLEY, . . .	3,493	62,571	17·913	17·66	39	14	4	71·3	42·9	58·3	0·01
PERTH, ...	4,336	32,873	7·581	27·15	23	7	2	72·0	42·0	56·8	0·02
Corresponding Week of 1888.—Eight Towns.	31,919	1,314,274	41·175	11·65	738	405	172	68·5	36·5	54·4	0·26

[TURN OVER.

Week ending Saturday, September 7, 1889.

TABLE II.—DEATHS and RATE OF MORTALITY in Eight Principal Towns during the Week ending Saturday, September 7, 1889.

TOWNS.	Annual Rate of Mortality per 1000 living.		Deaths from All Causes.	The Deaths Registered in the Week include														
				Deaths of		Deaths from												
	From all Causes.	From Seven Zymotic Diseases.		Infants under One Year of Age.	Persons aged 60 Years & upwards.	Small-pox.	Measles.	Scarlet Fever.	Diphtheria.	Hooping-cough.	Fever.	Diarrhœa.	Croup and Laryngitis.	Bronchitis, Pneumonia & Pleurisy.	Violence.	Deaths in Public Institutions.	Deaths from Uncertified Causes.	Deaths from Unspecified Causes.
In Eight Towns,	16·5	2·6	423	89	84	0	3	2	9	18	10	24	4	50	17	50	39	1
GLASGOW, .	21.2	3·2	215	43	36	0	1	0	3	10	6	13	2	35	9	19	21	1
EDINBURGH,	12·7	1·4	65	12	21	0	0	1	2	1	0	3	1	3	2	11	10	0
DUNDEE, . .	14·3	1·9	45	11	10	0	0	0	0	4	1	1	0	6	3	5	3	0
ABERDEEN, .	15·0	2·6	35	6	6	0	1	0	0	0	2	3	0	3	1	6	0	0
GREENOCK, .	14.0	0·7	21	5	3	0	0	0	1	0	0	0	0	1	0	3	3	0
LEITH, . . .	14·3	5·4	21	9	3	0	1	1	3	2	0	1	0	0	1	0	0	0
PAISLEY, . .	11·6	3·3	14	2	3	0	0	0	0	1	1	2	0	1	1	4	2	0
PERTH, . . .	11·1	1·6	7	1	2	0	0	0	0	0	0	1	1	1	0	2	0	0

TABLE III.—DEATHS and RATE OF MORTALITY in Eight Principal Towns during the Week ending Saturday, September 8, 1888.

TOWNS.	Annual Rate of Mortality per 1000 living.		Deaths from All Causes.	The Deaths Registered in the Week include														
				Deaths of		Deaths from												
	From All Causes.	From Seven Zymotic Diseases.		Infants under One Year of Age.	Persons aged 60 Years & upwards.	Small-pox.	Measles.	Scarlet Fever.	Diphtheria.	Hooping-cough.	Fever.	Diarrhœa.	Croup and Laryngitis.	Bronchitis, Pneumonia & Pleurisy.	Violence.	Deaths in Public Institutions.	Deaths from Uncertified Causes.	Deaths from Unspecified Causes.
In Eight Towns,	16·0	2·0	405	92	90	0	8	6	7	6	2	22	4	71	12	62	36	4
GLASGOW, .	18·5	2·9	187	48	29	0	4	0	6	3	2	14	3	31	4	26	20	4
EDINBURGH,	16·8	0·6	85	20	22	0	0	0	0	1	0	2	1	13	3	19	11	0
DUNDEE, . .	13·9	1·6	43	8	11	0	0	2	1	0	0	2	0	10	2	9	1	0
ABERDEEN, .	13·9	0·9	32	6	10	0	0	1	0	1	0	0	0	7	1	2	1	0
GREENOCK, .	7·4	1·3	11	3	3	0	0	1	0	0	0	1	0	3	0	1	0	0
LEITH, . . .	7·7	0·0	11	2	5	0	0	0	0	0	0	0	0	3	1	1	2	0
PAISLEY, . .	21·9	6·7	26	4	6	0	4	0	0	1	0	3	0	3	1	4	1	0
PERTH, . . .	16·0	3·2	10	1	4	0	0	2	0	0	0	0	0	1	0	0	0	0

WEEKLY RETURN

OF

BIRTHS, DEATHS, AND MARRIAGES

IN EIGHT PRINCIPAL TOWNS OF

SCOTLAND.

By Authority of the Registrar-General.

No. 37. WEEK ENDING SATURDAY, SEPTEMBER 14, 1889.

The Death-rate in Eight Principal Towns during the week ending with Saturday, September 14, 1889, was 19·1 per thousand of estimated population. This rate is 3·1 above that for the corresponding week of last year, and 2·6 above that for the previous week of the present year.

The lowest mortality was recorded in Paisley, viz., 12·5 per thousand; and the highest in Dundee, viz., 23·6 per thousand.

The mortality from the seven most familiar Zymotic Diseases was at the rate of 3·1 per thousand, being 0·5 above that for the previous week.

The Deaths from Bronchitis, Pneumonia, and Pleurisy amounted to 57, being 7 more than during last week.

The Mean Temperature was 59°·1, being 2°·5 above that for the week immediately preceding, and 6°·6 above that for the corresponding week of 1888.

TABLE I.—BIRTHS, DEATHS, AND MARRIAGES Registered, and METEOROLOGY, during the Week ending Saturday, September 14, 1889, in Eight Principal Towns of Scotland.

TOWNS.	Registration Area in Acres.	Population estimated to middle of Year 1889.	Persons to an Acre. 1889.	Proximity in Yards.	Registered during the Week ending Sept. 14, 1889.			Temperature.			Rainfall in Inches.
					Births	Deaths	Marriages	Highest	Lowest	Mean	
								°	°	°	
Eight Principal Towns in Scotland.	31,919	1,329,884	41·664	11·58	804	488	171	74·0	43·9	59·1	0·18
GLASGOW, . . .	6,111	528,144	86·425	8·04	368	200	73	72·0	47·9	59·6	0·32
EDINBURGH, . .	5,907	266,900	45·184	11·12	140	77	34	69·5	43·9	59·1	0·02
DUNDEE, . .	3,408	163,300	47·917	10·80	87	74	14	68·6	48·2	57·8	0·21
ABERDEEN, . .	5,811	121,448	20·900	16·35	63	53	20	70·1	47·6	58·5	0·10
GREENOCK, . .	1,509	78,248	51·854	10·38	39	29	12	69·0	49·2	59·2	0·29
LEITH, ...	1,344	76,400	56·845	9·92	40	28	8	71·2	48·8	59·1	0·15
PAISLEY, . . .	3,493	62,571	17·913	17·66	46	15	6	74·0	48·5	60·2	0·19
PERTH, ...	4,336	32,873	7·581	27·15	21	12	4	69·0	49·0	59·4	0·15
Corresponding Week of 1888.—Eight Towns.	31,919	1,314,274	41·175	11·65	775	405	174	70·6	36·5	52·5	0·29

[TURN OVER.

Week ending Saturday, September 14, 1889.

TABLE II.—DEATHS and RATE OF MORTALITY in Eight Principal Towns during the Week ending Saturday, September 14, 1889.

TOWNS.	Annual Rate of Mortality per 1000 living.		Deaths from All Causes.	The Deaths Registered in the Week include														
				Deaths of		Deaths from												
	From all Causes.	From Seven Zymotic Diseases.		Infants under One Year of Age.	Persons aged 60 Years & upwards.	Small-pox.	Measles.	Scarlet Fever.	Diphtheria.	Hooping-cough.	Fever.	Diarrhœa.	Croup and Laryngitis.	Bronchitis, Pneumonia & Pleurisy.	Violence.	Deaths in Public Institutions.	Deaths from Uncertified Causes.	Deaths from Unspecified Causes.
In Eight Towns,	19·1	3·1	488	127	117	0	9	3	5	13	11	38	4	57	18	70	47	2
GLASGOW, . .	19·7	3·3	200	58	31	0	5	0	2	6	4	17	1	26	7	23	19	1
EDINBURGH,	15·0	3·3	77	19	23	0	0	1	2	4	2	8	0	8	5	22	11	0
DUNDEE, . .	23·6	3·2	74	17	25	0	0	0	0	2	4	4	0	13	2	12	6	0
ABERDEEN, .	22·7	2·1	53	13	16	0	1	0	0	0	0	4	0	1	2	4	1	0
GREENOCK, .	19·3	2·7	29	10	7	0	0	0	1	0	1	2	1	2	1	1	5	0
LEITH, . . .	19·1	4·1	28	5	7	0	3	1	0	0	0	2	1	4	0	2	2	0
PAISLEY, . .	12·5	1·7	15	2	5	0	0	0	0	1	0	1	1	2	1	3	0	0
PERTH, . . .	19·0	1·6	12	3	3	0	0	1	0	0	0	0	0	1	0	3	3	1

TABLE III.—DEATHS and RATE OF MORTALITY in Eight Principal Towns during the Week ending Saturday, September 15, 1888.

TOWNS.	Annual Rate of Mortality per 1000 living.		Deaths from All Causes.	The Deaths Registered in the Week include														
				Deaths of		Deaths from												
	From All Causes.	From Seven Zymotic Diseases.		Infants under One Year of Age.	Persons aged 60 Years & upwards.	Small-pox.	Measles.	Scarlet Fever.	Diphtheria.	Hooping-cough.	Fever.	Diarrhœa.	Croup and Laryngitis.	Bronchitis, Pneumonia & Pleurisy.	Violence.	Deaths in Public Institutions.	Deaths from Uncertified Causes.	Deaths from Unspecified Causes.
In Eight Towns,	16·0	2·2	405	103	74	0	4	4	3	7	8	29	6	69	11	65	45	3
GLASGOW, .	16·7	2·6	169	42	29	0	1	3	2	5	0	15	2	30	4	19	17	2
EDINBURGH,	13·9	1·4	70	24	9	0	0	0	0	0	2	5	0	11	0	19	13	0
DUNDEE, . .	15·9	1·6	49	14	6	0	0	0	1	0	1	3	0	7	1	7	4	0
ABERDEEN, .	15·3	1·3	35	7	11	0	0	0	0	1	2	0	1	7	1	9	3	0
GREENOCK, .	10·1	1·4	15	2	4	0	0	0	0	0	0	2	0	1	0	1	3	1
LEITH, . . .	15·4	2·8	22	5	6	0	0	1	0	0	1	2	0	2	2	4	3	0
PAISLEY, . .	26·1	5·9	31	8	4	0	3	0	0	1	2	1	2	8	2	3	2	0
PERTH, . . .	22·4	1·6	14	1	5	0	0	0	0	0	0	1	1	3	1	3	0	0

WEEKLY RETURN

OF

BIRTHS, DEATHS, AND MARRIAGES

IN EIGHT PRINCIPAL TOWNS OF

SCOTLAND.

By Authority of the Registrar-General.

No. 38. WEEK ENDING SATURDAY, SEPTEMBER 21, 1889.

The Death-rate in Eight Principal Towns during the week ending with Saturday, September 21, 1889, was 16·4 per thousand of estimated population. This rate is 0·9 below that for the corresponding week of last year, and 2·7 below that for the previous week of the present year.

The lowest mortality was recorded in Perth, viz., 9·5 per thousand; and the highest in Paisley, viz., 22·4 per thousand.

The mortality from the seven most familiar Zymotic Diseases was at the rate of 2·9 per thousand, being 0·2 below that for the previous week.

The Deaths from Bronchitis, Pneumonia, and Pleurisy amounted to 56, or 1 less than during last week.

The Mean Temperature was 50°·8, being 8°·3 below that for the week immediately preceding, and 3°·2 below that for the corresponding week of 1888.

TABLE I.—BIRTHS, DEATHS, AND MARRIAGES Registered, and METEOROLOGY, during the Week ending Saturday, September 21, 1889, in Eight Principal Towns of Scotland.

TOWNS.	Registration Area in Acres.	Population estimated to middle of Year 1889.	Persons to an Acre. 1889.	Proximity in Yards.	Registered during the Week ending Sept. 21, 1889.			Temperature.			Rainfall in Inches.
					Births	Deaths	Marriages	Highest	Lowest	Mean	
								°	°	°	
Eight Principal Towns in Scotland.	31,919	1,329,884	41·664	11·58	800	419	158	64·2	34·5	50·8	0·62
GLASGOW, . . .	6,111	528,144	86·425	8·04	352	175	66	63·9	36·9	50·3	0·76
EDINBURGH, . .	5,907	266,900	45·184	11·12	147	92	33	61·8	36·0	50·5	0·54
DUNDEE, . .	3,408	163,300	47·917	10·80	75	44	17	62·9	36·0	50·5	0·29
ABERDEEN, . .	5,811	121,448	20·900	16·35	76	33	14	60·2	40·8	51·1	0·54
GREENOCK, . .	1,509	78,248	51·854	10·38	49	24	7	60·2	39·0	51·1	1·21
LEITH, ...	1,344	76,400	56·845	9·92	39	18	8	60·7	38·7	50·5	0·45
PAISLEY, . . .	3,493	62,571	17·913	17·66	46	27	10	64·2	38·0	51·4	0·76
PERTH, ...	4,336	32,873	7·581	27·15	16	6	3	63·0	34·5	50·8	0·38
Corresponding Week of 1888.—Eight Towns.	31,919	1,314,274	41·175	11·65	775	436	155	70·7	39·0	54·0	0·03

[TURN OVER.

Week ending Saturday, September 21, 1889.

TABLE II.—DEATHS and RATE OF MORTALITY in Eight Principal Towns during the Week ending Saturday, September 21, 1889.

TOWNS.	Annual Rate of Mortality per 1000 living.		Deaths from All Causes.	The Deaths Registered in the Week include														
				Deaths of		Deaths from												
	From all Causes.	From Seven Zymotic Diseases.		Infants under One Year of Age.	Persons aged 60 Years & upwards.	Small-pox.	Measles.	Scarlet Fever.	Diphtheria.	Hooping-cough.	Fever.	Diarrhœa.	Croup and Laryngitis.	Bronchitis, Pneumonia & Pleurisy.	Violence.	Deaths in Public Institutions.	Deaths from Uncertified Causes.	Deaths from Unspecified Causes.
In Eight Towns,	16·4	2·9	419	121	93	0	5	6	6	15	6	36	10	56	13	70	49	1
GLASGOW, .	17·2	2·8	175	49	35	0	3	2	4	9	3	7	3	26	6	35	16	0
EDINBURGH,	17·9	3·7	92	30	18	0	1	1	1	5	1	10	4	10	4	19	19	0
DUNDEE, . .	14·0	3·2	44	17	9	0	0	0	1	1	0	8	1	10	0	5	4	0
ABERDEEN, .	14·1	1·3	33	8	9	0	0	0	0	0	1	2	1	2	0	4	2	0
GREENOCK, .	15·9	2·0	24	4	5	0	0	0	0	0	0	3	1	2	2	1	5	1
LEITH, . . .	12·3	2·7	18	4	6	0	1	1	0	0	1	1	0	3	1	3	0	0
PAISLEY, . .	22·4	3·3	27	7	8	0	0	1	0	0	0	3	0	3	0	2	3	0
PERTH, . . .	9·5	4·7	6	2	3	0	0	1	0	0	0	2	0	0	0	1	0	0

TABLE III.—DEATHS and RATE OF MORTALITY in Eight Principal Towns during the Week ending Saturday, September 22, 1888.

TOWNS.	Annual Rate of Mortality per 1000 living.		Deaths from All Causes.	The Deaths Registered in the Week include														
				Deaths of		Deaths from												
	From All Causes.	From Seven Zymotic Diseases.		Infants under One Year of Age.	Persons aged 60 Years & upwards.	Small-pox.	Measles.	Scarlet Fever.	Diphtheria.	Hooping-cough.	Fever.	Diarrhœa.	Croup and Laryngitis.	Bronchitis, Pneumonia & Pleurisy.	Violence.	Deaths in Public Institutions.	Deaths from Uncertified Causes.	Deaths from Unspecified Causes.
In Eight Towns,	17·3	2·3	436	90	94	0	10	6	6	2	4	29	4	81	16	74	51	4
GLASGOW, .	19·2	2·3	194	47	31	0	2	4	0	1	1	15	1	38	12	28	22	4
EDINBURGH,	17·4	2·4	88	12	21	0	0	0	4	1	0	7	2	15	1	24	22	0
DUNDEE, . .	13·6	1·6	42	11	9	0	0	2	0	0	0	3	0	9	2	5	1	0
ABERDEEN, .	15·7	0·9	36	7	11	0	0	0	1	0	0	1	0	7	0	7	1	0
GREENOCK, .	14·9	2·0	22	5	3	0	0	0	1	0	1	1	0	3	1	1	3	0
LEITH, . . .	9·8	0·7	14	3	5	0	0	0	0	0	0	1	0	1	0	1	0	0
PAISLEY, . .	27·0	9·3	32	5	11	0	8	0	0	0	2	1	1	6	0	7	2	0
PERTH, . . .	12·8	0·0	8	0	3	0	0	0	0	0	0	0	0	2	0	1	0	0

WEEKLY RETURN

OF

BIRTHS, DEATHS, AND MARRIAGES

IN EIGHT PRINCIPAL TOWNS OF

SCOTLAND.

By Authority of the Registrar-General.

No. 39. WEEK ENDING SATURDAY, SEPTEMBER 28, 1889.

The Death-rate in Eight Principal Towns during the week ending with Saturday, September 28, 1889, was 18·8 per thousand of estimated population. This rate is 1·2 above that for the corresponding week of last year, and 2·4 above that for the previous week of the present year.

The lowest mortality was recorded in Perth, viz., 9·5 per thousand; and the highest in Leith, viz., 25·2 per thousand.

The mortality from the seven most familiar Zymotic Diseases was at the rate of 2·9 per thousand, being the same as that for the previous week.

The Deaths from Bronchitis, Pneumonia, and Pleurisy amounted to 79, or 23 more than during last week.

The Mean Temperature was 47°·1, being 3°·7 below that for the week immediately preceding, and 2°·9 below that for the corresponding week of 1888.

TABLE I.—BIRTHS, DEATHS, AND MARRIAGES Registered, and METEOROLOGY, during the Week ending Saturday, September 28, 1889, in Eight Principal Towns of Scotland.

TOWNS.	Registration Area in Acres.	Population estimated to middle of Year 1889.	Persons to an Acre. 1889.	Proximity in Yards.	Registered during the Week ending Sept. 28, 1889.			Temperature.			Rainfall in Inches.
					Births	Deaths	Marriages	Highest	Lowest	Mean	
								°	°	°	
Eight Principal Towns in Scotland.	31,919	1,329,884	41·664	11·58	773	481	177	63·2	29·5	47·1	0·29
GLASGOW, . . .	6,111	528,144	86·425	8·04	364	210	79	59·6	32·9	47·7	0·35
EDINBURGH, . .	5,907	266,900	45·184	11·12	120	85	26	59·5	33·8	47·3	0·06
DUNDEE, . .	3,408	163,300	47·917	10·80	87	52	14	59·7	34·2	46·9	0·12
ABERDEEN, . .	5,811	121,448	20·900	16·35	86	40	20	63·2	35·4	46·9	0·32
GREENOCK, . .	1,509	78,248	51·854	10·38	31	29	10	58·0	34·0	46·5	0·85
LEITH, ...	1,344	76,400	56·845	9·92	35	37	10	61·0	35·9	48·4	0·22
PAISLEY, . . .	3,493	62,571	17·913	17·66	40	22	12	59·8	34·5	48·2	0·20
PERTH, ...	4,336	32,873	7·581	27·15	10	6	6	59·5	29·5	45·3	0·21
Corresponding Week of 1888.—Eight Towns.	31,919	1,314,274	41·175	11·65	758	444	165	68·9	36·8	50·0	0·13

[TURN OVER.

Week ending Saturday, September 28, 1889.

TABLE II.—DEATHS and RATE OF MORTALITY in Eight Principal Towns during the Week ending Saturday, September 28, 1889.

TOWNS.	Annual Rate of Mortality per 1000 living.		Deaths from All Causes.	The Deaths Registered in the Week include													
				Deaths of		Deaths from											
	From all Causes.	From Seven Zymotic Diseases.		Infants under One Year of Age.	Persons aged 60 Years & upwards.	Small-pox.	Measles.	Scarlet Fever.	Diphtheria.	Hooping-cough.	Fever.	Diarrhœa.	Croup and Laryngitis.	Bronchitis, Pneumonia & Pleurisy.	Violence.	Deaths in Public Institutions.	Deaths from Uncertified Causes.	Deaths from Unspecified Causes.
In Eight Towns,	18·8	2·9	481	112	94	0	6	4	9	14	11	30	10	79	24	81	58	2
GLASGOW, .	20·7	3·4	210	52	34	0	5	1	1	9	6	13	4	42	11	42	24	2
EDINBURGH,	16·6	1·9	85	16	23	0	0	0	1	2	2	5	1	14	4	17	22	0
DUNDEE, . .	16·6	3·5	52	18	8	0	0	0	2	1	1	7	0	8	3	9	1	0
ABERDEEN, .	17·1	1·3	40	10	10	0	0	0	0	0	0	3	2	3	1	4	1	0
GREENOCK, .	19·3	1·3	29	8	5	0	0	0	0	0	1	1	0	4	3	3	5	0
LEITH, . . .	25·2	4·8	37	8	7	0	0	2	3	1	0	1	1	4	1	3	3	0
PAISLEY, . .	18·3	3·3	22	0	5	0	1	1	1	0	1	0	2	4	0	3	2	0
PERTH, . . .	9·5	3·2	6	0	2	0	0	0	1	1	0	0	0	0	1	0	0	0

TABLE III.—DEATHS and RATE OF MORTALITY in Eight Principal Towns during the Week ending Saturday, September 29, 1888.

TOWNS.	Annual Rate of Mortality per 1000 living.		Deaths from All Causes.	The Deaths Registered in the Week include													
				Deaths of		Deaths from											
	From All Causes.	From Seven Zymotic Diseases.		Infants under One Year of Age.	Persons aged 60 Years & upwards.	Small-pox.	Measles.	Scarlet Fever.	Diphtheria.	Hooping-cough.	Fever.	Diarrhœa.	Croup and Laryngitis.	Bronchitis, Pneumonia & Pleurisy.	Violence.	Deaths in Public Institutions.	Deaths from Uncertified Causes.	Deaths from Unspecified Causes.
In Eight Towns,	17·6	2·1	444	113	95	0	9	4	6	4	8	23	5	74	19	77	58	3
GLASGOW, .	19·3	2·3	195	48	44	0	3	4	3	4	5	4	2	35	13	36	27	2
EDINBURGH,	13·9	1·0	70	15	19	0	0	0	1	0	0	4	1	14	0	13	16	0
DUNDEE, . .	14·2	1·6	44	11	8	0	0	0	1	0	0	4	0	6	0	7	3	0
ABERDEEN, .	17·4	2·2	40	10	8	0	0	0	0	0	1	4	1	6	1	8	2	1
GREENOCK, .	20·3	2·0	30	9	3	0	0	0	0	0	0	3	1	4	3	4	5	0
LEITH, . . .	18·2	2·8	26	8	6	0	1	0	1	0	1	1	0	3	1	1	1	0
PAISLEY, . .	26·1	7·6	31	11	4	0	5	0	0	0	1	3	0	2	1	5	4	0
PERTH, . . .	12·8	0·0	8	1	3	0	0	0	0	0	0	0	0	4	0	3	0	0

WEEKLY RETURN

OF

BIRTHS, DEATHS, AND MARRIAGES

IN EIGHT PRINCIPAL TOWNS OF

SCOTLAND.

By Authority of the Registrar-General.

No. 40. WEEK ENDING SATURDAY, OCTOBER 5, 1889.

The Death-rate in Eight Principal Towns during the week ending with Saturday, October 5, 1889, was 18·6 per thousand of estimated population. This rate is 1·6 above that for the corresponding week of last year, but 0·2 below that for the previous week of the present year.

The lowest mortality was recorded in Paisley, viz., 11·6 per thousand; and the highest in Perth, viz., 22·2 per thousand.

The mortality from the seven most familiar Zymotic Diseases was at the rate of 2·7 per thousand, being 0·2 below that for the previous week.

The Deaths from Bronchitis, Pneumonia, and Pleurisy amounted to 88, or 9 more than during last week.

The Mean Temperature was 48°·2, being 1°·1 above that for the week immediately preceding, and 6°·3 above that for the corresponding week of 1888.

TABLE I.—BIRTHS, DEATHS, AND MARRIAGES Registered, and METEOROLOGY, during the Week ending Saturday, October 5, 1889, in Eight Principal Towns of Scotland.

TOWNS.	Registration Area in Acres.	Population estimated to middle of Year 1889.	Persons to an Acre. 1889.	Proximity in Yards.	Registered during the Week ending Oct. 5, 1889.			Temperature.			Rainfall in Inches.
					Births	Deaths	Marriages	Highest	Lowest	Mean	
								°	°	°	
Eight Principal Towns in Scotland.	31,919	1,329,884	41·664	11·58	790	476	203	59·9	32·4	48·2	0·66
GLASGOW, . . .	6,111	528,144	86·425	8·04	337	208	96	56·8	32·4	47·1	0·68
EDINBURGH, . .	5,907	266,900	45·184	11·12	146	91	42	59·0	37·5	48·3	0·97
DUNDEE, . .	3,408	163,300	47·917	10·80	84	59	13	59·1	37·2	48·8	0·81
ABERDEEN, . .	5,811	121,448	20·900	16·35	87	39	22	55·3	40·3	48·3	0·45
GREENOCK, . .	1,509	78,248	51·854	10·38	29	21	12	57·2	38·0	48·5	0·47
LEITH, ...	1,344	76,400	56·845	9·92	44	30	6	53·3	40·9	48·4	0·77
PAISLEY, . . .	3,493	62,571	17·913	17·66	45	14	6	59·9	36·2	48·8	0·48
PERTH, ...	4,336	32,873	7·581	27·15	18	14	6	58·5	35·0	47·8	0·65
Corresponding Week of 1888.—Eight Towns.	31,919	1,314,274	41·175	11·65	808	429	215	57·4	26·0	41·9	0·40

[TURN OVER.

Week ending Saturday, October 5, 1889.

TABLE II.—DEATHS and RATE OF MORTALITY in Eight Principal Towns during the Week ending Saturday, October 5, 1889.

TOWNS.	Annual Rate of Mortality per 1000 living.		Deaths from All Causes.	The Deaths Registered in the Week include														
				Deaths of		Deaths from												
	From all Causes.	From Seven Zymotic Diseases.		Infants under One Year of Age.	Persons aged 60 Years & upwards.	Small-pox.	Measles.	Scarlet Fever.	Diphtheria.	Hooping-cough.	Fever.	Diarrhœa.	Croup and Laryngitis.	Bronchitis, Pneumonia & Pleurisy.	Violence.	Deaths in Public Institutions.	Deaths from Uncertified Causes.	Deaths from Unspecified Causes.
In Eight Towns,	18·6	2·7	476	116	102	0	8	6	13	15	11	16	11	88	22	78	42	1
GLASGOW, .	20·4	3·2	208	59	28	0	3	3	3	11	6	7	4	47	16	35	18	0
EDINBURGH,	17·7	1·4	91	16	29	0	0	1	3	0	1	2	1	16	2	17	18	0
DUNDEE, . .	18·8	2·2	59	16	20	0	0	1	2	1	0	3	0	13	2	7	3	0
ABERDEEN, .	16·7	3·0	39	6	8	0	4	0	1	0	1	1	1	4	0	7	0	0
GREENOCK, .	14·0	2·0	21	3	3	0	0	0	0	1	2	0	2	1	2	6	0	0
LEITH, . . .	20·4	4·8	30	8	7	0	1	0	4	0	0	2	1	6	0	3	0	0
PAISLEY, . .	11·6	3·3	14	3	3	0	0	0	0	2	1	1	2	0	0	1	2	1
PERTH, . . .	22·2	1·6	14	5	4	0	0	1	0	0	0	0	0	1	0	2	1	0

TABLE III.—DEATHS and RATE OF MORTALITY in Eight Principal Towns during the Week ending Saturday, October 6, 1888.

TOWNS.	Annual Rate of Mortality per 1000 living.		Deaths from All Causes.	The Deaths Registered in the Week include														
				Deaths of		Deaths from												
	From All Causes.	From Seven Zymotic Diseases.		Infants under One Year of Age.	Persons aged 60 Years & upwards.	Small-pox.	Measles.	Scarlet Fever.	Diphtheria.	Hooping-cough.	Fever.	Diarrhœa.	Croup and Laryngitis.	Bronchitis, Pneumonia & Pleurisy.	Violence.	Deaths in Public Institutions.	Deaths from Uncertified Causes.	Deaths from Unspecified Causes.
In Eight Towns,	17·0	1·8	429	106	101	0	9	1	9	4	4	18	3	76	11	60	44	1
GLASGOW, .	17·9	1·7	181	50	36	0	1	1	3	3	2	7	2	40	3	22	19	1
EDINBURGH,	15·0	1·6	76	23	20	0	0	0	3	1	0	4	0	11	3	12	12	0
DUNDEE, . .	19·4	2·3	60	10	21	0	0	0	2	0	1	4	0	7	1	12	4	0
ABERDEEN, .	11·3	0·0	26	6	8	0	0	0	0	0	0	0	0	4	0	4	2	0
GREENOCK, .	12·8	1·4	19	4	6	0	1	0	0	0	0	1	0	4	1	2	1	0
LEITH, . . .	14·7	0·7	21	7	3	0	0	0	1	0	0	0	0	2	1	3	2	0
PAISLEY, . .	28·7	7·6	34	5	5	0	7	0	0	0	0	2	1	4	2	2	4	0
PERTH, . . .	19·2	1·6	12	1	2	0	0	0	0	0	1	0	0	4	0	3	0	0

WEEKLY RETURN

OF

BIRTHS, DEATHS, AND MARRIAGES

IN EIGHT PRINCIPAL TOWNS OF

SCOTLAND.

By Authority of the Registrar-General.

No. 41. WEEK ENDING SATURDAY, OCTOBER 12, 1889.

The Death-rate in Eight Principal Towns during the week ending with Saturday, October 12, 1889, was 18·3 per thousand of estimated population. This rate is 2·1 below that for the corresponding week of last year, but 0·3 below that for the previous week of the present year.

The lowest mortality was recorded in Greenock, viz., 10·6 per thousand; and the highest in Paisley, viz., 23·3 per thousand.

The mortality from the seven most familiar Zymotic Diseases was at the rate of 2·5 per thousand, being 0·2 below that for the previous week.

The Deaths from Bronchitis, Pneumonia, and Pleurisy amounted to 79, being below 9 below the number for last week.

The Mean Temperature was 47°·0, being 1°·2 below that for the week immediately preceding, and 0°·8 below that for the corresponding week of 1888.

TABLE I.—BIRTHS, DEATHS, AND MARRIAGES Registered, and METEOROLOGY, during the Week ending Saturday, October 12, 1889, in Eight Principal Towns of Scotland.

TOWNS.	Registration Area in Acres.	Population estimated to middle of Year 1889.	Persons to an Acre. 1889.	Proximity in Yards.	Registered during the Week ending Oct. 12, 1889.			Temperature.			Rainfall in Inches.
					Births	Deaths	Marriages	Highest	Lowest	Mean	
								°	°	°	
Eight Principal Towns in Scotland.	31,919	1,329,884	41·664	11·58	828	469	163	59·6	32·0	47·0	1·16
GLASGOW, . . .	6,111	528,144	86·425	8·04	363	219	63	58·0	36·8	48·4	1·43
EDINBURGH, . .	5,907	266,900	45·184	11·12	127	82	32	59·6	34·1	47·1	0·83
DUNDEE, . .	3,408	163,300	47·917	10·80	109	42	25	58·2	34·1	46·1	0·71
ABERDEEN, . .	5,811	121,448	20·900	16·35	64	43	11	56·4	33·2	46·1	1·07
GREENOCK, . .	1,509	78,248	51·854	10·38	50	16	13	56·2	37·2	47·3	2·28
LEITH, ...	1,344	76,400	56·845	9·92	56	29	8	56·4	37·3	47·5	0·80
PAISLEY, . . .	3,493	62,571	17·913	17·66	43	28	8	58·9	38·1	48·4	1·47
PERTH, ...	4,336	32,873	7·581	27·15	16	10	3	59·0	32·0	45·2	0·73
Corresponding Week of 1888.—Eight Towns.	31,919	1,314,274	41·175	11·65	859	516	161	61·0	31·9	47·8	0·14

[TURN OVER.

Week ending Saturday, October 12, 1889.

TABLE II.—DEATHS and RATE OF MORTALITY in Eight Principal Towns during the Week ending Saturday, October 12, 1889.

TOWNS.	Annual Rate of Mortality per 1000 living.		Deaths from All Causes.	The Deaths Registered in the Week include														
				Deaths of		Deaths from										Deaths in Public Institutions.	Deaths from Uncertified Causes.	Deaths from Unspecified Causes.
	From all Causes.	From Seven Zymotic Diseases.		Infants under One Year of Age.	Persons aged 60 Years & upwards.	Small-pox.	Measles.	Scarlet Fever.	Diphtheria.	Hooping-cough.	Fever.	Diarrhœa.	Croup and Laryngitis.	Bronchitis, Pneumonia & Pleurisy.	Violence.			
In Eight Towns,	18·3	2·5	469	90	102	0	7	6	13	14	5	19	8	79	16	75	41	2
GLASGOW, .	21·6	3·2	219	45	39	0	3	2	6	9	4	8	1	49	10	30	16	2
EDINBURGH,	16·0	1·9	82	12	23	0	1	0	6	0	0	3	4	5	3	18	18	0
DUNDEE, . .	13·4	1·6	42	7	10	0	0	0	0	1	0	4	0	6	1	7	1	0
ABERDEEN, .	18·4	2·1	43	11	13	0	2	1	0	0	1	1	2	9	1	6	1	0
GREENOCK, .	10·6	0·7	16	4	4	0	0	0	0	1	0	0	0	5	1	1	1	0
LEITH, . . .	19·7	2·7	29	6	6	0	1	1	1	0	0	1	0	4	0	4	2	0
PAISLEY, . .	23·3	4·2	28	5	5	0	0	0	0	3	0	2	1	1	0	5	2	0
PERTH, . . .	15·8	3·2	10	0	2	0	0	2	0	0	0	0	0	0	0	4	0	0

TABLE III.—DEATHS and RATE OF MORTALITY in Eight Principal Towns during the Week ending Saturday, October 13, 1888.

TOWNS.	Annual Rate of Mortality per 1000 living.		Deaths from All Causes.	The Deaths Registered in the Week include														
				Deaths of		Deaths from										Deaths in Public Institutions.	Deaths from Uncertified Causes.	Deaths from Unspecified Causes.
	From All Causes.	From Seven Zymotic Diseases.		Infants under One Year of Age.	Persons aged 60 Years & upwards.	Small-pox.	Measles.	Scarlet Fever.	Diphtheria.	Hooping-cough.	Fever.	Diarrhœa.	Croup and Laryngitis.	Bronchitis, Pneumonia & Pleurisy.	Violence.			
In Eight Towns,	20·4	2·4	516	133	93	0	14	4	8	11	5	18	8	100	17	71	67	2
GLASGOW, .	21·7	2·6	220	50	34	0	1	3	6	9	2	5	5	50	6	29	31	2
EDINBURGH,	18·8	1·4	95	28	20	0	0	0	1	1	1	4	2	11	5	23	19	0
DUNDEE, . .	21·0	1·3	65	17	12	0	0	0	0	0	0	4	0	16	3	4	5	0
ABERDEEN, .	17·9	0·4	41	14	12	0	0	0	0	0	0	1	0	5	1	5	2	0
GREENOCK, .	10·1	0·7	15	3	2	0	1	0	0	0	0	0	1	4	1	2	4	0
LEITH, . . .	18·9	1·4	27	11	5	0	0	0	1	0	0	1	0	7	0	0	2	0
PAISLEY, . .	37·1	16·0	44	9	5	0	12	1	0	1	2	3	0	5	0	4	4	0
PERTH, . . .	14·4	0·0	9	1	3	0	0	0	0	0	0	0	0	2	1	4	0	0

WEEKLY RETURN

OF

BIRTHS, DEATHS, AND MARRIAGES

IN EIGHT PRINCIPAL TOWNS OF

SCOTLAND.

By Authority of the Registrar-General.

No. 42. WEEK ENDING SATURDAY, OCTOBER 19, 1889.

The Death-rate in Eight Principal Towns during the week ending with Saturday, October 19, 1889, was 20·5 per thousand of estimated population. This rate is 0·1 above that for the corresponding week of last year, and 2·2 above that for the previous week of the present year.

The lowest mortality was recorded in Paisley, viz., 14·9 per thousand; and the highest in Glasgow, viz., 23·1 per thousand.

The mortality from the seven most familiar Zymotic Diseases was at the rate of 2·4 per thousand, or 0·1 below that for last week.

The Deaths from Bronchitis, Pneumonia, and Pleurisy amounted to 110, being 31 above the number for the previous week.

The Mean Temperature was 46°·7, being 0°·3 below that for the week immediately preceding, and 1°·4 below that for the corresponding week of 1888.

TABLE I.—BIRTHS, DEATHS, AND MARRIAGES Registered, and METEOROLOGY, during the Week ending Saturday, October 19, 1889, in Eight Principal Towns of Scotland.

TOWNS.	Registration Area in Acres.	Population estimated to middle of Year 1889.	Persons to an Acre. 1889.	Proximity in Yards.	Registered during the Week ending Oct. 19, 1889.			Temperature.			Rainfall in Inches.
					Births	Deaths	Marriages	Highest	Lowest	Mean	
								°	°	°	
Eight Principal Towns in Scotland.	31,919	1,329,884	41·664	11·58	873	524	174	59·7	31·5	46·7	0·47
GLASGOW, . . .	6,111	528,144	86·425	8·04	374	235	74	56·3	31·5	46·7	0·14
EDINBURGH, . .	5,907	266,900	45·184	11·12	159	98	33	55·6	36·5	46·0	0·50
DUNDEE, . .	3,408	163,300	47·917	10·80	91	61	28	54·3	32·6	47·0	0·45
ABERDEEN, . .	5,811	121,448	20·900	16·35	81	48	7	53·8	34·6	46·3	1·44
GREENOCK, . .	1,509	78,248	51·854	10·38	51	23	11	55·2	39·0	47·6	0·22
LEITH, ...	1,344	76,400	56·845	9·92	46	30	13	54·0	39·3	47·4	0·25
PAISLEY, . . .	3,493	62,571	17·913	17·66	59	18	3	59·7	34·4	47·4	0·20
PERTH, ...	4,336	32,873	7·581	27·15	12	11	5	54·5	31·5	45·4	0·60
Corresponding Week of 1888.—Eight Towns.	31,919	1,314,274	41·175	11·65	854	517	146	60·0	29·0	48·1	0·05

[TURN OVER.

Week ending Saturday, October 19, 1889.

TABLE II.—DEATHS and RATE OF MORTALITY in Eight Principal Towns during the Week ending Saturday, October 19, 1889.

TOWNS.	Annual Rate of Mortality per 1000 living.		Deaths from All Causes.	The Deaths Registered in the Week include														
				Deaths of		Deaths from												
	From all Causes.	From Seven Zymotic Diseases.		Infants under One Year of Age.	Persons aged 60 Years & upwards.	Small-pox.	Measles.	Scarlet Fever.	Diphtheria.	Hooping-cough.	Fever.	Diarrhœa.	Croup and Laryngitis.	Bronchitis, Pneumonia & Pleurisy.	Violence.	Deaths in Public Institutions.	Deaths from Uncertified Causes.	Deaths from Unspecified Causes.
In Eight Towns,	20·5	2·4	524	130	97	0	9	9	6	11	11	15	8	110	26	78	54	0
GLASGOW, .	23·1	2·6	235	67	39	0	4	2	4	7	4	5	0	70	9	34	25	0
EDINBURGH,	19·1	1·8	98	17	25	0	0	1	2	2	1	3	6	9	8	25	23	0
DUNDEE, . .	19·4	1·6	61	12	11	0	0	0	0	2	0	3	2	7	3	4	2	0
ABERDEEN, .	20·5	4·3	48	9	8	0	5	0	0	0	2	3	0	3	1	5	1	0
GREENOCK, .	15·3	2·0	23	7	1	0	0	0	0	0	2	1	0	5	0	4	2	0
LEITH, . . .	20·4	1·4	30	14	4	0	0	2	0	0	0	0	0	10	2	1	1	0
PAISLEY, . .	14·9	1·7	18	3	6	0	0	1	0	0	1	0	0	4	3	3	0	0
PERTH, . . .	17·4	6·3	11	1	3	0	0	3	0	0	1	0	0	2	0	2	0	0

TABLE III.—DEATHS and RATE OF MORTALITY in Eight Principal Towns during the Week ending Saturday, October 20, 1888.

TOWNS.	Annual Rate of Mortality per 1000 living.		Deaths from All Causes.	The Deaths Registered in the Week include														
				Deaths of		Deaths from												
	From All Causes.	From Seven Zymotic Diseases.		Infants under One Year of Age.	Persons aged 60 Years & upwards.	Small-pox.	Measles.	Scarlet Fever.	Diphtheria.	Hooping-cough.	Fever.	Diarrhœa.	Croup and Laryngitis.	Bronchitis, Pneumonia & Pleurisy.	Violence.	Deaths in Public Institutions.	Deaths from Uncertified Causes.	Deaths from Unspecified Causes.
In Eight Towns,	20·4	3·2	517	129	94	0	24	10	8	6	7	27	9	106	17	76	59	4
GLASGOW, .	21·3	2·9	215	56	30	0	1	6	3	4	5	10	2	52	8	28	30	4
EDINBURGH,	15·8	1·0	80	17	12	0	0	0	3	0	1	1	3	8	5	23	16	0
DUNDEE, . .	20·7	2·9	64	19	22	0	0	1	1	0	0	7	0	19	1	7	6	0
ABERDEEN, .	20·5	2·6	47	12	12	0	0	0	1	2	0	3	0	9	2	8	0	0
GREENOCK, .	19·6	3·4	29	4	5	0	1	2	0	0	0	2	0	2	0	2	1	0
LEITH, . . .	12·6	0·0	18	4	6	0	0	0	0	0	0	0	1	8	0	3	0	0
PAISLEY, . .	43·8	21·9	52	15	4	0	22	0	0	0	1	3	3	7	0	4	4	0
PERTH, . . .	19·2	3·2	12	2	3	0	0	1	0	0	0	1	0	1	1	1	2	0